



NEW FOR 2005



232 COASTAL



L.O.A.	22' 4" (6.8 m)
Beam	8' 8" (2.64 m)
Dry Weight (approx.)*	3600 lb (1633 kg)
Fuel capacity (Gas)	115 gal (435.32 L)
Water Capacity	8 gal (30.28 L)
Max hp power @ prop	300 hp (224 kw)
Shaft Length Single	25" (.64 m)
Dead Rise	20°
Draft: engine up (approx)	15" (.38 m)
Draft: engine down (approx)	32" (.81 m)
Bridge clearance w/o top (approx)	9' 5" (2.87 m)
Bridge clearance w/bimini top (opt) (approx)	8' 0" (2.43 m)
Bridge clearance w/Hardtop (opt) (approx)	8' (2.43 m)

* Dry weights are calculated with standard equipment only and do not include engine(s). Dry weight will vary with engine and options installed.

KEY SALES FEATURES

- Full height transom • Foam filled, fiberglass, box section stringer with integral high density composite transom
 - Recessed stainless grab rails - port/stbd
- Full FRP cabin liner with diamond pattern skid resistant surfaces • Fish box Stbd below Helm Seat 90 qt w/overboard drain • Dry Storage Port below Companion Seat 90 qt
 - Lighted baitwell 92qt with aerator, overboard overflow and end of the day drains • Rod storage under gunwale port and starboard • Stainless steel gunwale-mounted rod holders (2) • Fiberglass cockpit with diamond pattern skid resistant surfaces • All stainless steel deck hardware thru-bolted • Complies with Coast Guard safety regulations
 - 10-year structural hull warranty - transferable
 - NMMA Certified

STANDARD EQUIPMENT

HULL & DECK

Anchor rope locker w/hawse pipe
Anchor roller with cleat
Bow and stern eyes - stainless steel
Cleats (7) 8" stainless steel
Full hull bow flare for dry ride
Gunnel caps - composite port/stbd with integrated stainless steel side grab rails
Rod holders (2) stainless steel w/cap
Rub rail - high impact
Stainless steel rails
Swim platform - integrated
Swim ladder - flip down
Transom full height with door
Windshield - curved tempered Solex® glass

COCKPIT

Baitwell - 92 qt. with light and overboard drain
Beverage holders
Cockpit courtesy lights
Cockpit overboard scuppers
Fishbox (1) 90 qt stbd - mid-ship with overboard drain and sealed lid
Dry storage (1) 90qt - port mid-ship with sealed lid & drain
Pedestal seats adjustable with cushions port/stbd
Rod storage under gunwale port/stbd
Skid resistant surfaces

MECHANICAL

Accessory plug - (1) 12V at helm
Accessory switches (2)
Baitwell pump - remote mount
Battery switch

Breakers at helm - weather resistant
Bilge pump automatic float switch 800 gph aft
Compass
Full instrumentation - tachometer, speedometer, fuel, volts, water pressure, trim, systems check*
Horn - flush mount
Hoses - steel reinforced
Ignition - safety interlock system with lanyard
Navigation lights
** Propeller - aluminum
Remote oil fill (2-stroke)
Steering - hydraulic
Steering wheel - stainless steel
Submersible rated electrical connections
Switches - weather resistant

CABIN

Battery storage with tray(s)
Bi-fold locking entry door
Deck hatch - with screen
Galley with sink, storage, and pressurized fresh water
Dome light - 12V w/switch
Full fiberglass liner - skid resistant with integrated step
Hatch access to helm console rigging
Head - self contained (non-plumbed)
Seashore cabin fabric
Toilet paper holder
Rope locker access hatch
V-berth with storage
V-berth cushions

* Systems check available with specific engines

** Drop shipped and factory rigged engines only.

OPTIONAL EQUIPMENT

Battery switch - dual with 2 trays
Bimini top w/boot - premium canvas with stainless steel hardware
Canada certification
CE certification (for export only)
Cockpit bolsters - port/stbd
Dinette table with V-Berth filler cushion
Fold-away rear bench seat with cushion and aft bolster
Heavy duty dive ladder
Pre-rig for Evinrude, Johnson, Mercury and Yamaha (Recommended hp: 150 to 300 hp, check for engine availability)

Port/Stbd jump seat cushions with backrest
Raw water wash down
Stainless steel prop (selected engines only)
Stove - butane
** Tilt hydraulic steering
Transom shower - fresh water
Trim Tabs - requires heavy duty dive ladder (replaces standard swim ladder)
Yamaha digital upgrade (Yamaha engines only)

** Tilt hydraulic steering optional with 150 hp base engine; standard with engine upgrade

OPTIONAL EQUIPMENT cont.

*Sirius Satellite Radio System

Clarion AM/FM CD player with remote at helm
Sirius satellite receiver, antenna
4 Speakers

*Hardtop w/Canvas Package

Molded w/aluminum frame, rigging pipe, (4) rod holders, electronics box with power buss bar, storage, spreader light, (2) overhead incandescent lights, full canvas enclosure and port/stbd windshield wipers

*Canvas Package for Bimini Top

Side and drop curtains with windshield connector

*Premium Hardware Package (new)

Stainless steel rubrail insert
Stainless steel steering wheel with power knob
Stainless steel thru hulls
Upgraded hullside logo

*Note: Items in Packages cannot be ordered individually unless listed as stand-alone.

COLOR OPTIONS

Hullside Color Option Upgrade

Fighting Lady Yellow
Hunter Green
Midnite Blue

ENGINE OPTIONS

Merc 150 Saltwater Classic	Johnson 175
Merc 150 Saltwater EFI	Johnson 200 4-stroke
Merc 150 Optimax Saltwater (DIG)	Johnson 225 4-stroke
Merc 200 Saltwater Classic	Evinrude 150 FFI
Merc 200 Saltwater EFI	Evinrude 200 FFI
Merc 200 Optimax Saltwater (DIG)	Evinrude 225 FFI
Merc 225 EFI Saltwater	Evinrude 250 FFI
Merc 225 Optimax Saltwater (DIG)	Yamaha 150
Merc 250 Saltwater EFI	Yamaha Z 150 HPDI
Merc 200 Verado 4-stroke	Yamaha 150 4-stroke
Merc 225 Verado 4-stroke	Yamaha 200 Saltwater
Merc 250 Verado 4-stroke	Yamaha Z 200 HPDI
Merc 275 Verado 4-stroke	Yamaha 200 4-stroke
Johnson 150	Yamaha 225 4-stroke
	Yamaha Z 250 HPDI
	Yamaha Z 300 HPDI

PERFORMANCE DATA -

Time to Plane	TBD
Top Speed	TBD
Cruise Speed	TBD
Cruise Range	TBD

Performance and fuel consumption will vary and be affected by water and weather conditions, altitude, load and condition of boat, engine and propeller(s). Cruise range based on 95% of fuel capacity. All data is illustrative and is not warranted. This test done with clean bottom, no bottom paint and light to average load.

Specifications, options, and equipment are subject to change without notice.