



WELLCRAFT 2018

PRODUCT INFORMATION GUIDE





Wellcraft®



INTRODUCTION

New for 2018, the continuous redesign of the lineup has demonstrated the perfection that is the all-new Wellcraft. Opening new avenues for all-purpose boating, the new 182 Fisherman and 202 Fisherman join the Fisherman series' pursuit and soundly combine fishing intensive features with dedicated family friendly characteristics.

Wellcraft's legendary style and performance is thoroughly expressed through two Bay series models. The 221 Bay and 241 Bay radiate the shallow water capability, premium durability, and offshore versatility needed for extended fishing trips and family outings. Whether you head offshore or fish the inland, you'll experience the true potential and diligence of the family attentive Bay series.

With the 290 Coastal® luxurious boating and fishing come standard. With a back end Well-crafted for the serious business of fishing and a cabin designed with all day amenities like a head and galley, the 290 radiates excellence. And with plenty of storage and room to maneuver you'll love dedicating all your evenings to the water.



TABLE OF CONTENTS

182 Fisherman	6
202 Fisherman	12
222 Fisherman	18
242 Fisherman	26
262 Fisherman	36
302 Fisherman	46
221 Bay	56
241 Bay	64
290 Coastal®	74
Trailers	78
Warranty	84

Notice: Due to Wellcraft's policy of continual product improvement, specifications are subject to change without notice. The weights and volumes shown are approximate and can vary slightly from boat to boat. Wellcraft boats meet or exceed all USCG and NMMA requirements for certification at the date of manufacture.

Performance disclosure: Test results for each model were obtained using specified engines at sea level in ideal conditions with two or more test drivers aboard. Your performance may vary depending upon load, altitude, temperature, humidity, water conditions, choice of prop and cleanliness of the boat's hull.





W

FISHERMAN

182 FISHERMAN



SPECIFICATIONS

	US	METRIC
L.O.A.	18'2"	5.59 m
Beam	8'0"	2.44 m
Fuel capacity	56 gal	212 L
Draft Up	15"	38 cm
Draft Down	32"	81 cm
Maximum Capacity	2,000 lbs	907 kg
Persons Capacity	8	7
Approx. Boat Weight	2200 lbs	998 kg
Approx. Boat & Engine Weight	2750 lbs	1247 kg
Max HP	150 hp	112 kw
Deadrise	19°	19°
Bridge Clearance	5'10"	1.78 m
Bridge Clearance w/T-Top	7'3"	2.21 m
Keel to Top of T-Top	8'6"	2.59 m
Keel to Top of Windshield	7'1"	2.16 m
Trailer Height w/T-Top	10'1"	3.07 m
Trailer Height w/o T-Top	8'8"	5.69 m

KEY SALES FEATURES

- Baitwell, Fwd Aquarium Style
- Extensive Bow Casting Platform
- Spacious Console Seating
- Porta Pottie, Optional
- Removable Windshield for Storage
- Billet Gauge Switch Panel
- Flip-Up Jump Seats
- Rod Holder / Drink Holder Combos, Optional
- Scarab Offshore Package, Optional
- Ski Tow Pylon, Optional

POWER RATINGS & WEIGHTS

Engine Type	Propshaft Power		Boat & Engine Weights	
	HP	KW	LBS	KG
Mercury®90EXLPT CT 4S	90	67	2600	1180
Mercury®115EXLPT 4S	115	86	2600	1180
Mercury®150XL 4S	150	112	2700	1225
Yamaha®F90XB	90	67	2600	1180
Yamaha®F115XB	115	86	2625	1190
Yamaha®F150XB	150	112	2750	1250

PERFORMANCE

Power HP/KW	Propeller (Dia x Pitch)		Type	Top Speed		Cruise Range	
	IN	CM		MPH	KPH	MI	KM
Mercury®90EXLPT CT 4S	15x15	38x38	SST	32-35	51-56	212	341
Mercury®115EXLPT 4S	13.4x15	34x38	AL	35-38	56-61	228	367
Mercury®150XL 4S	14.5x17	37x43	SST	42-46	68-74	202	325
Yamaha®F90XB	13.5x15	34x38	AL	32-35	51-56	273	439
Yamaha®F115XB	13.5x16	34x41	AL	35-38	56-61	252	406
Yamaha®F150XB	14.25x17	36x43	SST	42-46	68-74	223	359

FUEL FLOW DATA - 182F - MERCURY® 90EXLPT CT 4S

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
1500 rpm	5	8	1	4
2000 rpm	6	10	2	6
2500 rpm	7	11	2	8
3000 rpm	8	13	3	11
3500 rpm	10	16	5	18
4000 rpm	18	30	5	19
4500 rpm	23	37	6	22
5000 rpm	27	44	7	26
5500 rpm	31	49	8	30
WOT	33	53	9	32

**FUEL FLOW DATA - 182F - MERCURY® 115EXLPT 4S**

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
1500 rpm	6	9	1	3
2000 rpm	7	11	1	5
2500 rpm	8	12	2	9
3000 rpm	9	14	3	13
3500 rpm	11	17	5	17
4000 rpm	20	33	5	18
4500 rpm	26	41	6	22
5000 rpm	30	48	7	28
5500 rpm	34	54	9	35
WOT	36	58	11	41

FUEL FLOW DATA - 182F - MERCURY® 150XL 4S

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
1500 rpm	7	11	1	4
2000 rpm	8	13	2	7
2500 rpm	9	15	3	12
3000 rpm	10	17	5	17
3500 rpm	13	20	7	26
4000 rpm	24	39	6	24
4500 rpm	30	49	8	30
5000 rpm	36	57	10	38
5500 rpm	40	65	13	48
WOT	43	69	15	55

FUEL FLOW DATA - 182F - YAMAHA® F90XB

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
1500 rpm	4	7	1	3
2000 rpm	5	9	1	4
2500 rpm	6	10	2	7
3000 rpm	7	12	3	10
3500 rpm	10	15	4	15
4000 rpm	19	30	4	14
4500 rpm	24	39	5	17
5000 rpm	28	45	6	22
5500 rpm	31	50	7	28
WOT	34	55	9	32

**FUEL FLOW DATA - 182F - YAMAHA® F115XB**

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
1500 rpm	5	8	1	3
2000 rpm	6	10	1	5
2500 rpm	7	11	2	8
3000 rpm	8	13	3	12
3500 rpm	11	17	5	17
4000 rpm	21	33	5	17
4500 rpm	27	43	6	21
5000 rpm	31	50	7	26
5500 rpm	35	56	9	33
WOT	37	60	10	38

FUEL FLOW DATA - 182F - YAMAHA® F150XB

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
1500 rpm	6	9	1	5
2000 rpm	7	11	2	7
2500 rpm	8	12	3	12
3000 rpm	11	18	5	18
3500 rpm	22	35	5	20
4000 rpm	27	43	6	24
4500 rpm	32	51	8	30
5000 rpm	36	58	10	37
5500 rpm	40	65	13	49
WOT	44	70	16	59

182 FISHERMAN / STANDARDS

HULL AND DECK

- Anchor locker/storage
- Bow and Stern Eyes, stainless steel
- Bow floor storage
- Bow storage
- Cleats, stainless steel
- Fiberglass stringer
- Foam Flotation
- Gel scheme, all white
- Horn, stainless steel
- Ladder, boarding
- Meets applicable USCG & Canadian Regs; NMMA Certified using ABYC Stds.
- Navigation Lights
- Rod holders, gunnel mount
- Rub Rail, w/stainless steel insert
- Thru hull fittings, stainless steel

COCKPIT

- Bait well/live well
- Beverage holder(s)
- Cockpit Interior
 - Carbon Fiber, Cognac, Neutral w/ black accent, Seaside
- Courtesy Lights
- Deck lids w/stainless steel, latches gas assist
- Grab handles, stainless steel
- Leaning post
- Mechanical non-skid
- Rod storage, gunnel
- Seating, forward console
- Seating, rear folding bench
 - Self bailing cockpit

HELM

- 12 volt receptacle
- Steering Wheel w/ knob, stainless steel

ENGINE / SYSTEMS

- Battery tray, w/ switch
- Bilge pump, automatic

CONSOLE

- Changing room
- Windscreen, console Removable

TRAILER

- Wellcraft custom trailer, single axle w/brakes Galv/Gatorhyde

182 FISHERMAN / OPTIONS

HULL AND DECK

- Anchor w/rope & chain
- Gel scheme, solid color hull or two-tone:
 - Crimson Red, Denim Blue, Jet Black, Liquid Blue, Phantom Grey, Seafoam Green
- Gel scheme, tri-tone:
 - Black/Atomic, Black/Passion Red, Black/White
- Rod holders, pair, *requires T-top (clamp on)
- Underwater lights

CONSOLE

- Head, porta pottie (NA Canada)
- Head, pump-out

T-TOPS

- T-Top canvas enclosure

- Rod holders, pair, *requires T-top (clamp on)
- Underwater lights

TOW SPORTS

- Ski Tow, removable pylon

COCKPIT

- Cockpit Reed Flooring, Ash or Dune
- Cooler, under leaning post (removable)
- Leaning post, backrest, removable/folding
- Transom cutting board w/tool Holders

ENTERTAINMENT

- Fusion Stereo:
 - AM/FM w/Bluetooth*, USB & MP3 port, Speakers

HELM

- Compass
- GPS plotter w/depth sounder

ENGINE / SYSTEMS

- Battery charger
- Battery charger w/trolling motor pre-wire
- Battery on/off switch
- Down rigger pre-wire
- Hydraulic steering (std on 150 hp and up)

- Hydraulic tilt steering (90 & 115 hp only)
- Raw water wash down
- Trim tabs
- Trolling motor pre-wire

CONSOLE

- Head, porta pottie (NA Canada)
- Head, pump-out

T-TOPS

- T-Top canvas enclosure

CANVAS

- Bimini Top (NA w/T-Top)
- Console cover

TRAILER

- EZ-loader aluminum w/brakes & spare
- Spare tire & wheel
- Wheels, aluminum

BOW SEATING PACKAGE

- Bow seat cushions

MAT PACKAGE

- Bow pads
- Coaming pad
- Head door pad
- Helm footrest mat

SCARAB OFFSHORE PACKAGE

- Mat package, helm floor and rod storage
- Scarab Offshore graphics
- Upgrade leaning post w/backrest

STAINLESS STEEL UPGRADE PACKAGE

- Grab handles
- Cleats-pull up
- Beverage holders
- Additional aft rod, beverage holders (2)

• Performance and fuel consumption will vary and be affected by water and weather conditions, altitude, load and condition of boat, engine and propeller(s). Cruise range based on 95% of fuel capacity. All data is illustrative and is not warranted. This test was conducted with clean bottom, no bottom paint and light to average load.

• Specifications, options, and equipment are subject to change without notice.

202 FISHERMAN



SPECIFICATIONS

	US	METRIC
L.O.A.	20'4"	6.2 m
Beam	8'6"	2.54 m
Fuel capacity	56 gal	212 L
Draft Up	17"	43 cm
Draft Down	33"	84 cm
Maximum Capacity	2350 lbs	1066 kg
Persons Capacity	8	TBD
Approx. Boat Weight	2650 lbs	1202 kg
Approx. Boat & Engine Weight	3100 lbs	1406 kg
Max HP	200 hp	150 kw
Deadrise	19°	19°
Bridge Clearance	5'8"	1.73 m
Bridge Clearance w/T-Top	7'4"	2.24 m
Keel to Top of T-Top	8'6"	2.59 m
Keel to Top of Windshield	7'1"	2.16 m
Trailer Height w/T-Top	10'1"	3.07 m
Trailer Height w/o T-Top	8'8"	2.64 m

KEY SALES FEATURES

- Baitwell, Fwd Aquarium Style
- Extensive Bow Casting Platform & Storage
- Spacious Console Seating
- Porta Pottie, Optional
- Removable Windshield for Storage
- Billet Gauge Switch Panel
- Flip-Up Jump Seats
- Rod Holder / Drink Holder Combos, Optional
- Scarab Offshore Package, Optional
- Ski Tow Pylon, Optional

POWER RATINGS & WEIGHTS

Engine Type	Propshaft Power		Boat & Engine Weights	
	HP	KW	LBS	KG
Mercury®115EXLPTCT4S	115	86	3075	1395
Mercury®150XL4S	150	112	3150	1429
Mercury®200XLVerado	200	149	3225	1463
Yamaha®F115XB	115	86	3100	1406
Yamaha®F150XB	150	112	3200	1451
Yamaha®F200XB	200	149	3200	1451

PERFORMANCE

Power HP/KW	Propeller (Dia x Pitch)		Type	Top Speed		Cruise Range	
	IN	CM		MPH	KPH	MI	KM
Mercury®115EXLPTCT4S	15x17	38x43	AL	34-37	55-60	223	359
Mercury®150XL4S	14.5x15	37x38	SS	39-42	63-68	183	296
Mercury®200XLVerado	15.5x17	39x43	SS	43-46	69-74	149	240
Yamaha®F115XB	13.625x14	35x36	AL	34-37	55-60	327	526
Yamaha®F150XB	14.5x15	37x38	SS	39-42	63-68	223	359
Yamaha®F200XB	14.5x15	37x38	SS	43-46	69-74	240	386

FUEL FLOW DATA - 202F - MERCURY® 115 EXLPT CT 4S

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
1500 rpm	5	8	1	4
2000 rpm	7	10	1	5
2500 rpm	8	12	2	8
3000 rpm	10	16	3	11
3500 rpm	15	24	4	15
4000 rpm	21	34	5	19
4500 rpm	25	40	6	23
5000 rpm	29	46	7	28
5500 rpm	32	52	9	34
WOT	36	58	11	41

**FUEL FLOW DATA - 202F - MERCURY® 150XL 4S**

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
1500 rpm	6	9	1	5
2000 rpm	7	12	2	7
2500 rpm	9	14	3	11
3000 rpm	11	18	4	15
3500 rpm	17	27	5	20
4000 rpm	23	37	7	25
4500 rpm	28	45	8	31
5000 rpm	32	52	10	37
5500 rpm	36	58	12	46
WOT	40	64	15	55

FUEL FLOW DATA - 202F - MERCURY® 200XL VERADO

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
1500 rpm	7	10	2	7
2000 rpm	8	13	3	10
2500 rpm	10	15	4	16
3000 rpm	12	20	6	21
3500 rpm	19	30	7	28
4000 rpm	26	42	9	35
4500 rpm	31	50	11	43
5000 rpm	36	58	14	52
5500 rpm	40	65	17	63
WOT	45	72	20	76

FUEL FLOW DATA - 202F - YAMAHA® F115XB

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
1500 rpm	5	8	1	3
2000 rpm	6	9	1	5
2500 rpm	7	11	2	7
3000 rpm	9	15	2	9
3500 rpm	18	30	3	11
4000 rpm	23	37	4	14
4500 rpm	26	42	5	18
5000 rpm	30	48	6	24
5500 rpm	33	53	8	31
WOT	36	57	10	38

**FUEL FLOW DATA - 202F - YAMAHA® F150XB**

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
1500 rpm	5	9	1	5
2000 rpm	7	10	2	8
2500 rpm	7	12	3	11
3000 rpm	10	16	4	15
3500 rpm	21	33	5	18
4000 rpm	26	41	6	24
4500 rpm	29	47	8	30
5000 rpm	33	53	10	39
5500 rpm	37	59	14	54
WOT	40	64	16	62

FUEL FLOW DATA - 202F - YAMAHA® F200XB

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
1500 rpm	6	10	1	5
2000 rpm	7	12	2	8
2500 rpm	8	13	3	11
3000 rpm	11	18	4	16
3500 rpm	23	37	5	19
4000 rpm	29	46	7	25
4500 rpm	33	53	8	31
5000 rpm	37	59	11	41
5500 rpm	41	66	15	56
WOT	44	71	17	64

202 FISHERMAN / STANDARDS

HULL AND DECK

- Anchor locker/storage
- Bow and Stern Eyes, stainless steel
- Bow floor storage
- Bow storage
- Cleats, stainless steel
- Fiberglass stringer
- Foam Flotation
- Gel scheme, all white
- Horn, stainless steel
- Ladder, boarding
- Meets applicable USCG & Canadian Regs; NMMA Certified using ABYC Stds.
- Navigation Lights
- Rod holders, gunnel mount
- Rub Rail, w/stainless steel insert
- Thru hull fittings, stainless steel

COCKPIT

- Bait well/live well
- Beverage holder(s)
- Cockpit Interior
 - Carbon Fiber, Cognac, Neutral w/ black accent, Seaside
- Courtesy Lights
- Deck lids w/stainless steel, latches gas assist
- Grab handles, stainless steel
- Leaning post
- Mechanical non-skid
- Rod storage, gunnel
- Seating, forward console
- Seating, rear folding bench
- Self bailing cockpit

HELM

- 12 volt receptacle
- Steering Wheel w/ knob, stainless steel

ENGINE / SYSTEMS

- Battery tray, w/ switch
- Bilge pump, automatic

CONSOLE

- Changing room
- Windscreen, console Removable

TRAILER

- Wellcraft custom trailer, tandem axle w/brakes Galv/Gatorhyde

202 FISHERMAN / OPTIONS

HULL AND DECK

- Anchor w/rope & chain
- Gel scheme, solid color hull or two-tone:
 - Crimson Red, Denim Blue, Jet Black, Liquid Blue, Phantom Grey, Seafoam Green
- Gel scheme, tri-tone:
 - Black/Atomic, Black/Passion Red, Black/White
- Rod holders, pair, *requires T-top (clamp on)
- Underwater lights

CONSOLE

- Head, porta pottie (NA Canada)
- Head, pump-out

T-TOPS

- T-Top canvas enclosure

CANVAS

- Bimini Top (NA w/T-Top)
- Console cover

TRAILER

- EZ-loader aluminum w/brakes & spare
- Spare tire & wheel
- Wheels, aluminum

BOW SEATING PACKAGE

- Bow seat cushions

MAT PACKAGE

- Bow pads
- Coaming pad
- Head door pad
- Helm footrest mat

SCARAB OFFSHORE PACKAGE

- Mat package, helm floor and rod storage
- Scarab Offshore graphics
- Upgrade leaning post w/backrest

STAINLESS STEEL UPGRADE PACKAGE

- Grab handles
- Cleats-pull up
- Beverage holders
- Additional aft rod, beverage holders (2)

TOW SPORTS

- Ski Tow, removable pylon

COCKPIT

- Cockpit Reed Flooring, Ash or Dune
- Cooler, under leaning post (removable)
- Leaning post, backrest, removable/folding
- Transom cutting board w/tool Holders

ENTERTAINMENT

- Fusion Stereo:
 - AM/FM w/Bluetooth*, USB & MP3 port, Speakers

HELM

- Compass
- GPS plotter w/depth sounder

ENGINE / SYSTEMS

- Battery charger
- Battery charger w/trolling motor pre-wire
- Battery on/off switch
- Down rigger pre-wire
- Hydraulic steering (std on 150 hp and up)

• Performance and fuel consumption will vary and be affected by water and weather conditions, altitude, load and condition of boat, engine and propeller(s). Cruise range based on 95% of fuel capacity. All data is illustrative and is not warranted. This test was conducted with clean bottom, no bottom paint and light to average load.

• Specifications, options, and equipment are subject to change without notice.

222 FISHERMAN



SPECIFICATIONS

	US	METRIC
LOA	22'	6.71 m
Beam	8'6"	2.54 m
Fuel Capacity	103 gal	389 L
Draft Up	16"	40.64 cm
Draft Down	34"	86.36 cm
Maximum Capacity	2700 lbs	1225 kg
Persons Capacity	8	8
Approx. Boat Weight	3400 lbs	1542 kg
Approx. Boat & Engine Weight	3900 lbs	1769 kg
Max HP	250 hp	187 kw
Deadrise	20°	20°
Bridge Clearance	6'3"	1.90 m
Bridge Clearance w/T-Top	8'2"	2.49 m
Keel to Top of T-Top	9'6"	2.90 m
Keel to Top of Windshield	7'7"	2.31 m
Trailer Height w/T-Top	11'0"	3.35 m
Trailer Height w/o T-Top	8'9"	2.67 m

KEY SALES FEATURES

- Cleats, Pull-up
- Fiberglass Stringer
- Powdercoat Hardware
- Cooler, Carry On
- Diamond Pattern Anti-skid
- Fishbox w/ Overboard Drain
- Console Changing Room
- Porta Pottie
- Tackle Storage Curtains
- Built-in Bait/Live Well

POWER RATINGS & WEIGHTS

Engine Type	Propshaft Power		Boat & Engine Weights	
	HP	KW	LBS	KG
Evinrude® E150DPX	150	112	4080	1850
Evinrude® C150PX G2	200	149	4160	1890
Evinrude® C200FX G2	200	149	4160	1890
Evinrude® E250X G2	250	187	4210	1910
Mercury® 150XL 4S	150	112	4120	1870
Mercury® 200XL Verado	200	149	4180	1900
Mercury® 250XL Verado	250	187	4310	1950
Yamaha® F150XB	150	112	4140	1880
Yamaha® F200XB	200	149	4140	1880
Yamaha® F250XB	250	187	4220	1910
Yamaha® F250XCA	250	187	4220	1910

PERFORMANCE

Power HP/KW	Propeller (Dia x Pitch)		Type	Top Speed		Cruise Range	
	IN	CM		MPH	KPH	MI	KM
Evinrude® E150DPX	147/8X17	38x43	AL	40-43	64-69	350	560
Evinrude® C150PX G2	143/4X17	37x43	SST	41-44	66-71	360	580
Evinrude® C200FX G2	143/4X19	37X48	SST	44-47	71-76	350	560
Evinrude® E250X G2	15x18	38x46	SST	47-50	76-81	340	550
Mercury® 150XL 4S	141/2X17	37x43	SST	39-42	63-67	350	560
Mercury® 200XL Verado	151/2X17	39x43	SST	43-46	69-74	340	550
Mercury® 250XL Verado	151/4X19	39X48	SST	47-50	76-81	340	550
Yamaha® F150XB	141/2X17	37X43	SST	39-42	63-68	320	520
Yamaha® F200XB	141/2X15	37X38	SST	43-46	69-74	330	530
Yamaha® F250XB & XCA	151/2X17	39X43	SST	47-50	76-81	320	520

FUEL FLOW DATA - 222F - EVINRUDE® E150DPX

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000 rpm	8	13	2	8
2500 rpm	9	14	4	15
3000 rpm	14	23	4	15
3500 rpm	22	35	5	19
4000 rpm	26	42	6	23
4500 rpm	29	47	8	30
5000 rpm	34	55	10	38
5500 rpm	38	61	12	45
WOT	40	64	14	53

**FUEL FLOW DATA - 222F - EVINRUDE® C150PX G2**

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000 rpm	7	11	2	8
2500 rpm	10	17	3	12
3000 rpm	18	29	3	13
3500 rpm	23	37	4	16
4000 rpm	27	43	5	20
4500 rpm	31	50	7	27
5000 rpm	35	56	9	35
5500 rpm	39	62	12	46
WOT	41	66	13	49

FUEL FLOW DATA - 222F - EVINRUDE® C200FX G2

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000 rpm	8	13	2	8
2500 rpm	9	14	4	15
3000 rpm	14	23	5	19
3500 rpm	24	39	6	23
4000 rpm	28	45	8	30
4500 rpm	32	52	10	38
5000 rpm	38	61	13	49
5500 rpm	42	68	16	60
WOT	45	72	19	72

FUEL FLOW DATA - 222F - EVINRUDE® E250X G2

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000 rpm	8	13	4	15
2500 rpm	11	18	6	23
3000 rpm	24	39	7	26
3500 rpm	30	48	10	38
4000 rpm	35	56	12	45
4500 rpm	40	64	15	57
5000 rpm	44	71	18	68
5500 rpm	48	77	21	79
WOT	50	81	24	91

**FUEL FLOW DATA - 222F - MERCURY® 150XL 4S**

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000 rpm	8	13	2	8
2500 rpm	9	14	4	15
3000 rpm	14	23	5	19
3500 rpm	23	45	6	23
4000 rpm	28	45	8	30
4500 rpm	32	52	10	38
5000 rpm	37	60	12	45
WOT	40	64	14	53

FUEL FLOW DATA - 222F - MERCURY® 200XL VERADO

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000 rpm	8	13	2	8
2500 rpm	9	14	4	15
3000 rpm	14	23	5	19
3500 rpm	24	39	6	23
4000 rpm	29	47	8	30
4500 rpm	33	53	10	38
5000 rpm	38	61	12	45
5500 rpm	41	66	14	53
6000 rpm	44	71	17	64
WOT	46	74	20	76

FUEL FLOW DATA - 222F - MERCURY® 250XL VERADO

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000 rpm	7	11	3	11
2500 rpm	8	13	4	15
3000 rpm	8	13	7	26
3500 rpm	10	16	10	38
4000 rpm	27	43	10	38
4500 rpm	35	56	12	45
5000 rpm	39	63	16	60
5500 rpm	43	69	18	68
6000 rpm	47	76	23	87
WOT	50	81	26	98

FUEL FLOW DATA - 222F - YAMAHA® F150XB

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000 rpm	8	13	2	8
2500 rpm	9	14	4	15
3000 rpm	14	23	5	19
3500 rpm	22	36	5	19
4000 rpm	26	42	6	23
4500 rpm	29	47	8	30
5000 rpm	34	55	10	38
5500 rpm	38	61	13	49
WOT	40	64	16	61

FUEL FLOW DATA - 222F - YAMAHA® F200XB

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000 rpm	8	13	2	8
2500 rpm	9	14	4	15
3000 rpm	14	23	5	19
3500 rpm	24	39	5	19
4000 rpm	29	47	7	26
4500 rpm	32	52	10	38
5000 rpm	38	61	13	49
5500 rpm	43	69	17	64
WOT	45	71	20	76

FUEL FLOW DATA - 222F - YAMAHA® F250XB & XCA

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000 rpm	8	13	4	15
2500 rpm	11	18	6	23
3000 rpm	24	39	7	26
3500 rpm	30	48	9	34
4000 rpm	34	55	12	45
4500 rpm	39	63	15	57
5000 rpm	44	71	19	72
5500 rpm	48	77	22	83
WOT	50	81	24	91

222 FISHERMAN / STANDARDS

HULL AND DECK

- Anchor locker/storage
- Bow rails, stainless steel
- Bow storage
- Cleats, pull-up, stainless steel
- Fiberglass stringer
- Foam Flotation
- Gel scheme, all white
- Gel scheme, under hardtop, White
- Horn, stainless steel
- Ladder, boarding
- Meets applicable USCG & Canadian Regs; NMMA Certified using ABYC Stds.
- Navigation Lights
- Rod holders, gunnel mount
- Rub Rail, w/stainless steel insert
- Thru hull fittings, stainless steel

COCKPIT

- Bait well/live well, 23 gallon w/ bluecoat
- Cockpit Interior
Carbon Fiber, Cognac,
Neutral w/ black accent,
Seaside
- Cooler, under leaning post (removable)
- Courtesy Lights
- Deck lids w/stainless steel, latches gas assist
- Grab handles, stainless steel
- Leaning post
- Mechanical non-skid
- Rod storage, gunnel
- Seating, forward console
- Seating, rear folding bench
- Self bailing cockpit

HELM

- 12 volt receptacle
- Compass
- Steering Wheel w/ knob, stainless steel

ENGINE/SYSTEMS

- Battery on/off switch
- Battery tray, w/ switch
- Bilge pump, automatic
- Hydraulic steering (std on 150 hp and up)
- Raw water wash down

CONSOLE

- Battery storage
- Changing room
- Head, porta pottie (NA Canada)
- Windscreen, console

222 FISHERMAN / OPTIONS

HULL AND DECK

- Anchor w/rope & chain
- Bow anchor roller
- Gel scheme, solid color hull or two-tone:
Crimson Red, Denim Blue, Jet Black, Liquid Blue, Phantom Grey, Seafoam Green
- Gel scheme, tri-tone:
Black/Atomic, Black/Passion Red, Black/White
- Gel scheme, under hardtop, Crimson Red, Denim Blue, Jet Black, Liquid Blue, Phantom Grey, Seafoam Green
- Ladder, Retractable (starboard)
- Underwater lights
- Windlass, w/rope, chain and anchor

COCKPIT

- Cockpit Reed Flooring, Ash or Dune
- Forward floor storage macerator
- Leaning post, upgrade w/backrest, rod holders
- Mat package, helm floor and rod storage
- Seating, backrest, forward facing removable
- Seating, bow cushion
- Sport seats
- Table, bow
- Transom cutting board w/tool holders

HELM

- GPS plotter w/depth sounder

ENTERTAINMENT

- Fusion Stereo System: AM/FM w/Bluetooth*, USB & MP3 port, Speakers
- Fusion Stereo System w/Deluxe T-Top: AM/FM w/Bluetooth*, USB & MP3 port, Speakers
- Premium Sound Package: Fusion stereo, JL audio amp, speakers, subwoofer

- Premium Sound Package w/Deluxe T-Top: Fusion stereo, JL audio amp, speakers and subwoofer
- VHF radio (Garmin 100i)

ENGINE/SYSTEMS

- Battery charger
- Battery dual trays with switch
- Down rigger pre-wire
- Power assisted steering
- Tilt steering
- Trim tabs

CONSOLE

- Head, electric toilet w/holding tank
- Head, overboard discharge

T-TOPS

- T-Top Deluxe, LED lights, spreader lights & electronic box
- T-Top w/rod holder, Fiberglass

CANVAS

- Bimini Top (NA w/T-Top)
- Console & helm seat cover
- Spray shields, Eisenglass (T-Top only)

TRAILER

- Wellcraft custom trailer, tandem axle w/brakes Galv/Gatorhyde
- EZ-loader aluminum w/brakes & spare
- Spare tire & wheel
- Wheels, aluminum

BOW SEATING PACKAGE

- Bow seat cushions
- Bow backrest cushions

SCARAB OFFSHORE PACKAGE

- Mat package, helm floor and rod storage
- Scarab Offshore graphics
- Upgrade leaning post w/backrest, rod holders

NOTES

• Performance and fuel consumption will vary and be affected by water and weather conditions, altitude, load and condition of boat, engine and propeller(s). Cruise range based on 95% of fuel capacity. All data is illustrative and is not warranted. This test was conducted with clean bottom, no bottom paint and light to average load.

• Specifications, options, and equipment are subject to change without notice.

242 FISHERMAN



SPECIFICATIONS

	US	METRIC
LOA	24'4"	7.42 m
Beam	8'6"	2.54 m
Fuel Capacity	158 gal	598 L
Draft Up	16"	40.64 cm
Draft Down	34"	86.36 cm
Maximum Capacity	3500 lbs	1588 kg
Persons Capacity	10	10
Approx. Boat Weight	4050 lbs	1840 kg
Approx. Boat & Engine Weight	4900 lbs	2223 kg
Max HP	400 hp	298 kw
Deadrise	20°	20°
Bridge Clearance	6'7"	2.01 m
Bridge Clearance w/T-Top	8'6"	2.59 m
Keel to Top of T-Top	9'10"	3.00 m
Keel to Top of Windshield	7'11"	2.41 m
Trailer Height w/T-Top	11'4"	3.46 m
Trailer Height w/o T-Top	9'6"	2.90 m

KEY SALES FEATURES

- Cleats, Pull-up
- Fiberglass Stringer
- Powdercoat Hardware
- Cooler, Carry On
- Diamond Pattern Anti-skid
- Fishbox w/ Overboard Drain
- Console Changing Room
- Porta Pottie
- Tackle Storage Curtains
- Built-in Bait/Live Well

POWER RATINGS & WEIGHTS

Engine Type	Propshaft Power		Boat & Engine Weights	
	HP	KW	LBS	KG
Evinrude® E250Z G2	250	187	4620	2100
Evinrude® E300ZUG2	300	224	4670	2120
Twin Evinrude® E150DPX	150	112	4910	2230
Twin Evinrude® C150DPX G2	150	112	4950	2245
Twin Evinrude® C200FX G2	200	149	5070	2300
Mercury® 250XXL Verado	250	187	4710	2140
Mercury® 300XXL Verado	300	224	4710	2140
Mercury® 300XXL Verado White	300	224	4710	2140
Mercury® 350XXL Verado	350	261	4710	2140
Mercury® 350XXL Verado White	350	261	4710	2140
Twin Mercury® 150XL4S	150	113	4990	2260
Twin Mercury® 200XL Verado	200	149	5100	2310
Yamaha® F250UCA	250	187	4620	2100
Yamaha® F300UCA	300	224	4620	2100
Twin Yamaha® F150XB	150	112	5030	2280
Twin Yamaha® F200XB & F200XCA	200	149	5030	2280

PERFORMANCE

Power HP/KW	Propeller (Dia x Pitch) IN	Propeller (Dia x Pitch) CM	Type	Top Speed		Cruise Range	
				MPH	KPH	MI	KM
Evinrude® E250Z G2	153/4X15	40X38	SST	43-46	69-74	270	440
Evinrude® E300ZUG2	151/2X17	39X43	SST	47-50	76-81	270	440
Twin Evinrude® E150DPX	143/4X19	37X48	SST	49-52	79-84	260	420
Twin Evinrude® C150DPX G2	143/4X19	37X48	SST	49-52	79-84	260	420
Twin Evinrude® C200FX G2	15X21	38X53	SST	54-57	87-92	270	430
Mercury® 250XXL Verado	153/4X15	40X38	SST	43-46	69-74	270	440
Mercury® 300XXL Verado	151/2X17	39X43	SST	47-50	76-81	270	440
Mercury® 350XXL Verado	151/2X17	39X43	SST	50-53	81-85	270	430
Twin Mercury® 150XL4S	14X19	36X48	SST	49-52	79-84	260	420
Twin Mercury® 200XL Verado	143/4X21	37X53	SST	54-57	87-92	270	430
Yamaha® F250UCA	153/4X15	40X38	SST	43-46	69-74	260	420
Yamaha® F300UCA	151/2X17	39X43	SST	47-50	76-81	260	420
Twin Yamaha® F150XB	141/4X18	36X46	SST	48-51	77-82	250	400
Twin Yamaha® F200XCA	141/4X18	36X46	SST	53-56	85-90	250	400

**FUEL FLOW DATA - 242F - EVINRUDE® E250Z G2**

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000 rpm	8	13	3	11
2500 rpm	9	14	6	23
3000 rpm	10	16	7	26
3500 rpm	14	23	8	30
4000 rpm	29	47	9	30
4500 rpm	33	53	10	38
5000 rpm	37	60	14	53
5500 rpm	40	64	16	60
WOT	44	71	21	79

FUEL FLOW DATA - 242F - EVINRUDE® E300ZU G2

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000 rpm	8	13	3	11
2500 rpm	9	14	6	23
3000 rpm	11	18	7	26
3500 rpm	15	24	9	34
4000 rpm	31	50	9	34
4500 rpm	36	58	11	42
5000 rpm	40	64	16	60
5500 rpm	44	71	18	68
WOT	47	76	24	91

FUEL FLOW DATA - 242F - TWIN EVINRUDE® E150DPX

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000 rpm	9	14	5	19
2500 rpm	10	16	6	23
3000 rpm	21	34	7	26
3500 rpm	29	47	9	34
4000 rpm	33	53	11	42
4500 rpm	39	62	13	49
5000 rpm	42	68	18	68
5500 rpm	46	74	25	95
WOT	49	79	27	102

**FUEL FLOW DATA - 242F - TWIN EVINRUDE® C150PX G2**

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000 rpm	9	14	5	19
2500 rpm	10	16	6	23
3000 rpm	21	34	7	26
3500 rpm	29	47	9	34
4000 rpm	33	53	11	42
4500 rpm	39	62	13	49
5000 rpm	42	68	18	68
5500 rpm	46	74	25	95
WOT	49	79	27	102

FUEL FLOW DATA - 242F - TWIN EVINRUDE® C200FX G2

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000 rpm	9	14	5	19
2500 rpm	10	16	7	26
3000 rpm	23	37	8	30
3500 rpm	31	50	11	42
4000 rpm	38	61	15	57
4500 rpm	44	71	18	68
5000 rpm	49	79	24	91
5500 rpm	53	85	33	125
WOT	57	92	36	136

FUEL FLOW DATA - 242F - MERCURY® 250XXL VERADO

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000 rpm	8	13	3	11
2500 rpm	9	14	5	19
3000 rpm	11	18	7	26
3500 rpm	16	26	9	34
4000 rpm	28	45	10	38
4500 rpm	33	53	13	49
5000 rpm	36	58	17	64
5500 rpm	39	63	19	72
6000 rpm	42	68	22	83
WOT	44	71	24	91

**FUEL FLOW DATA - 242F - MERCURY® 300XXL VERADO**

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000 rpm	8	13	3	11
2500 rpm	9	14	6	23
3000 rpm	11	18	8	30
3500 rpm	15	24	9	34
4000 rpm	30	48	11	42
4500 rpm	36	58	13	49
5000 rpm	39	63	18	68
5500 rpm	43	69	22	83
6000 rpm	45	72	25	95
WOT	48	77	28	106

FUEL FLOW DATA - 242F - MERCURY® 350XXL VERADO

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000 rpm	8	13	4	15
2500 rpm	9	14	6	23
3000 rpm	11	18	7	26
3500 rpm	16	26	9	34
4000 rpm	32	52	11	42
4500 rpm	38	61	14	53
5000 rpm	42	68	19	72
5500 rpm	46	74	26	98
6000 rpm	49	79	30	113
WOT	52	64	31	117

FUEL FLOW DATA - 242F - TWIN MERCURY®150XL 4S

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000 rpm	9	14	5	19
2500 rpm	10	16	7	26
3000 rpm	21	34	10	38
3500 rpm	29	47	12	45
4000 rpm	34	55	16	60
4500 rpm	40	64	20	76
5000 rpm	44	71	23	87
5500 rpm	48	77	26	98
WOT	49	79	28	106

**FUEL FLOW DATA - 242F - TWIN MERCURY®200XL VERADO**

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000 rpm	9	14	4	15
2500 rpm	10	16	6	23
3000 rpm	22	35	9	34
3500 rpm	29	47	11	42
4000 rpm	36	58	14	53
4500 rpm	41	66	17	64
5000 rpm	46	74	22	83
5500 rpm	50	81	28	106
6000 rpm	54	87	32	121
WOT	57	92	37	140

FUEL FLOW DATA - 242F - YAMAHA® F250UCA

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000 rpm	8	13	3	11
2500 rpm	9	14	6	23
3000 rpm	10	16	7	26
3500 rpm	14	23	8	30
4000 rpm	29	47	10	38
4500 rpm	33	53	13	49
5000 rpm	37	60	16	60
5500 rpm	40	64	19	72
WOT	44	71	23	87

FUEL FLOW DATA - 242F - YAMAHA® F300UCA

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000 rpm	8	13	3	11
2500 rpm	9	14	6	23
3000 rpm	10	16	7	26
3500 rpm	14	23	8	30
4000 rpm	30	48	11	42
4500 rpm	35	56	15	57
5000 rpm	39	63	19	72
5500 rpm	43	69	23	87
WOT	47	76	27	102

FUEL FLOW DATA - 242F - TWIN YAMAHA® F150XB

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000 rpm	9	14	5	19
2500 rpm	10	16	6	23
3000 rpm	21	34	7	26
3500 rpm	28	45	9	34
4000 rpm	33	53	10	38
4500 rpm	38	61	13	49
5000 rpm	42	68	18	68
5500 rpm	46	74	26	98
WOT	49	79	28	106

FUEL FLOW DATA - 242F - TWIN YAMAHA® F200XB & F200XCA

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000 rpm	9	14	5	19
2500 rpm	10	16	8	30
3000 rpm	23	37	8	30
3500 rpm	31	50	11	42
4000 rpm	38	61	15	57
4500 rpm	43	69	18	68
5000 rpm	48	77	24	91
5500 rpm	52	84	34	129
WOT	56	90	37	140

242 FISHERMAN / STANDARDS

HULL AND DECK

- Anchor locker/storage
- Bow and Stern Eyes, stainless steel
- Bow rails, stainless steel
- Bow storage
- Cleats, pull-up, stainless steel
- Fiberglass stringer
- Foam Flotation
- Gel scheme, all white
- Gel scheme, under hardtop, White
- Horn, stainless steel
- Ladder, boarding
- Meets applicable USCG & Canadian Regs; NMMA Certified using ABYC Stds.
- Navigation Lights
- Rod holders, gunnel mount
- Rub Rail, w/stainless steel insert
- Thru hull fittings, stainless steel

COCKPIT

- 5 gallon bucket in holder
- Bait well/live well
- Bait well/live well, 23 gallon w/ bluecoat
- Bait well/live well, 17 gallon w/ bluecoat, light & timer
- Beverage holder(s)
- Bolsters, cockpit
- Cockpit Interior
Carbon Fiber, Cognac, Neutral w/ black accent, Seaside

- Cooler, bow
- Cooler, under leaning post (removable)
- Courtesy Lights
- Deck lids w/stainless steel, latches gas assist
- Grab handles, stainless steel
- Leaning post
- Mechanical non-skid
- Rod storage, gunnel
- Seating, forward console
- Seating, rear folding bench
- Self bailing cockpit
- Tackle storage w/boxes

HELM

- 12 volt receptacle
- Compass
- Steering Wheel w/ knob, stainless steel

ENGINE/SYSTEMS

- Battery on/off switch
- Battery tray, w/ switch
- Bilge pump, automatic
- Hydraulic steering (std on 150 hp and up)
- Raw water wash down
- Trim tabs

CONSOLE

- Battery storage
- Changing room
- Head, porta pottie (NA Canada)
- Tackle storage curtains
- Windscreen, console

242 FISHERMAN / OPTIONS

HULL AND DECK

- Anchor w/rope & chain
- Bow anchor roller
- Gel scheme, solid color hull or two-tone:
Crimson Red, Denim Blue, Jet Black, Liquid Blue, Phantom Grey, Seafoam Green
- Gel scheme, tri-tone:
Black/Atomic, Black/Passion Red, Black/White
- Gel scheme, under hardtop, Crimson Red, Denim Blue, Jet Black, Liquid Blue, Phantom Grey, Seafoam Green
- Ladder, Retractable (Starboard)
- Underwater lights
- Windlass, w/rope, chain and anchor

COCKPIT

- Cockpit Reed Flooring, Ash or Dune
- Forward floor storage macerator
- Leaning post, upgrade w/backrest, rod holders
- Mat package, helm floor and rod storage
- Seating, backrest, forward facing removable
- Seating, bow cushion
- Sport seats
- Table, bow
- Transom cutting board w/tool holders

HELM

- GPS plotter w/depth sounder

ENTERTAINMENT

- Fusion Stereo System: AM/FM w/Bluetooth[®], USB & MP3 port, Speakers
- Fusion Stereo System w/Deluxe T-Top: AM/FM w/Bluetooth[®], USB & MP3 port, Speakers
- Premium Sound Package: Fusion stereo, JL audio amp, speakers and subwoofer

- Premium Sound Package w/Deluxe T-Top: Fusion stereo, JL audio amp, speakers and subwoofer
- VHF radio (Garmin 100i)

ENGINE/SYSTEMS

- Battery charger
- Battery dual trays with switch
- Down rigger pre-wire
- Fresh water pkg, cockpit sink & transom shower *(NA cockpit sink)
- Power assisted steering
- Tilt steering

CONSOLE

- Head, electric toilet w/holding tank
- Head, overboard discharge

T-TOPS

- T-Top Deluxe, LED lights, spreader lights & electronic box
- T-Top w/rod holder, Fiberglass

CANVAS

- Bimini Top (NA w/T-Top)
- Console & helm seat cover
- Sail Shade
- Spray shields, Eisenglass (T-Top only)

TRAILER

- Wellcraft custom trailer, tandem axle w/brakes Galv/Gatorhyde
- EZ-loader aluminum w/brakes & spare
- Spare tire & wheel
- Wheels, aluminum

BOW SEATING PACKAGE

- Bow seat cushions
- Bow backrest cushions

SCARAB OFFSHORE PACKAGE

- Mat package, helm floor and rod storage
- Scarab Offshore graphics
- Upgrade leaning post w/backrest, rod holders

NOTES

• Performance and fuel consumption will vary and be affected by water and weather conditions, altitude, load and condition of boat, engine and propeller(s). Cruise range based on 95% of fuel capacity. All data is illustrative and is not warranted. This test was conducted with clean bottom, no bottom paint and light to average load.

• Specifications, options, and equipment are subject to change without notice.

262 FISHERMAN



SPECIFICATIONS	US	METRIC
LOA	26'4"	8.02 m
Beam	9'0"	2.74 m
Fuel Capacity	158 gal	598 L
Draft Up	20"	51 cm
Draft Down	29"	74 cm
Maximum Capacity	Yacht	1700 kg
Persons Capacity	Yacht	10
Approx. Boat Weight	5550 lbs	2520 kg
Approx. Boat & Engine Weight	6800 lbs	3084 kg
Max HP	500 hp	373 kw
Deadrise	21°	21°
Bridge Clearance w/T-Top	8'8"	2.64 m
Keel to Top of T-Top	10'2"	3.10 m
Keel to Top of Windshield	8'2"	2.49 m
Trailer Height w/T-Top	11'9"	3.58 m
Trailer Height w/o T-Top	9'10"	3.00 m

KEY SALES FEATURES

- Cleats, Pull-up
- Fiberglass Stringer
- Rod Holders, Gunnel Mount
- Raw Water Wash Down
- Unique Windshield Design
- Self Bailing Cockpit
- Fishbox w/ Overboard Drain
- Console Changing Room w/ Porta Pottie
- T-Top, Deluxe w/ Rod Holders
- Built-in Bait/Live Well
- Dive Door, Optional

POWER RATINGS & WEIGHTS

Engine Type	Propshaft Power		Boat & Engine Weights	
	HP	KW	LBS	KG
Evinrude® E300ZJG2	300	224	6260	2840
Twin Evinrude® C150PX G2	150	112	6580	2980
Twin Evinrude® C200FX G2	200	149	6700	3040
Twin Evinrude® E250X G2	250	187	6820	3090
Mercury® 300XXL Verado	300	224	6360	2890
Mercury® 300XXL Verado White	300	224	6360	2890
Mercury® 350XXL Verado	350	261	6360	2890
Mercury® 350XXL Verado White	350	261	6360	2890
Twin Mercury® 150XL 4S	150	113	6640	3010
Twin Mercury® 200XL Verado	200	149	6740	3060
Twin Mercury® 250XL Verado	250	187	7020	3180
Yamaha® F300UCA	300	224	6280	2850
Yamaha® F350UCC	350	261	6480	2940
Twin Yamaha® F150XB	150	112	6680	3030
Twin Yamaha® F200XB	200	149	6680	3030
Twin Yamaha® F200XCA	200	149	6680	3030
Twin Yamaha® F250XCA	250	187	6840	3100

PERFORMANCE

Power HP/KW	Propeller (Dia x Pitch)		Type	Top Speed		Cruise Range	
	IN	CM		MPH	KPH	MI	KM
Evinrude® E300ZJG2	153/4X15	40 X 38	SST	42-45	68-72	300	485
Twin Evinrude® C150PX G2	143/4X19	37 X 48	SST	44-47	71-76	290	470
Twin Evinrude® C200FX G2	15X 21	38 X 53	SST	52-55	84-89	280	450
Twin Evinrude® E250X G2	15X 22	38 X 56	SST	57-60	92-97	270	435
Mercury® 300XXL Verado	151/2X17	39 X 43	SST	42-45	68-72	300	485
Mercury® 350XXL Verado	151/2X17	39 X 43	SST	45-48	72-77	300	485
Twin Mercury® 150XL 4S	14X 19	36 X 48	SST	44-47	71-76	280	450
Twin Mercury® 200XL Verado	143/4X 21	37 X 53	SST	52-55	84-89	280	450
Twin Mercury® 250XL Verado	143/4X 21	37 X 53	SST	57-60	92-97	270	435
Yamaha® F300UCA	151/2X17	39 X 43	SST	42-45	68-72	300	485
Yamaha® F350UCC	161/4x17	41.x43	SST	45-48	72-77	285	460
Twin Yamaha® F150XB	141/4X17	36 X 43	SST	44-47	71-76	270	435
Twin Yamaha® F200XB&F200XCA	141/4X17	36 X 43	SST	52-55	84-89	260	420
Twin Yamaha® F250XCA	15X 21	38 X 53	SST	57-60	92-97	270	435

**FUEL FLOW DATA - 262F - EVINRUDE E300ZU G2**

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000 rpm	9	14	3	11
2500 rpm	9	14	5	19
3000 rpm	10	16	7	26
3500 rpm	13	21	9	34
4000 rpm	28	45	11	42
4500 rpm	32	52	14	53
5000 rpm	37	60	17	64
5500 rpm	41	66	21	79
WOT	44	71	23	87

FUEL FLOW DATA - 262F - TWIN EVINRUDE C150PX G2

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000 rpm	9	14	5	19
2500 rpm	10	16	6	23
3000 rpm	21	34	7	26
3500 rpm	27	43	9	34
4000 rpm	32	52	10	38
4500 rpm	36	58	13	49
5000 rpm	40	64	17	64
5500 rpm	43	69	23	87
WOT	46	74	26	98

FUEL FLOW DATA - 262F - TWIN EVINRUDE C200FX G2

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000 rpm	9	14	5	19
2500 rpm	10	16	8	30
3000 rpm	23	37	8	30
3500 rpm	30	48	11	42
4000 rpm	37	60	15	57
4500 rpm	41	67	18	68
5000 rpm	46	74	25	95
5500 rpm	50	81	32	121
WOT	54	87	36	136

**FUEL FLOW DATA - 262F - TWIN EVINRUDE E250X G2**

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000 rpm	9	14	7	26
2500 rpm	10	16	10	38
3000 rpm	14	23	12	45
3500 rpm	32	52	16	60
4000 rpm	39	63	21	79
4500 rpm	46	74	26	98
5000 rpm	51	82	32	121
5500 rpm	56	90	39	147
WOT	59	95	46	174

FUEL FLOW DATA - 262F - MERCURY 300XXL VERADO

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000 rpm	9	14	3	11
2500 rpm	9	14	5	19
3000 rpm	10	16	7	26
3500 rpm	13	21	9	34
4000 rpm	26	42	12	45
4500 rpm	31	50	15	57
5000 rpm	34	55	18	68
5500 rpm	38	61	20	76
6000 rpm	41	66	23	87
WOT	44	71	26	98

FUEL FLOW DATA - 262F - MERCURY® 350XXL VERADO

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000 rpm	9	14	3	11
2500 rpm	9	14	5	19
3000 rpm	10	16	7	26
3500 rpm	14	23	10	38
4000 rpm	27	43	14	53
4500 rpm	33	53	17	64
5000 rpm	36	58	21	79
5500 rpm	41	66	24	91
6000 rpm	44	71	27	102
WOT	47	76	31	117

**FUEL FLOW DATA - 262F - TWIN MERCURY 150XL 4S**

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000 rpm	9	14	5	19
2500 rpm	10	16	6	23
3000 rpm	21	34	7	26
3500 rpm	27	43	9	34
4000 rpm	32	52	10	38
4500 rpm	36	58	13	49
5000 rpm	40	64	18	68
5500 rpm	44	71	25	95
WOT	46	74	28	106

FUEL FLOW DATA - 262F - TWIN MERCURY 200XL VERADO

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000 rpm	9	14	5	19
2500 rpm	10	16	7	26
3000 rpm	13	21	9	34
3500 rpm	33	53	14	53
4000 rpm	36	58	15	57
4500 rpm	43	69	18	68
5000 rpm	47	76	24	91
5500 rpm	50	81	31	117
6000 rpm	52	84	34	129
WOT	54	87	39	147

FUEL FLOW DATA - 262F - TWIN MERCURY 250XL VERADO

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000 rpm	9	14	6	23
2500 rpm	10	16	11	42
3000 rpm	13	21	16	60
3500 rpm	34	55	18	68
4000 rpm	38	61	23	87
4500 rpm	45	72	29	109
5000 rpm	50	81	37	140
5500 rpm	54	87	44	166
6000 rpm	57	92	49	185
WOT	59	95	52	197

**FUEL FLOW DATA - 262F - YAMAHA F300UCA**

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000 rpm	9	14	3	11
2500 rpm	9	14	5	19
3000 rpm	10	16	7	26
3500 rpm	13	21	9	34
4000 rpm	28	45	12	45
4500 rpm	33	53	15	57
5000 rpm	36	58	18	68
5500 rpm	40	64	22	83
WOT	44	71	25	95

FUEL FLOW DATA - 262F - YAMAHA F350UCC

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000 rpm	9	14	5	20
2500 rpm	10	16	7	28
3000 rpm	11	17	10	36
3500 rpm	13	21	11	43
4000 rpm	30	48	15	56
4500 rpm	35	56	18	68
5000 rpm	39	62	22	84
5500 rpm	43	69	27	103
WOT	46	74	34	127

FUEL FLOW DATA - 262F - TWIN YAMAHA F150XB

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000 rpm	9	14	5	19
2500 rpm	10	16	6	23
3000 rpm	21	34	7	26
3500 rpm	27	43	9	34
4000 rpm	32	52	10	38
4500 rpm	36	58	13	49
5000 rpm	40	64	18	68
5500 rpm	43	69	25	95
WOT	46	74	28	106

FUEL FLOW DATA - 262F - TWIN YAMAHA F200XB & F200XCA

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000 rpm	9	14	5	19
2500 rpm	10	16	8	30
3000 rpm	23	37	8	30
3500 rpm	30	48	11	42
4000 rpm	37	60	15	57
4500 rpm	41	67	18	68
5000 rpm	46	74	25	95
5500 rpm	49	79	34	129
WOT	53	85	37	140

FUEL FLOW DATA - 262F - TWIN YAMAHA F250XCA

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000 rpm	9	14	7	26
2500 rpm	10	16	10	38
3000 rpm	14	23	12	45
3500 rpm	33	53	17	64
4000 rpm	40	64	22	83
4500 rpm	46	74	27	102
5000 rpm	52	84	34	128
5500 rpm	56	90	42	159
WOT	59	95	50	183

262 FISHERMAN / STANDARDS

HULL AND DECK

- Anchor locker/storage
- Anchor rod tie off
- Bow anchor roller
- Bow and Stern Eyes, stainless steel
- Bow rails, stainless steel
- Brass underwater fittings
- Cleats, pull-up, stainless steel
- Fiberglass stringer
- Foam Flotation
- Gel scheme, all white
- Gel scheme, under hardtop, White
- Horn, stainless steel
- Ladder, boarding
- Meets applicable USCG & Canadian Regs; NMMA Certified using ABYC Stds.
- Navigation Lights
- Rod holders, aft transom mounted
- Rod holders, gunnel mount
- Rub Rail, w/stainless steel insert
- Thru hull fittings, stainless steel

COCKPIT

- 5 gallon bucket in holder
- Bait well/live well, 23 gallon w/ bluecoat
- Bait well/live well, 17 gallon w/ bluecoat, light & timer
- Beverage holder(s)
- Bolsters, cockpit
- Cockpit Interior
 - Carbon Fiber, Cognac, Neutral w/ black accent, Seaside
- Cooler, bow
- Courtesy Lights
- Deck lids w/stainless steel, latches gas assist
- Grab handles, stainless steel
- Leaning post, upgrade w/backrest, rod holders
- Mechanical non-skid
- Rod storage, gunnel
- Seating, forward console
- Seating, rear folding bench
- Self bailing cockpit
- Storage/Fishbox w/macerator and overboard drain
- Tackle storage w/boxes

HELM

- 12 volt receptacle
- Compass
- Steering Wheel w/ knob, stainless steel

ENTERTAINMENT

- Fusion Stereo:
 - AM/FM w/Bluetooth, USB & MP3 port, Speakers

ENGINE/SYSTEMS

- Batteries dual w/on-off switch
- Bilge pump, automatic
- Raw water wash down
- Tilt steering
- Trim tabs

CONSOLE

- Battery storage
- Changing room
- Head, lighting
- Head, porta pottie (NA Canada)
- Tackle storage curtains
- Windscreen, console

T-TOPS

- T-Top w/rod holder, Fiberglass

262 FISHERMAN / OPTIONS

HULL AND DECK

- Anchor w/rope & chain
- Dive door
- Gel scheme, solid color hull or two-tone:
 - Crimson Red, Denim Blue, Jet Black, Liquid Blue, Phantom Grey, Seafoam Green
- Gel scheme, tri-tone:
 - Black/Atomic, Black/Passion Red, Black/White
- Gel scheme, under hardtop,
 - Crimson Red, Denim Blue, Jet Black, Liquid Blue, Phantom Grey, Seafoam Green
- Ladder, Retractable (Starboard)
- Underwater lights
- Windlass, w/rope, chain and anchor

COCKPIT

- Cockpit Reed Flooring,
 - Ash or Dune
- Mat package, helm floor and rod storage
- Mat package, helm floor, rod storage, leaning post and baitwell mats
- Seating, backrest, forward facing removable
- Seating, bow cushion
- Storage trays, aft, tilt out (w/dive door)
- Storage trays, aft, tilt out, port
- Storage trays, forward, tilt out
- Table, bow
- Transom cutting board w/tool holders

HELM

- GPS plotter w/depth sounder

ENTERTAINMENT

- Premium Sound Package:
 - Fusion stereo, JL audio amp, speakers and subwoofer

- Premium Sound Package w/Deluxe T-Top:
 - Fusion stereo, JL audio amp, speakers and subwoofer
- VHF radio (Garmin 100i)

ENGINE/SYSTEMS

- Battery charger
- Battery dual trays with switch
- Down rigger pre-wire
- Fresh water pkg, cockpit sink & transom shower * (NA cockpit sink)
- Power assisted steering

CONSOLE

- Head, electric toilet w/holding tank
- Head, overboard discharge

T-TOPS

- T-Top Deluxe, LED lights, spreader lights & electronic box

CANVAS

- Console & helm seat cover
- Sail Shade
- Spray shields, Eisenglass (T-Top only)

TRAILER

- EZ-loader aluminum w/brakes & spare

BOW SEATING PACKAGE

- Bow seat cushions
- Bow backrest cushions

SCARAB OFFSHORE PACKAGE

- Helm and rod locker mats
- Scarab Offshore graphics
- Mat package, helm floor and rod storage

NOTES

• Performance and fuel consumption will vary and be affected by water and weather conditions, altitude, load and condition of boat, engine and propeller(s). Cruise range based on 95% of fuel capacity. All data is illustrative and is not warranted. This test was conducted with clean bottom, no bottom paint and light to average load.

• Specifications, options, and equipment are subject to change without notice.

302 FISHERMAN



SPECIFICATIONS	US	METRIC
LOA	30'2"	9.20 m
Beam	9'8"	2.95 m
Fuel Capacity	268 gal	1010 L
Draft Up	23"	58 cm
Draft Down	31"	78 cm
Maximum Capacity	Yacht	TBD
Persons Capacity	Yacht	TBD
Approx. Boat Weight	7800 lbs	3538 kg
Approx. Boat & Engine Weight	9200 lbs	4173 kg
Water Capacity	13 gal	49 L
Max HP	800 hp	596 kw
Deadrise	22°	22°
Bridge Clearance w/T-top	8'2"	2.49 m
Keel to Top of T-Top	10'0"	3.05 m
Keel to Top of Windshield	8'8"	2.64 m
Trailer Height w/T-Top	11'11"	3.63 m

KEY SALES FEATURES

- Cleats, Pull-up
- Transom Folding Bench
- Large Storage, Forward
- Captain's Chair, Dual
- Raw Water Wash Down
- Self Bailing Cockpit
- Fishboxes w/ Macerators
- Console Changing Room w/ Porta Pottie
- T-Top, Deluxe w/ Ladderback Rod Holders
- Built-in Bait/Live Well

POWER RATINGS & WEIGHTS

Engine Type	Propshaft Power		Boat & Engine Weights	
	HP	KW	LBS	KG
Twin Evinrude E250X G2	250	187	7327	3323
Twin Evinrude E300XJ G2	300	224	7398	3328
Twin Mercury 250XL Verado	250	187	7399	3356
Twin Mercury 300XL Verado	300	224	7399	3356
Twin Mercury 300XL Verado White	300	224	7399	3356
Twin Mercury 350XL Verado	350	261	7435	3372
Twin Mercury 350XL Verado White	350	261	7435	3372
Twin Mercury 400RXL	400	298	7435	3372
Twin Mercury 400RXL JPO	400	298	7435	3372
Twin Yamaha F250XCA	250	187	7318	3319
Twin Yamaha F250XCA Helm Master	250	187	7318	3319
Twin Yamaha F300XCA	300	224	7318	3319
Twin Yamaha F300XCA Helm Master	300	224	7318	3319

PERFORMANCE

Power HP/KW	Propeller (Dia x Pitch)		Type	Top Speed		Cruise Range	
	IN	CM		MPH	KPH	MI	KM
Twin Evinrude E250X G2	15x18	38x46	SST	49-53	79-85	350	560
Twin Evinrude E300XJ G2	15x20	38x51	SST	52-56	84-90	340	550
Twin Mercury 250XL Verado	145/8x17	37x43	SST	49-53	79-85	330	530
Twin Mercury 300XL Verado	145/8x19	37x48	SST	52-56	84-90	320	510
Twin Mercury 350XL Verado	145/8x19	37x48	SST	56-59	90-95	310	500
Twin Mercury 400RXL Verado	145/8x17	37x43	SST	59-62	95-100	272	437
Twin Yamaha F250XCA	151/2x18	39x43	SST	49-53	79-85	373	600
Twin Yamaha F300XCA	151/2x18	39x46	SST	52-56	84-90	372	599

FUEL FLOW DATA - 302F - TWIN EVINRUDE E250X G2

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000 rpm	8	13	6	21
2500 rpm	8	13	8	31
3000 rpm	9	14	12	46
3500 rpm	13	20	16	60
4000 rpm	29	47	20	77
4500 rpm	38	60	26	98
5000 rpm	43	69	32	122
5500 rpm	46	75	40	150
WOT	50	80	48	182

**FUEL FLOW DATA - 302F - TWIN EVINRUDE E300XU G2**

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000 rpm	8	14	6	23
2500 rpm	9	14	9	34
3000 rpm	9	15	13	49
3500 rpm	14	22	17	65
4000 rpm	31	50	22	84
4500 rpm	40	65	28	107
5000 rpm	46	74	35	132
5500 rpm	50	80	43	162
WOT	53	86	52	197

FUEL FLOW DATA - 302F - TWIN MERCURY 250XL VERADO

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000 rpm	8	13	6	22
2500 rpm	8	13	9	33
3000 rpm	9	14	13	47
3500 rpm	13	20	16	62
4000 rpm	29	47	21	81
4500 rpm	38	60	27	103
5000 rpm	43	69	34	127
5500 rpm	46	75	41	156
6000 rpm	49	78	48	181
WOT	50	80	50	189

FUEL FLOW DATA - 302F - TWIN MERCURY 300XL VERADO

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000 rpm	8	14	7	25
2500 rpm	9	14	10	37
3000 rpm	9	15	14	53
3500 rpm	14	22	18	70
4000 rpm	31	50	24	90
4500 rpm	40	65	30	115
5000 rpm	46	74	38	142
5500 rpm	50	80	46	175
6000 rpm	52	84	53	202
WOT	53	86	56	212

**FUEL FLOW DATA - 302F - TWIN MERCURY 350XL VERADO**

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000 rpm	9	14	7	28
2500 rpm	9	15	11	41
3000 rpm	10	16	16	59
3500 rpm	14	23	20	77
4000 rpm	33	54	26	100
4500 rpm	43	69	34	127
5000 rpm	49	79	42	157
5500 rpm	53	85	51	193
6000 rpm	56	90	59	223
WOT	57	91	62	234

FUEL FLOW DATA - 302F - TWIN MERCURY 400RXL VERADO

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2500 rpm	10	16	10	37
3000 rpm	10	16	15	56
3500 rpm	12	19	20	75
4000 rpm	18	28	26	98
4500 rpm	37	60	33	124
5000 rpm	46	74	41	156
5500 rpm	53	85	51	193
6000 rpm	57	92	62	235
6500 rpm	60	96	71	267
WOT	61	98	76	288

FUEL FLOW DATA - 302F-TWIN YAMAHA F250XCA

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000 rpm	9	14	7	25
2500 rpm	10	16	10	38
3000 rpm	15	23	13	50
3500 rpm	28	44	16	61
4000 rpm	33	53	21	78
4500 rpm	37	60	27	101
5000 rpm	42	67	33	124
5500 rpm	46	74	38	146
WOT	49	79	47	178

FUEL FLOW DATA - 302F - TWIN YAMAHA F300XCA

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000 rpm	9	15	7	27
2500 rpm	11	17	11	41
3000 rpm	15	24	14	54
3500 rpm	29	47	17	65
4000 rpm	34	55	22	84
4500 rpm	39	63	29	109
5000 rpm	44	71	35	133
5500 rpm	48	78	42	157
WOT	51	83	51	192

302 FISHERMAN / STANDARDS

HULL AND DECK

- Anchor locker/storage
- Anchor rod tie off
- Bow anchor roller
- Bow and Stern Eyes, stainless steel
- Bow storage
- Brass underwater fittings
- Cleats, pull-up, stainless steel
- Fiberglass stringer
- Foam Flotation
- Gel scheme, all white
- Gel scheme, under hardtop, White
- Grab rails, powder coated
- Horn, stainless steel
- Ladder, boarding
- Meets applicable USCG & Canadian Regs; NMMA Certified using ABYC Stds.
- Navigation Lights
- Rod holders, gunnel mount
- Rub Rail, w/stainless steel insert
- Thru hull fittings, stainless steel

COCKPIT

- 5 gallon bucket in holder (2)
- Bait well/live well, 23 gallon w/ bluecoat (2)
- Beverage holder(s)
- Bolsters, cockpit
- Cockpit Interior
Carbon Fiber, Cognac,
Neutral w/ black accent,
Seaside

- Coffin box, forward storage w/ backrest and cushion
- Courtesy Lights
- Cutting station, aft
- Deck lids w/stainless steel, latches gas assist
- Mechanical non-skid
- Rod storage, gunnel
- Seating, dual captain chair
- Seating, forward console
- Seating, rear folding bench
- Self bailing cockpit
- Storage/Fishbox w/macerator and overboard drain
- Storage/Fishbox w/overboard drain
- Tackle storage w/boxes
- Transom cutting board w/tool holders

HELM

- 12 volt receptacle
- Compass
- Steering Wheel w/ knob, stainless steel

ENTERTAINMENT

- Fusion Stereo:
AM/FM w/Bluetooth,
USB & MP3 port, Speakers

302 FISHERMAN / STANDARDS - CONT

ENGINE/SYSTEMS

- Battery on/off switch
- Batteries dual w/on-off switch
- Battery dual trays with switch
- Bilge pump, automatic
- Fresh water pkg, cockpit sink & transom shower
*(NA cockpit sink)
- Raw water wash down
- Trim tabs

CONSOLE

- Changing room
- Head, lighting
- Head, mirror
- Port light window, opening
- Sky light
- Tackle storage curtains
- Windscreen, console

T-TOPS

- T-Top Deluxe, LED lights, spreader lights & electronic box

302 FISHERMAN / OPTIONS

HULL AND DECK

- Anchor w/rope & chain
- Dive door
- Gel scheme, solid color hull or two-tone:
Crimson Red, Denim Blue, Jet Black, Liquid Blue, Phantom Grey, Seafoam Green
- Gel scheme, tri-tone:
Black/Atomic, Black/Passion Red, Black/White
- Gel scheme, under hardtop, Crimson Red, Denim Blue, Jet Black, Liquid Blue, Phantom Grey, Seafoam Green
- Underwater lights
- Windlass, w/rope, chain and anchor

COCKPIT

- Cockpit Reed Flooring, Ash or Dune
- Cooler, bow
- Grill, cockpit *requires dockside power
- Mat package, helm floor and rod storage
- Seating, backrest, forward facing removable
- Seating, bow cushion
- Seating, transom folding, delete
- Storage trays, aft, tilt out (w/dive door)
- Storage trays, aft, tilt out, port
- Table, bow

HELM

- GPS plotter w/depth sounder
- Radar, 4 ft open array
- Satellite Weather *requires GPS
- Transducer, Garmin

ENTERTAINMENT

- Premium Sound Package w/Deluxe T-Top:
Fusion stereo, JL audio amp, speakers and subwoofer
- VHF radio (Garmin 100i)

ENGINE/SYSTEMS

- Active trim (Mercury only)
- Battery charger
- Dockside power
- Down rigger pre-wire
- Power assisted steering

CONSOLE

- Head, bamboo floor
- Head, overboard discharge

T-TOPS

- Outriggers: taco grand slam, top mount

CANVAS

- Console & helm seat cover
- Sail Shade
- Spray shields, Eisenglass (T-Top only)

TRAILER

- EZ-loader aluminum w/brakes & spare



302 FISHERMAN / OPTIONS - CONT

BOW SEATING PACKAGE

- Bow seat cushions
- Bow backrest cushions

SCARAB OFFSHORE PACKAGE

- Helm and rod locker mats
- Mat package, helm floor and rod storage
- Scarab Offshore graphics



NOTES

• Performance and fuel consumption will vary and be affected by water and weather conditions, altitude, load and condition of boat, engine and propeller(s). Cruise range based on 95% of fuel capacity. All data is illustrative and is not warranted. This test was conducted with clean bottom, no bottom paint and light to average load.

• Specifications, options, and equipment are subject to change without notice.

MADE FOR FISHERMEN BY FISHERMEN



TOURNAMENT

— W —
BAY

221 BAY



SPECIFICATIONS

	US	METRIC
LOA	22'4"	6.8 m
Beam	8'6"	2.54 m
Fuel Capacity	52 gal	197 L
Draft Up	14"	36 cm
Draft Down	27"	69 cm
Maximum Capacity	2500 lbs	1134 kg
Persons Capacity	8	8
Approx. Boat Weight	2900 lbs	1315 kg
Approx. Boat & Engine Weight	3500 lbs	1588 kg
Max HP	250 hp	187 kw
Deadrise	15°	15°
Bridge Clearance	6'0"	1.83 m
Bridge Clearance w/T-top	7'11"	2.41 m
Keel to Top of T-Top	9'1"	2.77 m
Keel to Top of Windshield	7'2"	2.18 m
Trailer Height w/T-Top	11'0"	3.35 m
Trailer Height w/o T-Top	8'11"	2.72 m

KEY SALES FEATURES

- Cleats, Pull-up
- Fiberglass Stringer
- Powdercoat Hardware
- Cooler, Carry On
- Diamond Pattern Anti-skid
- Self Bailing Cockpit
- Fishbox w/ Overboard Drain
- Console Changing Room
- Tackle Storage Curtains
- Built-in Bait/Live Wells

POWER RATINGS & WEIGHTS

Engine Type	Propshaft Power		Boat & Engine Weights	
	HP	KW	LBS	KG
Evinrude® E150DPX	150	112	3990	1810
Evinrude® C150PX G2	150	112	4030	1830
Evinrude® C200PX G2	200	149	3930	1780
Evinrude® E250X G2	250	187	4060	1840
Mercury® 150XL 4S	150	112	3970	1800
Mercury® 200XL Verado	200	149	4020	1820
Mercury® 250XL Verado	250	187	4170	1890
Yamaha® F150XB	150	112	3990	1810
Yamaha® F200XB	200	149	3990	1810
Yamaha® VF250XA SHO	250	187	4060	1840
Yamaha® F250XCA	250	187	4060	1840

PERFORMANCE

Power HP/KW	Propeller (Dia x Pitch) IN	Type	Top Speed		Cruise Range		
			MPH	KPH	MI	KM	
Evinrude® E150DPX	147/8X17	38X43	AL	40-43	64-69	180	290
Evinrude® C150PX G2	143/4x19	37x48	SST	40-43	64-69	180	290
Evinrude® C200FX G2	143/4X17	37X43	SST	43-46	69-74	175	280
Evinrude® E250X G2	15X18	38X46	SST	47-50	76-81	180	290
Mercury® 150XL 4S	15X17	38X43	AL	40-43	64-69	175	280
Mercury® 200XL Verado	151/2/X17	39X43	SST	43-46	69-74	185	300
Mercury® 250XL Verado	151/2/X17	39X43	SST	47-50	76-81	185	300
Yamaha® F150XB	141/2X17	37X43	AL	40-43	64-69	175	280
Yamaha® F200XB	141/2X15	37X38	SST	41-44	66-71	170	270
Yamaha® VF250XA SHO	151/4X19	39X19	SST	47-50	76-81	185	300
Yamaha® F250XCA	151/4X19	39X19	SST	47-50	76-81	185	300

FUEL FLOW DATA - 221B - EVINRUDE® E150DPX

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000 rpm	6	10	2	8
2500 rpm	7	11	3	11
3000 rpm	8	13	5	19
3500 rpm	20	32	5	19
4000 rpm	26	42	6	23
4500 rpm	31	50	7	26
5000 rpm	35	56	10	38
5500 rpm	38	61	13	49
WOT	41	66	14	53

**FUEL FLOW DATA - 221B - EVINRUDE® C150PX**

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000 rpm	6	10	2	8
2500 rpm	7	11	3	11
3000 rpm	8	13	5	19
3500 rpm	20	32	5	19
4000 rpm	26	42	6	23
4500 rpm	31	50	7	26
5000 rpm	35	56	10	38
5500 rpm	38	61	13	49
WOT	41	66	14	53

FUEL FLOW DATA - 221B - EVINRUDE® C200FX G2

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000 rpm	7	11	2	8
2500 rpm	8	13	3	11
3000 rpm	9	14	6	23
3500 rpm	21	34	6	23
4000 rpm	28	45	8	30
4500 rpm	33	53	10	38
5000 rpm	37	60	13	49
5500 rpm	40	64	17	64
WOT	43	69	18	68

FUEL FLOW DATA - 221B - EVINRUDE® E250X G2

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000 rpm	7	11	3	11
2500 rpm	8	13	5	19
3000 rpm	10	16	6	23
3500 rpm	27	43	7	26
4000 rpm	31	50	9	34
4500 rpm	36	58	11	42
5000 rpm	40	64	14	53
5500 rpm	44	71	17	64
WOT	47	76	21	79

**FUEL FLOW DATA - 221B - MERCURY® 150XL 4S**

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000 rpm	5	8	2	8
2500 rpm	7	11	3	11
3000 rpm	8	13	5	19
3500 rpm	20	32	5	19
4000 rpm	26	42	6	23
4500 rpm	31	50	8	30
5000 rpm	35	56	10	38
5500 rpm	38	61	13	49
WOT	41	66	14	53

FUEL FLOW DATA - 221B - MERCURY® 200XL VERADO

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000 rpm	7	11	2	8
2500 rpm	8	13	3	11
3000 rpm	8	13	4	15
3500 rpm	10	16	7	26
4000 rpm	28	45	7	26
4500 rpm	32	52	8	30
5000 rpm	35	56	11	42
5500 rpm	38	61	15	57
6000 rpm	41	66	17	64
WOT	44	71	19	72

FUEL FLOW DATA - 221B - MERCURY® 250XL VERADO

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000 rpm	7	11	2	8
2500 rpm	8	13	3	11
3000 rpm	8	13	5	19
3500 rpm	11	18	9	34
4000 rpm	30	48	9	34
4500 rpm	34	55	10	38
5000 rpm	38	61	14	53
5500 rpm	41	66	18	68
6000 rpm	45	72	21	97
WOT	48	77	23	87

FUEL FLOW DATA - 221B - YAMAHA® F150XB

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000 rpm	5	8	2	8
2500 rpm	7	11	3	11
3000 rpm	8	13	5	19
3500 rpm	19	31	5	19
4000 rpm	25	40	6	23
4500 rpm	30	48	8	30
5000 rpm	35	56	10	38
5500 rpm	38	61	12	45
WOT	41	66	14	53

FUEL FLOW DATA - 221B - YAMAHA® F200XB

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000 rpm	7	11	2	8
2500 rpm	8	13	3	11
3000 rpm	9	14	6	23
3500 rpm	19	31	6	23
4000 rpm	28	45	8	30
4500 rpm	33	53	9	34
5000 rpm	37	60	13	49
5500 rpm	40	64	17	64
WOT	43	69	18	68

FUEL FLOW DATA - 221B - YAMAHA® F250XCA & VF250XA SHO

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000 rpm	7	11	3	11
2500 rpm	8	13	5	19
3000 rpm	9	14	7	26
3500 rpm	27	43	7	26
4000 rpm	31	50	9	34
4500 rpm	37	60	11	42
5000 rpm	40	64	14	53
5500 rpm	44	71	17	64
WOT	47	76	21	79

221 BAY / STANDARDS

HULL AND DECK

- Anchor locker/storage
- Bow and Stern Eyes, stainless steel
- Cleats, pull-up, stainless steel
- Fiberglass stringer
- Foam Flotation
- Gel scheme, all white
- Gel scheme, under hardtop, White
- Horn, stainless steel
- Ladder, boarding
- Meets applicable USCG & Canadian Regs; NMMA Certified using ABYC Stds.
- Navigation Lights
- Rod holders, gunnel mount
- Rub Rail, w/stainless steel insert
- Thru hull fittings, stainless steel

COCKPIT

- 5 gallon bucket in holder
- Bait well/live well, 34 gallon w/ bluecoat, light & timer (2)
- Beverage holder(s)
- Center bow two level dry storage
- Cockpit Interior
Carbon Fiber,
Neutral w/ black accent
- Cooler, bow
- Cooler, under leaning post (removable)
- Courtesy Lights
- Deck lids w/stainless steel, latches gas assist
- Grab handles, stainless steel
- Leaning post
- Mechanical non-skid
- Rod storage, gunnel
- Seating, forward console
- Seating, rear folding bench
- Self bailing cockpit
- Storage/Fishbox
w/overboard drain
- Under rear seat storage

HELM

- 12 volt receptacle
- Steering Wheel w/ knob, stainless steel

ENGINE/SYSTEMS

- Battery on/off switch
- Battery tray, w/ switch
- Bilge pump, automatic
- High speed live well pick-up
- Hydraulic steering (std on 150 hp and up)

CONSOLE

- Changing room
- Rod holders
- Windscreen, console

221 BAY / OPTIONS

HULL AND DECK

- Anchor w/rope & chain
- Gel scheme, two-tone:
Crimson Red, Denim Blue,
Jet Black, Liquid Blue,
Phantom Grey, Seafoam Green
- Gel scheme, tri-tone:
Black/Atomic,
Black/Passion Red,
Black/White
- Gel scheme, under hardtop,
Crimson Red, Denim Blue,
Jet Black, Liquid Blue,
Phantom Grey,
Seafoam Green
- Underwater lights

COCKPIT

- Bait well, secondary fwd.,
14 gal w/bluecoat & timer
(rep. 56 qt built in cooler)
- Leaning post, upgrade w/
backrest, rod holders
- Mat package, helm floor and
rod storage
- Seating, backrest, forward
facing removable
- Seating, bow fishing
- Sport seats
- Sunpad deck

HELM

- Compass
- GPS plotter w/depth sounder

ENTERTAINMENT

- Fusion Stereo System:
AM/FM w/Bluetooth*,
USB & MP3 port, Speakers
- Fusion Stereo System
w/Deluxe T-Top:
AM/FM w/Bluetooth*,
USB & MP3 port, Speakers
- Premium Sound Package:
Fusion stereo, JL audio amp,
speakers and subwoofer
- Premium Sound Package
w/Deluxe T-Top:
Fusion stereo, JL audio amp,
speakers and subwoofer

ENGINE/SYSTEMS

- Battery charger
- Batteries dual w/on-off switch
- Down rigger pre-wire
- Jack plate, hydraulic
- Power assisted steering
- Power pole, 1 or 2
- Raw water wash down
- Tilt steering
- Trim tabs w/LED indicators
- Trolling motor pre-wire
- Trolling motor, 24 volt

CONSOLE

- Head, porta pottie (NA Canada)

T-TOPS

- T-Top Deluxe, LED lights,
spreader lights & electronic
box
- T-Top w/rod holder, Fiberglass

CANVAS

- Bimini Top (NA w/T-Top)
- Console & helm seat cover
- Spray shields, Eisenglass
(T-Top only)

TRAILER

- Wellcraft custom trailer, tandem
axle w/brakes Galv/Gatorhyde
- EZ-loader aluminum w/brakes
& spare
- Spare tire & wheel
- Wheels, aluminum

BOW SEATING PACKAGE

- Bow seat cushions

TOURNAMENT TRIM PACKAGE

- Mat package, helm floor and rod
storage
- Tournament graphics
- Upgrade leaning post
w/backrest, rod holders

NOTES

* Performance and fuel consumption will vary and be affected by water and weather conditions, altitude, load and condition of boat, engine and propeller(s). Cruise range based on 95% of fuel capacity. All data is illustrative and is not warranted. This test was conducted with clean bottom, no bottom paint and light to average load.

• Specifications, options, and equipment are subject to change without notice.

241 BAY



SPECIFICATIONS

	US	METRIC
LOA	24'4"	7.40 m
Beam	8'6"	2.54 m
Fuel Capacity	87 gal	329 L
Draft Up	14"	35.56 cm
Draft Down	31"	78.74 cm
Maximum Capacity	2500 lbs	1130 kg
Persons Capacity	8	8
Approx. Boat Weight	3700 lbs	1678 kg
Approx. Boat & Engine Weight	4400 lbs	1996 kg
Max HP	300 hp	224 kw
Deadrise	15°	15°
Bridge Clearance	6'0"	1.83 m
Bridge Clearance w/T-Top	7'10"	2.39 m
Keel to Top of T-Top	9'0"	2.74 m
Keel to Top of Windshield	7'2"	2.18 m
Trailer Height w/T-Top	11'0"	3.35 m
Trailer Height w/o T-Top	8'11"	2.72 m

KEY SALES FEATURES

- Cleats, Pull-up
- Fiberglass Stringer
- Powdercoat Hardware
- Cooler, Carry On
- Diamond Pattern Anti-skid
- Self Bailing Cockpit
- Fishbox w/ Overboard Drain
- Console Changing Room
- Tackle Storage Curtains
- Built-in Bait/Live Wells

POWER RATINGS & WEIGHTS

Engine Type	Propshaft Power		Boat & Engine Weights	
	HP	KW	LBS	KG
Evinrude® C200FX G2	200	149	4180	1900
Evinrude® E250X G2	250	187	4310	1950
Evinrude® E300XJ G2	300	224	4310	1950
Mercury® 200XL Verado	200	149	4260	1930
Mercury® 250XL Verado	250	187	4420	2000
Mercury® 300XL Verado	300	224	4420	2000
Mercury® 300XL Verado White	300	224	4420	2000
Yamaha® F200XB	200	149	4240	1920
Yamaha® VF250XASHO	250	187	4310	1950
Yamaha® F250XCA	250	187	4310	1950
Yamaha® F300XCA	300	224	4310	1950

PERFORMANCE

Power HP/KW	Propeller (Dia x Pitch) IN	Propeller (Dia x Pitch) CM	Type	Top Speed		Cruise Range	
				MPH	KPH	MI	KM
Evinrude® C200FX G2	143/4x19	37 X 48	SST	41-44	66-71	240	390
Evinrude® E250X G2	15X18	38 X 46	SST	45-48	72-77	260	420
Evinrude® E300XJ G2	15X18	38 X 46	SST	47-50	76-81	260	420
Mercury® 200XL Verado	151/2X17	39 X 43	SST	41-44	66-71	260	420
Mercury® 250XL Verado	151/2X17	39 X 43	SST	45-48	72-77	250	400
Mercury® 300XL Verado	151/2X17	39 X 43	SST	47-50	76-81	250	400
Yamaha® F200XB	141/2X15	37 X 38	SST	40-42	64-68	230	370
Yamaha® VF250XASHO	151/4X19	39 X 48	SST	45-48	72-77	260	420
Yamaha® F250XCA	151/4X19	39 X 48	SST	45-48	72-77	260	420
Yamaha® F300XCA	151/4X19	39 X 48	SST	47-50	76-81	250	400

FUEL FLOW DATA - 241B - EVINRUDE® C200FX G2

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000 rpm	7	11	3	11
2500 rpm	8	13	5	19
3000 rpm	11	18	6	23
3500 rpm	26	42	7	26
4000 rpm	30	48	8	30
4500 rpm	35	56	10	38
5000 rpm	38	61	13	49
5500 rpm	41	66	16	60
WOT	43	69	18	68

**FUEL FLOW DATA - 241B - EVINRUDE® E250X G2**

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000 rpm	8	13	4	15
2500 rpm	10	16	6	23
3000 rpm	22	35	7	26
3500 rpm	29	47	8	30
4000 rpm	34	55	12	45
4500 rpm	38	61	14	53
5000 rpm	42	68	18	68
5500 rpm	45	72	22	83
WOT	47	76	25	95

FUEL FLOW DATA - 241B - EVINRUDE® E300XU G2

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000 rpm	8	13	4	15
2500 rpm	10	16	6	23
3000 rpm	23	37	7	26
3500 rpm	29	47	9	34
4000 rpm	35	56	13	49
4500 rpm	40	64	16	60
5000 rpm	43	69	21	79
5500 rpm	46	74	25	95
WOT	49	79	28	106

FUEL FLOW DATA - 241B - MERCURY® 200XL VERADO

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000 rpm	7	11	2	8
2500 rpm	8	13	3	11
3000 rpm	9	14	5	19
3500 rpm	11	18	7	26
4000 rpm	25	40	8	30
4500 rpm	30	48	9	34
5000 rpm	34	55	11	42
5500 rpm	38	61	15	57
6000 rpm	41	66	16	60
WOT	43	69	19	72

**FUEL FLOW DATA - 241B - MERCURY® 250XL VERADO**

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000 rpm	8	13	3	11
2500 rpm	9	14	6	23
3000 rpm	10	16	8	30
3500 rpm	18	29	9	34
4000 rpm	26	42	10	38
4500 rpm	31	50	12	45
5000 rpm	36	58	16	60
5500 rpm	41	66	20	76
6000 rpm	45	72	22	83
WOT	46	74	25	95

FUEL FLOW DATA - 241B - MERCURY® 300XL VERADO

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000 rpm	8	13	3	11
2500 rpm	9	14	6	23
3000 rpm	11	42	8	30
3500 rpm	24	39	9	34
4000 rpm	30	48	11	42
4500 rpm	35	56	13	49
5000 rpm	39	63	18	68
5500 rpm	43	69	22	83
6000 rpm	47	76	25	95
WOT	49	79	28	106

FUEL FLOW DATA - 241B - YAMAHA® F200XB

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000rpm	8	13	4	15
2500rpm	10	16	6	23
3000rpm	23	37	7	26
3500rpm	29	47	9	34
4000rpm	34	55	12	45
4500rpm	38	61	14	53
5000rpm	42	68	19	72
5500rpm	45	72	22	83
WOT	47	76	25	95

FUEL FLOW DATA - 241B - YAMAHA® F250XCA & VF250XA

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000rpm	8	13	4	15
2500rpm	10	16	6	23
3000rpm	23	37	7	26
3500rpm	29	47	9	34
4000rpm	34	55	12	45
4500rpm	38	61	14	53
5000rpm	42	68	19	72
5500rpm	45	72	22	83
WOT	47	76	25	95

FUEL FLOW DATA - 241B - YAMAHA® F300XCA

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000rpm	8	13	4	15
2500rpm	10	16	6	23
3000rpm	23	37	7	26
3500rpm	30	48	10	38
4000rpm	35	56	13	49
4500rpm	40	64	16	60
5000rpm	44	71	21	79
5500rpm	47	76	25	95
WOT	49	79	29	110

241 BAY / STANDARDS

HULL AND DECK

- Anchor locker/storage
- Bow and Stern Eyes, stainless steel
- Cleats, pull-up, stainless steel
- Fiberglass stringer
- Foam Flotation
- Gel scheme, all white
- Gel scheme, under hardtop, White
- Horn, stainless steel
- Ladder, boarding
- Meets applicable USCG & Canadian Regs; NMMA Certified using ABYC Stds.
- Navigation Lights
- Rod holders, gunnel mount
- Rub Rail, w/stainless steel insert
- Thru hull fittings, stainless steel

COCKPIT

- 5 gallon bucket in holder
- Bait well/live well, 34 gallon w/ bluecoat, light & timer (2)
- Beverage holder(s)
- Center bow two level dry storage
- Cockpit Interior
 - Carbon Fiber, Neutral w/ black accent
- Cooler, bow
- Cooler, under leaning post (removable)
- Courtesy Lights
- Deck lids w/stainless steel, latches gas assist
- Grab handles, stainless steel
- Leaning post
- Mechanical non-skid
- Rod storage, gunnel
- Seating, forward console
- Seating, rear folding bench
- Self bailing cockpit
- Storage/Fishbox w/overboard drain
- Under rear seat storage

HELM

- 12 volt receptacle
- Steering Wheel w/ knob, stainless steel

ENGINE/SYSTEMS

- Battery on/off switch
- Battery tray, w/ switch
- Bilge pump, automatic
- High speed live well pick-up
- Hydraulic steering (std on 150 hp and up)

CONSOLE

- Changing room
- Rod holders
- Windscreen, console

241 BAY / OPTIONS

HULL AND DECK

- Anchor w/rope & chain
- Gel scheme, two-tone:
Crimson Red, Denim Blue,
Jet Black, Liquid Blue,
Phantom Grey, Seafoam Green
- Gel scheme, tri-tone:
Black/Atomic,
Black/Passion Red,
Black/White
- Gel scheme, under hardtop,
Crimson Red, Denim Blue,
Jet Black, Liquid Blue,
Phantom Grey,
Seafoam Green
- Underwater lights

COCKPIT

- Bait well, secondary fwd.,
14 gal w/bluecoat & timer
(rep. 56 qt built in cooler)
- Leaning post, upgrade
w/backrest, rod holders
- Mat package, helm floor and
rod storage
- Seating, backrest, forward
facing removable
- Seating, bow fishing
- Sport seats
- Sunpad deck

HELM

- Compass
- GPS plotter w/depth sounder

ENTERTAINMENT

- Fusion Stereo System:
AM/FM w/Bluetooth*,
USB & MP3 port, Speakers
- Fusion Stereo System
w/Deluxe T-Top:
AM/FM w/Bluetooth*,
USB & MP3 port, Speakers
- Premium Sound Package:
Fusion stereo, JL audio amp,
speakers and subwoofer
- Premium Sound Package
w/Deluxe T-Top:
Fusion stereo, JL audio amp,
speakers and subwoofer

ENGINE/SYSTEMS

- Battery charger
- Batteries dual w/on-off switch
- Down rigger pre-wire
- Jack plate, hydraulic
- Power assisted steering
- Power pole, 1 or 2
- Raw water wash down
- Tilt steering
- Trim tabs w/LED indicators
- Trolling motor pre-wire
- Trolling motor, 24 volt

CONSOLE

- Head, porta pottie (NA Canada)

T-TOPS

- T-Top Deluxe, LED lights,
spreader lights & electronic
box
- T-Top w/rod holder, Fiberglass

CANVAS

- Bimini Top (NA w/T-Top)
- Console & helm seat cover
- Spray shields, Eisenglass
(T-Top only)

TRAILER

- Wellcraft custom trailer, tandem
axle w/brakes Galv/Gatorhyde
- EZ-loader aluminum w/brakes
& spare
- Spare tire & wheel
- Wheels, aluminum

BOW SEATING PACKAGE

- Bow seat cushions

TOURNAMENT TRIM PACKAGE

- Mat package, helm floor and rod
storage
- Tournament graphics
- Upgrade leaning post
w/backrest, rod holders

NOTES

* Performance and fuel consumption will vary and be affected by water and weather conditions, altitude, load and condition of boat, engine and propeller(s). Cruise range based on 95% of fuel capacity. All data is illustrative and is not warranted. This test was conducted with clean bottom, no bottom paint and light to average load.

• Specifications, options, and equipment are subject to change without notice.



COASTAL[®]

290 COASTAL®



SPECIFICATIONS

	US	METRIC
LOA	30'2"	9.19 m
Beam	10'5"	3.20 m
Fuel Capacity	210 gal	795 L
Draft Up	22"	56 cm
Draft Down	33"	84 cm
Maximum Capacity	Yacht	1922 kg
Persons Capacity	Yacht	11
Approx. Boat Weight	8200 lbs	3700 kg
Approx. Boat & Engine Weight	9400 lbs	4265 kg
Water Capacity	42 gal	159 L
Max HP	600 hp	447 kw
Deadrise	18°	18°
Bridge Clearance	7'3"	2.2 m
Bridge Clearance w/Bimini	8'3"	2.51 m
Bridge Clearance w/Hardtop	9'0"	2.74 m
Keel to Top of Bimini	9'7"	2.92 m
Keel to Top of Hardtop	10'4"	3.15 m
Keel to Top of Windshield	8'7"	2.62 m

KEY SALES FEATURES

- Cleats, Stainless Steel
- Fiberglass Stringers
- Rod Holders, Gunnel Mount
- Cabin Door, Lockable
- Unique Windshield Design
- Self Bailing Cockpit
- Fishbox w/Overboard Drain
- Enclosed Head
- Swim Platform w/Ladder
- Built-in Bait/Live Well

POWER RATINGS & WEIGHTS

Engine Type	Propshaft Power		Boat & Engine Weights	
	HP	KW	LBS	KG
Twin Evinrude® E250X G2	250	186	9375	4255
Twin Mercury® 250XL Verado	250	186	9525	4320
Twin Mercury® 300XL Verado	300	224	9525	4320
Twin Mercury® 300XL Verado Warm White	300	224	9525	4320
Twin Yamaha® F250XCA	250	186	9380	4255
Twin Yamaha® F250XCA Helm Master	250	186	9380	4255
Twin Yamaha® F300XCA	300	224	9380	4255
Twin Yamaha® F300XCA Helm Master	300	224	9380	4255

PERFORMANCE

Power HP/KW	Propeller (Dia x Pitch)		Type	Top Speed		Cruise Range	
	IN	CM		MPH	KPH	MI	KM
Twin Evinrude® E250X G2	15x18	38x46	SST	47-50	76-81	—	—
Twin Mercury® 250XL Verado	15.5x17	39x43	SST	47-50	76-81	—	—
Twin Mercury® 300XL Verado	15.25x19	39x48	SST	51-54	82-87	—	—
Twin Yamaha® F250XCA							
& Helm Master	15.5x17	39x43	SST	47-50	76-81	—	—
Twin Yamaha® F300XCA							
& Helm Master	15.25x19	39x48	SST	51-54	82-87	—	—

FUEL FLOW DATA - 290C - TWIN 250 HP

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
1500 rpm	8	13	—	—
2000 rpm	9	15	—	—
2500 rpm	11	17	—	—
3000 rpm	14	23	—	—
3500 rpm	27	44	—	—
4000 rpm	34	54	—	—
4500 rpm	38	62	—	—
5000 rpm	43	70	—	—
5500 rpm	47	76	—	—
WOT	50	81	—	—

FUEL FLOW DATA - 290C - TWIN 300 HP

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
1500 rpm	8	14	—	—
2000 rpm	10	16	—	—
2500 rpm	11	18	—	—
3000 rpm	16	25	—	—
3500 rpm	29	47	—	—
4000 rpm	36	58	—	—
4500 rpm	41	66	—	—
5000 rpm	47	75	—	—
5500 rpm	51	82	—	—
WOT	54	87	—	—

290 COASTAL[®] / STANDARDS

HULL AND DECK

- Anchor locker/storage
- Bow anchor roller
- Bow rails, stainless steel
- Cleats, pull-up, stainless steel
- Deck hatch
- Fiberglass stringer
- Foam Flotation
- Gel accent stripe: choice of three colors:
Black, Red, Sliver
- Gel scheme, all white
- Grab rails, powder coated
- Horn, stainless steel
- Ladder, heavy duty, dive
- Meets applicable USCG & Canadian Regs; NMMA Certified using ABYC Stds.
- Navigation Lights
- Rod holders, gunnel mount
- Rub Rail, w/stainless steel insert
- Swim platform w/ladder
- Windshield, w/walk-thru, full aluminum frame

COCKPIT

- Beverage holder(s)
- Bolsters, cockpit
- Cockpit Interior
Sand Dollar Beige
- Courtesy Lights
- Seats, aft
- Storage/Fishbox
w/overboard drain
- Tackle storage w/boxes

CABIN

- Berth w/cushions
- Cabin, aft
- Cabin door, lockable
- Dinette table
- Galley
Microwave
Pressure water system
Refrigerator
Sink
Solid surface countertop w/sink
Stove, electric
- Hanging locker
- Head
Full length mirror
Power ventilation
Shower
Vacu-Flush w/holding tank
Vanity-sink and storage

HELM

- 12 volt receptacle
- Compass
- Instrumentation, full digital
- Steering Wheel w/ knob, stainless steel

290 COASTAL[®] / STANDARDS - CONT

ENGINE / SYSTEMS

- Battery charger
- Batteries dual w/on-off switch
- Bilge pump, automatic
- Detector, carbon monoxide
- Dockside power
- Dockside water connection
- Freshwater system
- Fresh water pkg, cockpit sink & transom shower
*(NA cockpit sink)
- Hydraulic steering
(std on 150 hp and up)
- Raw water wash down
- Trim tabs

T-TOPS

- Hardtop, w/rod holders

290 COASTAL[®] / OPTIONS

HULL AND DECK

- Gel scheme, solid color hull or two-tone:
Crimson Red, Denim Blue, Jet Black, Liquid Blue, Phantom Grey, Seafoam Green
- Rod holders, aft transom mounted
- Windlass, w/rope, chain and anchor
- Windshieldwiper/washersystem
*(Washer system NA)

COCKPIT

- Cockpit Reed Flooring, Dune
- Dive tank storage racks
- Remote spotlight

CABIN

- Cabin floor, chemclad teak & holly
- Overboard discharge

ENTERTAINMENT

- LCD TV/DVD w/TV telephone Inlet & Antenna (N/A w/220 V or CE pkg)
- Stereo upgrade:
cockpit subwoofer, power amp & 2 add. Speakers

ENGINE / SYSTEMS

- Air conditioning/heating
- Fire extinguishing system
- Generator
- Power assisted steering

CANVAS

- Cockpit cover

COCKPIT SEATING PACKAGE

- Starboard baitwell & portside storage box cushions (removable)

NAVIGATION PACKAGE

- 740S multi-function
7" color display w/GPS
- Chartplotter/fish finder
- VHF radio

• Performance and fuel consumption will vary and be affected by water and weather conditions, altitude, load and condition of boat, engine and propeller(s). Cruise range based on 95% of fuel capacity. All data is illustrative and is not warranted. This test was conducted with clean bottom, no bottom paint and light to average load.

• Specifications, options, and equipment are subject to change without notice.

182 FISHERMAN SINGLE AXLE TRAILER

SPECIFICATIONS	US	METRIC
Trailer length w/ Tongue	20' 1"	6.12 m
Trailer length w/ Tongue Folded	17' 11"	5.461 m
Width	8' 6"	2.591 m
Trailer Empty weight w/ spare	790 LBS	358 kg
Carrying Capacity	4210 LBS	1910 kg
GVWR (Gross Vehicle Weight Rating)	5000 LBS	2268 kg
GAWR (Gross Axle Weight Rating)	5000 LBS	2268 kg
Tire Size / Range	ST 225/75R15D RADIAL	ST 225/75R15D RADIAL
Tire Pressure	65 PSI COLD	450 KPA COLD
Tire Capacity	2540 LBS	1152 kg
Lug Nut Torque	90-120 FT/LBS	120.6NM-162.8NM
Axle	SINGLE	SINGLE
Axle Rating (Per Axle)	5000 LBS	2268 kg
Hub	6 LUG 5.5" PATTERN	6 LUG 14 cm PATTERN
Wheel Type	GALVANIZED	GALVANIZED
Jack Capacity	1200 LBS	544 kg
Winch	1800 LBS	818 kg
Ball Size	2"	5 cm
Ball Towing Height	24"	61 cm

202 FISHERMAN TANDEM AXLE TRAILER

SPECIFICATIONS	US	METRIC
Trailer length w/ Tongue	23'	7m
Trailer length w/ Tongue Folded	20' 10"	6.35 m
Width	8' 6"	2.591 m
Trailer Empty weight w/ spare	1030 LBS	467.2 kg
Carrying Capacity	5970 LBS	2708 kg
GVWR (Gross Vehicle Weight Rating)	7000 LBS	3175 kg
GAWR (Gross Axle Weight Rating)	7000 LBS	3175 kg
Tire Size / Range	ST 205/75R14C RADIAL	ST 205/75R14C RADIAL
Tire Pressure	50 PSI COLD	350 KPA COLD
Tire Capacity	1760 LBS	798 kg
Lug Nut Torque	90-120 FT/LBS	120.6NM-162.8NM
Axle	TANDEM	TANDEM
Axle Rating (Per Axle)	3500 LBS	1588 kg
Hub	5 LUG 4.5" PATTERN	5 LUG 11 cm PATTERN
Wheel Type	GALVANIZED	GALVANIZED
Jack Capacity	1500 LBS	680 kg
Winch	1800 LBS	818 kg
Ball Size	2"	5 cm
Ball Towing Height	21"	53.3 cm



222 FISHERMAN TANDEM AXLE TRAILER

SPECIFICATIONS	US	METRIC
Trailer length w/ Tongue	24' 4"	7.417 m
Trailer length w/ Tongue Folded	21' 8"	6.604 m
Width	8' 6"	2.591 m
Trailer Empty weight w/ spare	1168 LBS	529.8 kg
Carrying Capacity	5832 LBS	2645 kg
GVWR (Gross Vehicle Weight Rating)	7000 LBS	3175 kg
GAWR (Gross Axle Weight Rating)	7000 LBS	3175 kg
Tire Size / Range	ST 205/75R14C RADIAL	ST205/75R14C RADIAL
Tire Pressure	50 PSI COLD	350 KPA COLD
Tire Capacity	1760 LBS	798 kg
Lug Nut Torque	90-120 FT/LBS	120.6NM-162.8NM
Axle	TANDEM	TANDEM
Axle Rating (Per Axle)	3500 LBS	1588 kg
Hub	5 LUG 4.5" PATTERN	5 LUG 11 cm PATTERN
Wheel Type	GALVANIZED	GALVANIZED
Jack Capacity	1500 LBS	680 kg
Winch	2600 LBS	1179 kg
Ball Size	2"	5 cm
Ball Towing Height	21"	53.3 cm



242 FISHERMAN TANDEM AXLE TRAILER

SPECIFICATIONS	US	METRIC
Trailer length w/ Tongue	27' 11"	8.509 m
Trailer length w/ Tongue Folded	23' 3"	7.087 m
Width	8' 6"	2.591 m
Trailer Empty weight w/ spare	1385 LBS	628.2 kg
Carrying Capacity	8415 LBS	3817 kg
GVWR (Gross Vehicle Weight Rating)	9800 LBS	4445 kg
GAWR (Gross Axle Weight Rating)	10000 LBS	4535 kg
Tire Size / Range	ST 225/75R15D RADIAL	ST225/75R15D RADIAL
Tire Pressure	65 PSI COLD	448 KPA COLD
Tire Capacity	1760 LBS	798 kg
Lug Nut Torque	90-120 FT/LBS	120.6NM-162.8NM
Axle	TANDEM	TANDEM
Axle Rating (Per Axle)	5000 LBS	2268 kg
Hub	6 LUG 5.5" PATTERN	6 LUG 14 cm PATTERN
Wheel Type	GALVANIZED	GALVANIZED
Jack Capacity	1500 LBS	680 kg
Winch	2600 LBS	1179 kg
Ball Size	2 5/16"	6 cm
Ball Towing Height	24.5"	62.23 cm



221 BAY TANDEM AXLE TRAILER

SPECIFICATIONS	US	METRIC
Trailer length w/ Tongue	23' 6"	7.163 m
Trailer length w/ Tongue Folded	20' 10"	6.35 m
Width	8' 6"	2.591 m
Trailer Empty weight w/ spare	1167 LBS	529.3 kg
Carrying Capacity	5833 LBS	2646 kg
GVWR (Gross Vehicle Weight Rating)	7000 LBS	3175 kg
GAWR (Gross Axle Weight Rating)	7000 LBS	3175 kg
Tire Size / Range	ST 205/75R14C RADIAL	ST205/75R14C RADIAL
Tire Pressure	50 PSI COLD	350 KPA COLD
Tire Capacity	1760 LBS	798 kg
Lug Nut Torque	90-120 FT/LBS	120.6NM-162.8NM
Axle	TANDEM	TANDEM
Axle Rating (Per Axle)	3500 LBS	1588 kg
Hub	5 LUG 4.5" PATTERN	5 LUG 11 cm PATTERN
Wheel Type	GALVANIZED	GALVANIZED
Jack Capacity	1500 LBS	680 kg
Winch	2600 LBS	1179 kg
Ball Size	2"	5 cm
Ball Towing Height	21"	53.3 cm



241 BAY TANDEM AXLE TRAILER

SPECIFICATIONS	US	METRIC
Trailer length w/ Tongue	25' 3"	7.696 m
Trailer length w/ Tongue Folded	22' 7"	6.883 m
Width	8' 6"	2.591 m
Trailer Empty weight w/ spare	1211 LBS	549.3 kg
Carrying Capacity	5789 LBS	2626 kg
GVWR (Gross Vehicle Weight Rating)	7000 LBS	3175 kg
GAWR (Gross Axle Weight Rating)	7000 LBS	3175 kg
Tire Size / Range	ST 205/75R14C RADIAL	ST205/75R14C RADIAL
Tire Pressure	50 PSI COLD	350 KPA COLD
Tire Capacity	1760 LBS	798 kg
Lug Nut Torque	90-120 FT/LBS	120.6NM-162.8NM
Axle	TANDEM	TANDEM
Axle Rating (Per Axle)	3500 LBS	1588 kg
Hub	5 LUG 4.5" PATTERN	5 LUG 11 cm PATTERN
Wheel Type	GALVANIZED	GALVANIZED
Jack Capacity	1500 LBS	680 kg
Winch	2600 LBS	1179 kg
Ball Size	2"	5 cm
Ball Towing Height	21"	53.3 cm

Rec Boat Holdings, LLC dba Wellcraft ("Wellcraft") warrants to you, the first North American retail purchaser of this 2018 model year Wellcraft boat or a second North American retail purchaser as noted below ("you"), that it will repair or replace, at its sole discretion, defects in materials or workmanship that occur and are reported to Wellcraft, or its factory authorized dealer, within the applicable limited warranty periods, subject to the terms, conditions and exclusions set forth below. Your acceptance of delivery of the warranted Wellcraft boat constitutes your acceptance of the terms of this limited warranty. This limited warranty gives you specific legal rights, which may vary from state to state.

This limited warranty is the sole and exclusive express warranty from Wellcraft regarding your 2018 Wellcraft boat and there are no express warranties which extend beyond those outlined in this limited warranty. There are no implied warranties from Wellcraft, unless otherwise required under applicable law, and ALL IMPLIED WARRANTIES (INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE) ARE EXCLUDED AND DISCLAIMED WHERE ALLOWED BY APPLICABLE LAW. ANY IMPLIED WARRANTIES (IF APPLICABLE) ARE LIMITED TO THE MINIMUM PERIOD OF TIME ALLOWED UNDER APPLICABLE LAW. Some states do not allow limitations on how long an implied warranty lasts, so the above limitations may not apply to you.

COVERAGE UNDER THIS LIMITED WARRANTY

Exterior Cosmetic Gel Coat Limited Warranty: The limited warranty period runs for one (1) year for defects in the boat's exterior cosmetic gel coat, including cracking, crazing, discoloring and fading, except as noted below.

Non-Structural Parts And Components Limited Warranty: The limited warranty period runs for three (3) years for defects in non-structural parts and components, except as noted below. (\$100 deductible per warranty claim for years 2 & 3).

Osmotic Hull Blister Limited Warranty: The limited warranty period to the first North American retail purchaser runs for five (5) years, except as noted below, for osmotic Hull (defined below) blisters on the boat, which are defined as blisters larger than 1/8" diameter and with a depth of 1/16" or greater, which occur on the boat Hull below the waterline. This limited warranty is not transferable to a second North American retail purchaser.

If the boat is bottom painted or left in water for more than sixty (60) days in any 90 day period, this limited warranty will only apply if a marine barrier coating with proper surface preparation is applied to the boat Hull before it is bottom painted or left in water for more than sixty (60) days in any ninety (90) day period.

In the event of osmotic blistering, Wellcraft must approve of any repairs, and their method and cost, before the repairs are performed, for this limited warranty to apply. Once any repairs are completed, a marine barrier coating will be applied to the affected Hull surface area(s).

Repairs under this osmotic Hull blister limited warranty are limited to one time. Any repair costs covered under this limited warranty are limited to labor and materials only. They will be paid on a prorated basis, according to the schedule outlined below. The repair costs cannot exceed \$150 (US) per foot of boat length prior to the prorating outlined below.

OSMOTIC HULL BLISTERING REPORTED TO WELLCRAFT:	AMOUNT OF REPAIR COSTS PAID:
LESS THAN TWO (2) YEARS FROM DATE OF DELIVERY	100%
TWO (2) TO LESS THAN THREE (3) YEARS FROM DATE OF DELIVERY	75%
THREE (3) TO LESS THAN FOUR (4) YEARS FROM DATE OF DELIVERY	50%
FOUR (4) TO FIVE (5) YEARS FROM DATE OF DELIVERY	25%

Structural Deck Or Liner Limited Warranty: The limited warranty period runs for five (5) years for Structural Deck or Liner Defects (defined below), except as noted below. For purposes of this limited warranty, the "Deck" shall mean the single fiberglass molded shell and integral fiberglass structural components above the Hull (defined below) flange (i.e. gunwale) and the "Liner" shall mean the single fiberglass molded interior shell walls and interior floor of the Hull (defined below) below the Hull flange (i.e. gunwale). A "Structural Deck or Liner Defect" shall mean a substantial defect in the boat's Hull or Liner which causes the boat to be unfit or unsafe for use as a pleasure craft under normal operating conditions.

Structural Hull Limited Warranty: The limited warranty period runs for ten (10) years for Structural Hull Defects (defined below), except as noted below. For purposes of this limited warranty, the "Hull" shall mean the single fiberglass molded shell and integral structure within the shell, including stringers, floorboards, transom and related structural reinforcements, all of which are below the Hull flange (i.e. gunwale). A "Structural Hull Defect" shall mean a defect that causes the Hull to be unsafe or unfit for use under normal operating conditions.

The applicable limited warranty period, for both the First and Second (if applicable) North American retail purchasers, runs from the date of delivery of the boat to the first North American retail purchaser, provided that the boat is delivered to that purchaser within twelve (12) months from the date of its manufacture. For a boat delivered to that purchaser more than twelve (12) months after the date of its manufacture, the limited warranty period runs from the date of its manufacture, not from the date the boat was delivered to the first North American retail purchaser. For a boat delivered to that purchaser more than twelve (12) months and up to thirty-six (36) months after its date of manufacture, the selling dealer will be required to submit a condition report on the boat with photos to Wellcraft before delivery of the boat to that purchaser; Wellcraft will then determine and advise what limited warranty coverage remains in effect on the boat, if any. For a boat delivered to that purchaser more than thirty-six (36) months after the date of its manufacture, only the structural limited warranties on the boat will be in effect; all other limited warranties are voided. All limited warranties run concurrently.

This limited warranty may be transferred to a second North American retail purchaser, if the transfer occurs within five (5) years of the boat's sale to the first North American retail purchaser, for a non-refundable recording fee of \$300 (US), provided that the second North American retail purchaser purchases the boat from the first North American retail purchaser or an authorized Wellcraft dealer. To transfer the limited warranty, the second North American retail purchaser or the authorized Wellcraft dealer must send to Wellcraft, within fifteen (15) days of the boat's purchase, at the address noted below the: 1) first North American retail purchaser's plastic registration card, if available; 2) proof of purchase; and 3) the non-refundable recording fee made payable to Rec Boat Holdings, LLC dba Wellcraft. The limited warranty may only be transferred **once**. Wellcraft will confirm all limited warranty transfers, in writing, to the authorized Wellcraft dealer and/or second North American retail purchaser via email. Wellcraft reserves the right to reject a limited warranty transfer request for a Wellcraft boat that has been damaged, neglected or otherwise previously excluded from limited warranty coverage.

THIS LIMITED WARRANTY DOES NOT COVER

1. A boat purchased from any party other than an authorized Wellcraft dealer or the first North American retail purchaser.
2. A boat, including its components, that has been altered or modified so as to adversely affect its operation, performance or durability, as determined by Wellcraft, or a boat that has been salvaged or declared a total loss or a constructive total loss for any reasons not covered in this limited warranty.
3. Any damage resulting from an accident or impact with another object or any damage caused by an act of nature.
4. Damage, breakage and leakage around windshields, hatches or other designed openings.
5. Boats that are damaged due to storage or exposure conditions including, but not limited to, sun or cold weather.
6. Engines, power trains, outdrives, jet pumps, controls, propellers, batteries, appliances and other equipment, accessories or components that are not manufactured by Wellcraft, whether or not they are warranted by other manufacturers. **Note:** it is the purchaser's responsibility to complete any limited warranty registration procedure that may be applicable to these components. **Note: dealers are expected to properly represent the engine brands offered in ordered units through service training certification, parts support, warranty access, etc.**
7. Window glass, mirrors, varnish, paint, fabrics and chromium, stainless steel and other metal finishes.
8. Gel coat fading or discoloration that occurs below or at the water line on the Hull.
9. Gel coat damage resulting from blistering and osmotic blistering and the original gel surface that has been altered in any way, including by repair, application of any coating other than marine barrier coating or marine barrier coating followed by bottom paint, improper surface preparation for paint or improper or excessive sanding, scraping or sandblasting.
10. The cost of removal or re-instatement of parts or disassembly of units to repair or replace components covered by this limited warranty.
11. A boat that has been overpowered, according to the boat's maximum recommended engine horsepower, or overloaded in excess of the maximum limits as stated on the U.S. Coast Guard Capacity Plate.
12. Any boat that has been misused; used in a negligent manner; used for racing, speed or endurance contests; used for rental or charter; used for military, rescue, fire, safety, medical, police, law enforcement, patrol or similar government uses; used for commercial purposes; used without normal maintenance; operated contrary to any instructions furnished by Wellcraft; improperly lifted or trailered; improperly secured to a trailer; or operated in violation of any federal, state, local, Coast Guard or other governmental agency laws, rules or regulations. Also, this limited warranty does not cover any damage resulting from failure to use a lower unit support device on any boat with an outboard motor when transporting the boat.
13. Estimated characteristics such as weight, speed, range, fuel consumption or other estimated performance characteristics.
14. Dealer preparation, cleaning, final adjustments and alignments in preparing the boat for delivery.
15. Fit and adjustment of exterior canvas tops, enclosures and weather covers or other soft goods.
16. Sacrificial deterioration of anti-fouling paint or zinc anodes.

17. Damage resulting from electrolysis or corrosion of any nature from any source.
18. Any failure or defect arising from previous repairs made by a non-authorized service provider, unless preapproved by Wellcraft.
19. Any defect that results in redesign of the Wellcraft boat.
20. Trailers.(non-Wellcraft brand).

THE SOLE AND EXCLUSIVE REMEDY UNDER THIS LIMITED WARRANTY AND ANY APPLICABLE IMPLIED WARRANTY IS THE REPAIR OR REPLACEMENT, AT WELLCRAFT'S SOLE OPTION, OF WARRANTED PARTS AND COMPONENTS. WELLCRAFT EXCLUDES AND DISCLAIMS ANY LIABILITY FOR INCIDENTAL OR CONSEQUENTIAL DAMAGES, INCLUDING LOSS OF TIME, INCONVENIENCE, INSTALLMENT PAYMENTS, INSURANCE PAYMENTS, MARINA FEES, RETAIL CHARGES, TRAVEL EXPENSES, LOSS OF USE, HAUL OUT, LAUNCH, TOWING AND/OR STORAGE CHARGES, LOSS OF OR DAMAGE TO PERSONAL PROPERTY OR OTHER SIMILAR COSTS AND EXPENSES OR ANY CLAIM NOT SPECIFICALLY COVERED BY THIS LIMITED WARRANTY. Some states do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you. Any legal action alleging breach of any applicable warranty coverage must be brought within one (1) year from the date the alleged breach first occurred or the shortest period allowed under applicable law, whichever is earlier.

PRE-DELIVERY SERVICE AND LIMITED WARRANTY REGISTRATION

Prior to delivering a new Wellcraft boat to the first North American retail purchaser, the authorized dealer is required to inspect and perform all necessary pre-delivery services including completing the "Pre-Delivery Service Record" portion of the limited warranty. Any cost associated with the pre-delivery inspection is the responsibility of the first North American retail purchaser. After completion of the necessary pre-delivery services, the first North American retail purchaser must sign the Wellcraft limited warranty registration form and Pre-Delivery Service Record provided by the dealer, where indicated. No limited warranty coverage is applicable to the boat unless these forms are completed, signed and returned to Wellcraft at the address indicated below, or via an authorized Wellcraft dealer's online dealer extranet. All information received by Wellcraft via the limited warranty registration or transfer process shall be the property of Wellcraft, and submission of information, directly or indirectly, via the limited warranty registration process shall, to the extent permitted by applicable law, be deemed to constitute consent by the purchaser and dealer to Wellcraft's use of such information at any time for all purposes allowed by law, including use of that information by third parties selected by Wellcraft. You may opt to not have your personal information disclosed to third parties and/or to not receive marketing materials from Wellcraft by sending a written request to: Wellcraft Warranty Department, 925 Frisbie Street, Cadillac, MI 49601.

OBTAINING REPAIRS UNDER THIS LIMITED WARRANTY

The authorized Wellcraft dealer will carry out the limited warranty procedures on your behalf. All limited warranty work must be performed at an authorized dealer or a sublet repair facility chosen by an authorized dealer, at the Wellcraft factory, or at another repair facility approved by Wellcraft. You are responsible for the expense associated with transporting the boat to and from the repair facility. Wellcraft must receive written notice of all limited warranty claims prior to the expiration of this limited warranty and be allowed an opportunity to resolve them.

To obtain limited warranty service, you must return the boat, including any alleged defective part, to an authorized Wellcraft dealer and present the Owner's Registration Card. If necessary, you should call Wellcraft for assistance to locate the nearest Wellcraft dealer in your area. The following procedures will apply to a limited warranty claim:

Rec Boat Holdings, LLC dba Wellcraft ("Wellcraft") warrants to you, the first International retail purchaser of this 2018 model year Wellcraft boat or a second International retail purchaser as noted below ("you"), that it will repair or replace, at its sole discretion, defects in materials or workmanship that occur and are reported to Wellcraft, or its factory authorized dealer, within the applicable limited warranty periods, subject to the terms, conditions and exclusions set forth below. Your acceptance of delivery of the warranted Wellcraft boat constitutes your acceptance of the terms of this limited warranty.

This limited warranty is the sole and exclusive express warranty from Wellcraft regarding your 2018 Wellcraft boat, and there are no express warranties which extend beyond those outlined in this limited warranty. There are no implied warranties from Wellcraft unless otherwise required under applicable law, and ALL IMPLIED WARRANTIES (INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE) ARE EXCLUDED AND DISCLAIMED WHERE ALLOWED BY APPLICABLE LAW. ANY IMPLIED WARRANTIES (IF APPLICABLE) ARE LIMITED TO THE MINIMUM PERIOD OF TIME ALLOWED UNDER APPLICABLE LAW. Retail purchasers in the European Union (EU) may have legal rights under applicable national legislation and the Consumers Protective Directive 1999/44/EC of the European Parliament and of the Council of 25 May 1999, governing the sale of consumer goods, which are not affected by this limited warranty. Retail purchasers in other countries may also have legal rights which are not affected by this limited warranty.

COVERAGE UNDER THIS LIMITED WARRANTY

Exterior Cosmetic Gel Coat Limited Warranty: The limited warranty period runs for one (1) year for defects in the boat's exterior cosmetic gel coat, including cracking, crazing, discoloring and fading, except as noted below.

Non-Structural Parts And Components Limited Warranty: The limited warranty period runs for one (1) year for defects in non-structural parts and components, except as noted below.

Structural Deck or Liner Limited Warranty: The limited warranty period runs for five (5) years for Structural Deck or Liner Defects (defined below), except as noted below. For purposes of this limited warranty, the "Deck" shall mean the single fiberglass molded shell and integral fiberglass structural components above the Hull flange (i.e. gunwale) and the "Liner" shall mean the single fiberglass molded interior shell walls and interior floor of the Hull (defined below) below the Hull flange (i.e. gunwale). A "Structural Deck or Liner Defect" shall mean a substantial defect in the boat's Hull or Liner, which causes the boat to be unfit or unsafe for use as a pleasure craft under normal operating conditions.

Structural Hull Limited Warranty: The limited warranty period runs for ten (10) years for Structural Hull Defects, except as noted below. For purposes of this limited warranty, the "Hull" shall mean the single fiberglass molded shell and integral structure within the shell, including stringers, floorboards, transom and related structural reinforcements, all of which are below the Hull flange (i.e. gunwale). A "Structural Hull Defect" shall mean a defect that causes the Hull to be unsafe or unfit for use under normal operating conditions.

The applicable limited warranty period, for both the first and second (if applicable) International retail purchasers, runs from the date of delivery of the boat to the first International retail purchaser, provided that the boat is delivered to that purchaser within twelve (12) months from the date of its manufacture. For a boat delivered to that purchaser more than twelve (12) months after the date of its manufacture, the limited warranty period runs from the date of its manufacture, not from the date the

boat was delivered to the first International retail purchaser. For a boat delivered to that purchaser more than twelve (12) months and up to thirty-six (36) months after its date of manufacture, the selling dealer will be required to submit a condition report on the boat with photos to Wellcraft before delivery of the boat to that purchaser; Wellcraft will then determine and advise what limited warranty coverage remains in effect on the boat, if any. For a boat delivered to that purchaser more than thirty-six (36) months after the date of its manufacture, only the structural limited warranties on the boat will be in effect; all other limited warranties are voided. All limited warranties run concurrently.

This limited warranty may be transferred to a second International retail purchaser, if the transfer occurs within five (5) years of the boat's sale to the first International retail purchaser, for a non-refundable recording fee of \$300 (US) provided that the second International retail purchaser purchases the boat from the first International retail purchaser or an authorized Wellcraft dealer. To transfer the limited warranty, the second International retail purchaser or the authorized Wellcraft dealer must send to Wellcraft, within fifteen (15) days of the boat's purchase, at the address noted below the: 1) first International retail purchaser's plastic registration card, if available; 2) proof of purchase; and 3) the non-refundable recording fee made payable to Wellcraft. The limited warranty may only be transferred **once**. Wellcraft will confirm all limited warranty transfers, in writing, to the authorized Wellcraft dealer and/or second International retail purchaser via email. Wellcraft reserves the right to reject a limited warranty transfer request for a Wellcraft boat that has been damaged, neglected or otherwise previously excluded from limited warranty coverage.

THIS LIMITED WARRANTY DOES NOT COVER

1. A boat purchased from any party other than an authorized Wellcraft dealer or the first International retail purchaser.
2. A boat, including its components, that has been altered or modified so as to adversely affect its operation, performance or durability, as determined by Wellcraft, or a boat that has been salvaged or declared a total loss or a constructive total loss for any reasons not covered in this limited warranty.
3. Any damage resulting from an accident or impact with another object or any damage caused by an act of nature.
4. Damage, breakage and leakage around windshields, hatches or other designed openings.
5. Boats that are damaged due to storage or exposure conditions including, but not limited to, sun or cold weather.
6. Engines, power trains, outdrives, jet pumps, controls, propellers, batteries, appliances and other equipment, accessories or components that are not manufactured by Wellcraft, whether or not they are warranted by other manufacturers. **Note:** it is the purchaser's responsibility to complete any limited warranty registration procedure that may be applicable to these components. **Note: dealers are expected to properly represent the engine brands offered in ordered units through service training certification, parts support, warranty access, etc.**
7. Window glass, mirrors, varnish, paint, fabrics and chromium, stainless steel and other metal finishes.
8. Gel coat fading or discoloration that occurs below or at the water line on the Hull.
9. Gel coat damage resulting from blistering and osmotic blistering; and the original gel surface that has been altered in any way, including by repair, application of any coating other than marine barrier coating or marine barrier coating followed by

bottom paint, improper surface preparation for paint or improper or excessive sanding, scraping or sandblasting.

10. The cost of removal or re-installment of parts or disassembly of units to repair or replace components covered by this limited warranty.
11. A boat that has been overpowered, according to the boat's maximum recommended engine horsepower, or overloaded in excess of the maximum limits as stated on the U.S. Coast Guard Capacity Plate.
12. Any boat that has been misused or used in a negligent manner; used for racing, speed or endurance contests; used for rental or charter; used for military, rescue, fire, safety, medical, police, law enforcement, patrol or similar government uses; used for commercial purposes; used without normal maintenance; operated contrary to any instructions furnished by Wellcraft; improperly lifted or trailered; improperly secured to a trailer; or operated in violation of any federal, state, local or governmental agency laws, rules or regulations. Also, this limited warranty does not cover any damage resulting from failure to use a lower unit support device on any boat with an outboard motor when transporting the boat.
13. Estimated characteristics such as weight, speed, range, fuel consumption or other estimated performance characteristics.
14. Dealer preparation, cleaning, final adjustments and alignments in preparing the boat for delivery.
15. Fit and adjustment of exterior canvas tops, enclosures and weather covers or other soft goods.
16. Sacrificial deterioration of anti-fouling paint or zinc anodes.
17. Damage resulting from electrolysis or corrosion of any nature from any source.
18. Any failure or defect arising from previous repairs made by a non-authorized service provider, unless preapproved by Wellcraft.
19. Any defect that results in redesign of the Wellcraft boat.
20. Trailers.

THE SOLE AND EXCLUSIVE REMEDY UNDER THIS LIMITED WARRANTY AND ANY APPLICABLE IMPLIED WARRANTY IS THE REPAIR OR REPLACEMENT, AT WELLCRAFT'S SOLE OPTION, OF WARRANTED PARTS AND COMPONENTS. WELLCRAFT EXCLUDES AND DISCLAIMS ANY LIABILITY FOR INCIDENTAL OR CONSEQUENTIAL DAMAGES, INCLUDING LOSS OF TIME, INCONVENIENCE, INSTALLMENT PAYMENTS, INSURANCE PAYMENTS, MARINA FEES, RETAIL CHARGES, TRAVEL EXPENSES, LOSS OF USE, HAUL OUT, LAUNCH, TOWING AND/OR STORAGE CHARGES, LOSS OF OR DAMAGE TO PERSONAL PROPERTY OR OTHER SIMILAR COSTS AND EXPENSES OR ANY CLAIM NOT SPECIFICALLY COVERED BY THIS LIMITED WARRANTY. Any legal action alleging breach of any applicable warranty coverage must be brought within one (1) year from the date the alleged breach first occurred or the shortest period of time allowed under applicable law. Any claim by a retail purchaser in the EU that the boat was nonconforming at the time of delivery must be made within two (2) years from the date of delivery.

PRE-DELIVERY SERVICE AND LIMITED WARRANTY REGISTRATION

Prior to delivering a new Wellcraft boat to the first International retail purchaser, the authorized dealer is required to inspect and perform all necessary pre-delivery services including completing the "Pre-Delivery Service Record" portion of the limited warranty. Any cost associated with the pre-delivery inspection is the responsibility of the first International retail purchaser. After completion of the necessary pre-delivery services, the first International retail purchaser must sign the Wellcraft limited warranty registration form and Pre-Delivery Service Record provided by the dealer,

where indicated. No limited warranty coverage is applicable to the boat unless these forms are completed, signed and returned to Wellcraft at the address indicated below, or via an authorized Wellcraft dealer's online dealer extranet. All information received by Wellcraft via the limited warranty registration or transfer process shall be the property of Wellcraft, and submission of information, directly or indirectly, via the limited warranty registration process shall, to the extent permitted by applicable law, be deemed to constitute consent by the purchaser and dealer to Wellcraft's use of such information at any time for all purposes allowed by law, including use of that information by third parties selected by Wellcraft. You may opt to not have your personal information disclosed to third parties and/or to not receive marketing materials from Wellcraft by sending a written request to: Wellcraft Warranty Department, 925 Frisbie Street, Cadillac, MI 49601.

OBTAINING REPAIRS UNDER THIS LIMITED WARRANTY

The authorized Wellcraft dealer will carry out the limited warranty procedures on your behalf. All limited warranty work must be performed at an authorized dealer or a sublet repair facility chosen by an authorized dealer, at the Wellcraft factory, or at another repair facility approved by Wellcraft. You are responsible for the expense associated with transporting the boat to and from the repair facility. Wellcraft must receive written notice of all limited warranty claims prior to the expiration of this limited warranty and be allowed an opportunity to resolve them.

To obtain limited warranty service, you must return the boat, including any alleged defective part, to an authorized Wellcraft dealer and present the Owner's Registration Card. If necessary, you should call Wellcraft for assistance to locate the nearest Wellcraft dealer in your area. The following procedures will apply to a warranty claim:

- A. The dealer will contact and receive an authorization number from Wellcraft for repairs.
- B. Upon completion of repairs, you must pay the dealer for non-covered items.
- C. You assume all liability for payment of non-authorized repairs.
- D. You must sign the Wellcraft limited warranty claim form if the claim is not submitted through the Wellcraft extranet by the dealer.

If sublet limited warranty repairs are required for any reason, the authorized Wellcraft dealer will be responsible for choosing a qualified and reputable repair facility and the authorized **Wellcraft Dealer will be responsible for all work performed by the sublet repair facility. Before referring any work to a sublet repair facility, the authorized Wellcraft dealer must submit a written estimate to Wellcraft's claims department to obtain written pre-authorization (including a claim authorization number).** Wellcraft will not honor or pay for claims submitted for repairs by sublet repair facilities unless this procedure has been followed. Wellcraft will not authorize or pay for sublet repairs initiated because of a lack of dealer service facilities.

This document contains the entire limited warranty provided by Wellcraft. Any questions concerning the scope of this limited warranty should be directed to Wellcraft. The terms and conditions contained in this limited warranty may not be modified, altered or waived by any action, inaction or representation, whether oral or in writing, except upon the express, written authority of a senior management level employee of Wellcraft. Wellcraft does not authorize any person or persons (except a senior management level employee of Wellcraft), including Wellcraft's dealers, to change the terms of this limited warranty. (Note that your authorized Wellcraft dealer is an independent business, authorized to sell and service Wellcraft products, but is not an agent of Wellcraft). Wellcraft reserves the right to change or improve the design or manufacture of Wellcraft boats without obligation to modify any boat previously manufactured.

Wellcraft / 925 Frisbie Street / Cadillac, MI 49601
Telephone: 231-775-1351



NOTES



925 Frisbie Street | Cadillac, MI 49601
231.775.1351

www.wellcraft.com

090-3021-18