



Wellcraft//2016

PRODUCT INFORMATION GUIDE



Wellcraft[®]



INTRODUCTION

Since 1955, the Wellcraft name has stood for innovation, quality and dependability. These core values are found in an American icon designed by fishermen who demand the best every time they leave the dock. From offshore fishing to Great Lakes touring, pick your machine and let the adventure begin. Take a look at the line-up and choose the model that will be the start of many memorable moments on the water: Fisherman, Scarab® Offshore, Sportsman, and Coastal®. New features, upgraded amenities, distinctive styling...welcome aboard Wellcraft.

New for 2016, Wellcraft has proven it's dedication to you and your family by expanding the Fisherman series with four new models. In the Bay Boat category, 22 and 24 foot models will get you in the skinny water to net that inshore slam. The all-new 242 Center Console and the soon-to-come 222 are head-turning exercises in style, with the stable, smooth performance you've always demanded from Wellcraft.

The Scarab Offshore series is a tournament class center console with legendary performance. A Scarab Offshore boat is considered with diligence, designed with passion, and produced with premium quality and dependability. Our deep V hulls provide superior handling built with pride, tested and trusted by tournament champions worldwide.

Wellcraft Coastal series sport fishing boats are well-crafted for luxury offshore fishing and family time. With the backend built for the serious business of fishing, you'll also find that we haven't missed a trick on storage, room to maneuver, premium appointments, and all day amenities like a head and galley. It's all good in a Coastal sport fishing boat.

Family comfort comes first in the Sportsman series. You'll appreciate that these models are the perfect blend of fishing functionality and all the amenities that are important to enjoy a day on the water. Get ready for watersports, cruising, trolling, or chasing what's in season. It's family time at its finest on the Sportsman series of bowrider boats.



TABLE OF CONTENTS

180 Fisherman	6
220 Fisherman	10
221 Fisherman	14
222 Fisherman	18
232 Fisherman	22
241 Fisherman	26
242 Fisherman	30
252 Fisherman	34
30 Scarab Offshore Sport	40
30 Scarab Offshore Tournament	44
35 Scarab Offshore Sport	48
35 Scarab Offshore Tournament	52
180 Sportsman	58
220 Sportsman	62
220 Coastal.....	68
232 Coastal.....	72
252 Coastal.....	76
290 Coastal.....	80
340 Coastal.....	84
Warranty	88

Notice: Due to Wellcraft's policy of continual product improvement, specifications are subject to change without notice. The weights and volumes shown are approximate and can vary slightly from boat to boat. Wellcraft boats meet or exceed all USCG and NMMA requirements for certification at the date of manufacture.

Performance disclosure: Test results for each model were obtained using specified engines at sea level in ideal conditions with two or more test drivers aboard. Your performance may vary depending upon load, altitude, temperature, humidity, water conditions, choice of prop and cleanliness of the boat's hull.



Wellcraft®



FISHERMAN



180 FISHERMAN



SPECIFICATIONS	US	METRIC
L.O.A.	18' 0"	8.48 m
Beam	8' 0"	2.44 m
Fuel Capacity	51 gal	193 L
Draft (drive up)	15"	38 cm
Draft (drive down)	32"	81 cm
Maximum Capacity	1650 lbs	749 kg
Persons Capacity	6	6
Approx. Boat & Engine Weight	2065 lbs	937 kg
Maximum Horsepower	150 hp	112 kw
Deadrise	20°	20°
Bridge Clearance	4' 5"	1.37 m
Bridge Clearance w/bimini top	6' 7"	2.01 m

KEY SALES FEATURES

- Cleats, stainless steel
- Fiberglass stringers
- Rod holders, gunnel mount
- Cooler
- Diamond pattern anti-skid
- Self bailing cockpit
- Fishbox w/overboard drain
- Custom gauges
- Swim platform w/ladder
- Built-in bait/livewell

PERFORMANCE DATA / EVINRUDE® 115 DSL

Top Speed	41.5 MPH @ 5600 RPM
Cruise Speed	29.7 MPH @ 4000 RPM
Cruise Range	260 Miles

POWER OPTIONS

Evinrude®	115DPL
Evinrude®	135 HO HSL
Evinrude®	150DSL
Mercury®	115ELPT 4S
Mercury®	150L 4S
Yamaha®	F-115LB
Yamaha®	F-150LB

180 FISHERMAN / STANDARDS

HULL/DECK

- Anchor locker/storage
- Bow and Stern Eyes, stainless steel
- Cleats, stainless steel
- Fiberglass stringer
- Foam Flotation
- Gel scheme, all white
- Gel accent stripe: choice of three colors
- Horn, stainless steel
- Meets applicable USCG & Canadian Regs; NMMA Certified using ABYC Stds.
- Navigation Lights
- Rod holders, gunnel mount
- Rub Rail, w/stainless steel insert
- Swim platform w/ladder
- Thru hull fittings, stainless steel

COCKPIT

- Bait well/live well
- Beverage holder(s)
- Cooler
- Courtesy Lights
- Diamond pattern anti-skid
- Rod storage, gunnel
- Seats, aft
- Seating, forward console
- Self bailing cockpit
- Storage/Fishbox w/overboard drain

HELM

- 12 volt receptacle
- Compass
- Instrumentation: tachometer, fuel, trim and speedometer
- Steering wheel, stainless w/knob

ENGINE/SYSTEMS

- Bilge pump, automatic
- Raw water wash down

CONSOLE

- Windscreen, console



180 FISHERMAN / OPTIONS

HULL/DECK

- Bow rails, stainless steel
- Gel scheme, solid color hull, w/water line, choice of color combination
- Gel scheme, two-tone, color choices

COCKPIT

- Seating, bow cushion

ENGINE/SYSTEMS

- Hydraulic tilt steering (std on 135 hp and up)

CANVAS

- Bimini Top (NA w/T-Top)

TRAILER

- EZ-loader aluminum (tandem axle) w/brakes
- EZ-loader galvanized (tandem axle) w/brakes



NOTES

Performance and fuel consumption will vary and be affected by water and weather conditions, altitude, load and condition of boat, engine and propeller(s). Cruise range based on 95% of fuel capacity. All data is illustrative and is not warranted. This test was conducted with clean bottom, no bottom paint and light to average load.

Specifications, options, and equipment are subject to change without notice.

MADE FOR FISHERMEN BY FISHERMEN

220 FISHERMAN



SPECIFICATIONS	US	METRIC
L.O.A.	21' 0"	6.4 m
Beam	8' 6"	2.59 m
Fuel Capacity	103 gal	390 L
Draft (drive up)	17"	43 cm
Draft (drive down)	33"	84 cm
Maximum Capacity	2100 lbs	952 kg
Persons Capacity	8	8
Approx. Boat & Engine Weight	3654 lbs	1363 kg
Maximum Horsepower	250 hp	187 kw
Deadrise	19°	19°
Bridge Clearance	6' 1"	1.85 m
Bridge Clearance w/bimini top	8'0"	2.44 m

KEY SALES FEATURES

- Cleats, stainless steel
- Fiberglass stringers
- Rod holders, gunnel mount
- Cooler
- Diamond pattern anti-skid
- Self bailing cockpit
- Fishbox w/overboard drain
- Custom guages
- Swim platform w/ladder
- Built-in bait/livewell

PERFORMANCE DATA / YAMAHA® F200XA

Top Speed	43.3 MPH @ 5850 RPM
Cruise Speed	28.2 MPH @ 4000 RPM
Cruise Range	307 Miles

POWER OPTIONS

Evinrude®	200DPX
Evinrude®	250DPX
Mercury®	200XL Verado
Yamaha®	F200XA
Yamaha®	F250XA
Yamaha®	F250XCA

220 FISHERMAN / STANDARDS

HULL/DECK

- Anchor locker/storage
- Bow and Stern Eyes, stainless steel
- Bow anchor roller
- Cleats, pull-up, stainless steel
- Fiberglass stringer
- Foam Flotation
- Gel scheme, all white
- Gel accent stripe: choice of three colors
- Grab rails, powder coated
- Horn, stainless steel
- Meets applicable USCG & Canadian Regs; NMMA Certified using ABYC Stds.
- Navigation Lights
- Rod holders, gunnel mount
- Rub Rail, w/stainless steel insert
- Swim platform w/ladder
- Thru hull fittings, stainless steel

HELM

- 12 volt receptacle
- Compass
- Instrumentation, full digital
- Steering wheel, stainless w/knob

ENGINE/SYSTEMS

- Batteries dual w/on-off switch
- Bilge pump, automatic
- Hydraulic tilt steering (std on 135 hp and up)
- Raw water wash down

CONSOLE

- Changing room
- Head, porta potti (NA Canada)
- Port light
- Windscreen, console

COCKPIT

- Assist handles, powder coated
- Bait well/live well
- Beverage holder(s)
- Courtesy Lights
- Diamond pattern anti-skid
- Leaning post
- Rod storage, gunnel
- Seats, aft
- Self bailing cockpit
- Storage/Fishbox w/macerator and overboard drain
- Storage/Fishbox w/overboard drain
- Tackles storage w/boxes



220 FISHERMAN / OPTIONS

HULL/DECK

- Bow rails, stainless steel
- Gel scheme, solid color hull, w/water line, choice of color combination
- Gel scheme, two-tone, color choices

COCKPIT

- Bolsters, cockpit
- Leaning post, backrest, removable/folding
- Seating, bow cushion
- Seating, forward console cooler w/backrest

ENTERTAINMENT

- Fusion Stereo

ENGINE/SYSTEMS

- Fresh water pkg w/transom shower
- Trim tabs

CONSOLE

- Head, pump-out

T-TOPS

- T-Top canvas enclosure
- T-Top: canvas, PFD storage, rod holders & spreader light

CANVAS

- Bimini Top (NA w/T-Top)

TRAILER

- EZ-loader aluminum (tandem axle) w/brakes
- EZ-loader galvanized (tandem axle) w/brakes



NOTES

Performance and fuel consumption will vary and be affected by water and weather conditions, altitude, load and condition of boat, engine and propeller(s). Cruise range based on 95% of fuel capacity. All data is illustrative and is not warranted. This test was conducted with clean bottom, no bottom paint and light to average load.

Specifications, options, and equipment are subject to change without notice.

MADE FOR FISHERMEN BY FISHERMEN

221 FISHERMAN



SPECIFICATIONS	US	METRIC
L.O.A.	22' 4"	6.8 m
Beam	8' 6"	2.59 m
Fuel Capacity	52 gal	197 L
Draft (drive up)	14"	36 cm
Draft (drive down)	27"	69 cm
Maximum Capacity	2500 lbs	1134 kg
Persons Capacity	8	8
Approx. Boat & Engine Weight	3900 lbs	1770 kg
Maximum Horsepower	250 hp	187 kw
Deadrise	15°	15°
Bridge Clearance	8' 2"	2.49 m

KEY SALES FEATURES

- Cleats pull-up
- Fiberglass stringer
- Powdercoat hardware
- Cooler, carry on
- Diamond pattern anti-skid
- Self bailing cockpit
- Fishbox w/overboard drain
- Console changing room
- Tackle storage curtains
- Wellcraft custom trailer

PERFORMANCE DATA / MERCURY® 200XL VERADO

Top Speed	44.7 MPH @ 6360 RPM
Cruise Speed	29.0 MPH @ 4300 RPM
Cruise Range	192 Miles

POWER OPTIONS

Evinrude®	150DPX
Evinrude®	200DPX
Evinrude®	250X G2
Mercury®	150XL 4S
Mercury®	200XL Verado
Mercury®	200XL Optimax
Mercury®	250XL Verado
Mercury®	250XL Optimax
Yamaha®	F150XB
Yamaha®	F200XB
Yamaha®	F200XA
Yamaha®	F250XCA

221 FISHERMAN / STANDARDS

HULL/DECK

- Anchor locker/storage
- Bow and Stern Eyes, stainless steel
- Cleats, pull-up, stainless steel
- Fiberglass stringer
- Foam Flotation
- Gel scheme, all white
- Grab rails, powder coated
- Horn, stainless steel
- Ladder, boarding
- Meets applicable USCG & Canadian Regs; NMMA Certified using ABYC Stds
- Navigation Lights
- Rub Rail, w/stainless steel insert
- Thru hull fittings, stainless steel

COCKPIT

- 5 gallon bucket in holder
- Assist handles, stainless steel
- Bait well/live well
- Beverage holder(s)
- Center bow two level dry storage
- Cooler, bow
- Cooler, carry-on, 72 qt
- Courtesy Lights
- Deck lids w/stainless steel, latches gas assist
- Diamond pattern anti-skid

· Leaning post

- Rod storage, gunnel
- Seating, forward console
- Seating, rear folding bench
- Self bailing cockpit
- Storage/Fishbox w/overboard drain
- Tackles storage w/boxes
- Under rear seat storage

HELM

- 12 volt receptacle
- Steering wheel, stainless w/knob

ENGINE/SYSTEMS

- Battery on/off switch
- Bilge pump, automatic
- High speed live well pick-up
- Hydraulic tilt steering (std on 135 hp and up)

CONSOLE

- Battery storage
- Changing room
- Rod holders
- Tackle storages curtains
- Windscreen, console

TRAILER

- Wellcraft custom trailer, tandem axle w/brakes Galv/Gatorhyde



221 FISHERMAN / OPTIONS

HULL/DECK

- Anchor w/rope & chain
- Gel scheme, two-tone, color choices
- Underwater lights

COCKPIT

- Leaning post, upgrade w/backrest, rod holders
- Mat package, helm floor and rod storage
- Seating, bow sun lounge cushions w/backrest
- Sport seats

HELM

- Compass
- GPS plotter w/depth sounder

ENTERTAINMENT

- Fusion Stereo
- Premium Sound system (Fusion stereo, JL audio amp, speakers and subwoofer)

ENGINE/SYSTEMS

- Battery charger
- Batteries dual w/on-off switch
- Jack plate, hydraulic
- Power pole, 1 or 2
- Raw water wash down
- Tilt steering
- Trim tabs w/LED indicators
- Trolling motor pre-wire
- Trolling motor, 24 volt

CONSOLE

- Head, porta potti (NA Canada)

T-TOPS

- Deluxe T-Top, LED lights, spreader lights & electronic box
- Fiberglass T-Top w/rod holders

CANVAS

- Bimini Top (NA w/T-Top)
- Console cover
- Eisenglass spray shields (T-Top only)

TRAILER

- EZ-loader aluminum (tandem axle) w/brakes
- Spare tire & wheel, galvanized
- Wheels, aluminum

FAMILY PKG

- Bow sun lounge cushions w/backrest
- Porta potti (NA in Canada)

TOURNAMENT TRIM PKG

- Mat package, helm floor and rod storage
- Tri-Tone gel scheme
- Tournament graphics
- Upgrade cockpit interior
- Upgrade leaning post w/backrest, rod holders



NOTES

Performance and fuel consumption will vary and be affected by water and weather conditions, altitude, load and condition of boat, engine and propeller(s). Cruise range based on 95% of fuel capacity. All data is illustrative and is not warranted. This test was conducted with clean bottom, no bottom paint and light to average load.

Specifications, options, and equipment are subject to change without notice.

MADE FOR FISHERMEN BY FISHERMEN

222 FISHERMAN



SPECIFICATIONS	US	METRIC
L.O.A.	22'	6.71 m
Beam	8' 6"	2.59 m
Fuel Capacity	103 gal	389 L
Draft (drive up)	16"	40.64 cm
Draft (drive down)	34"	86.36 cm
Maximum Capacity	3000 lbs	1360 kg
Persons Capacity	8	8
Approx. Boat & Engine Weight	3750 lbs	1770 kg
Maximum Horsepower	250 hp	187 kw
Deadrise	20°	20°
Bridge Clearance	8' 2"	2.49 m

KEY SALES FEATURES

- Cleats pull-up
- Fiberglass stringer
- Rod holders, gunnel mount
- Cooler, carry on
- Diamond pattern anti-skid
- Self bailing, cockpit
- Fishbox w/overboard drain
- Porta pottie
- Built-in bait/livewell
- Wellcraft custom trailer

PERFORMANCE DATA / YAMAHA® F200XB

Top Speed	43.0 MPH @ 5850 RPM
Cruise Speed	29.1 MPH @ 4400 RPM
Cruise Range	300 Miles

222 FISHERMAN / POWER OPTIONS

Evinrude®	150 DPX
Evinrude®	200 DPX
Evinrude®	E 250X G2
Mercury®	150 XL 4S
Mercury®	200 XL Optimax
Mercury®	200 XL Verado
Mercury®	250 XL Optimax
Mercury®	250 XL Verado
Yamaha®	F150 XB
Yamaha®	F200 XB
Yamaha®	F250 XCA

222 FISHERMAN / STANDARDS

HULL/DECK

- Anchor locker/storage
- Bow and Stern Eyes, stainless steel
- Bow rails, stainless steel
- Cleats, pull-up, stainless steel
- Deck hatch
- Fiberglass stringer
- Foam Flotation
- Gel scheme, all white
- Grab rails, powder coated
- Horn, stainless steel
- Ladder, boarding
- Meets applicable USCG & Canadian Regs; NMMA Certified using ABYC Stds
- Navigation Lights
- Rod holders, aft transom mounted
- Rod holders, gunnel mount
- Rub Rail, w/stainless steel insert
- Thru hull fittings, stainless steels

COCKPIT

- 5 gallon bucket in holder
- Assist handles, stainless steel
- Bait well/live well
- Beverage holder(s)
- Bolsters, cockpit
- Cooler, under leaning post (removable)
- Courtesy Lights

- Diamond pattern anti-skid
- Leaning post
- Lounge seat, back to back (port) w/36qt cooler
- Rod storage, gunnel
- Seating, forward console
- Self bailing cockpit
- Storage/Fishbox w/overboard drain

HELM

- 12 volt receptacle
- Compass
- Steering wheel, stainless w/knob

ENGINE/SYSTEMS

- Batteries dual w/on-off switch
- Bilge pump, automatic
- High speed live well pick-up
- Power assisted steering
- Raw water wash down

CONSOLE

- Battery storage
- Head, porta potti (NA Canada)
- Rod holders
- Windscreen, console

TRAILER

- Wellcraft custom trailer, tandem axle w/brakes Galv/Gatorhyde



222 FISHERMAN / OPTIONS

HULL/DECK

- Anchor w/rope & chain
- Bow anchor roller
- Gel scheme, two-tone, color choices
- Underwater lights

COCKPIT

- Cutting board
- Leaning post, upgrade w/backrest, rod holders
- Mat package, helm floor and rod storage
- Seating, bow sun lounge cushions w/backrest
- Sport seats

HELM

- GPS plotter w/depth sounder

ENTERTAINMENT

- Fusion Stereo
- Premium Sound system (Fusion stereo, JL audio amp, speakers and subwoofer)
- VHF radio

ENGINE/SYSTEMS

- Battery charger
- Down rigger pre-wire
- Fresh water pkg, cockpit sink & transom shower
- Tilt steering
- Trim tabs

CONSOLE

- Head, pump-out

T-TOPS

- Deluxe T-Top, LED lights, spreader lights & electronic box
- Fiberglass T-Top w/rod holders

CANVAS

- Bimini Top (NA w/T-Top)
- Console cover

TRAILER

- EZ-loader aluminum (tandem axle) w/brakes
- Spare tire & wheel, galvanized
- Wheels, aluminum

FAMILY PACKAGE

- Bow sun lounge cushions w/backrest
- Bow table

SCARAB OFFSHORE PKG

- Bow cushions
- Carbon fiber dash & bezels
- Mat package, helm floor and rod storage
- Scarab Offshore graphics
- Tri-Tone gel scheme
- Upgrade cockpit interior
- Upgrade leaning post w/backrest, rod holders

SEASIDE TRIM PKG

- Beige cockpit interior
- Flooring, sea grass
- Mat package, helm floor and rod storage (Tan)
- Upgrade leaning post w/backrest, rod holders & cooler storage



NOTES

Performance and fuel consumption will vary and be affected by water and weather conditions, altitude, load and condition of boat, engine and propeller(s). Cruise range based on 95% of fuel capacity. All data is illustrative and is not warranted. This test was conducted with clean bottom, no bottom paint and light to average load.

Specifications, options, and equipment are subject to change without notice.

MADE FOR FISHERMEN BY FISHERMEN

232 FISHERMAN



SPECIFICATIONS	US	METRIC
L.O.A.	22' 4"	6.81 m
Beam	8' 8"	2.64 m
Fuel Capacity	116 gal	439 L
Draft (drive up)	15"	38 cm
Draft (drive down)	32"	81 cm
Maximum Capacity	3200 lbs	1450 kg
Persons Capacity	8	8
Approx. Boat & Engine Weight	3573 lbs	1621 kg
Water Capacity	8 gal	30 L
Maximum Horsepower	300 hp	224 kw
Deadrise	20	20°
Bridge Clearance	6'0"	1.83 m
Bridge Clearance w/T-top	8'4"	2.53 m

KEY SALES FEATURES

- Cleats, stainless steel
- Custom gauges
- Fiberglass stringers
- Swim platform w/ladder
- Rod holders, gunnel mount
- Built-in bait/livewell
- Cooler
- Diamond pattern anti-skid
- Self bailing cockpit
- Fishbox w/overboard drain

PERFORMANCE DATA / YAMAHA® F250XA

Top Speed	49.3 MPH @ 6000 RPM
Cruise Speed	32.3 MPH @ 4000 RPM
Cruise Range	405 Miles

POWER OPTIONS

Evinrude®	200DPX
Evinrude®	250DPX
Evinrude®	250X G2
Evinrude®	300DPX
Evinrude®	300X G2
Mercury®	200XL Verado
Mercury®	250XL Verado
Mercury®	300XL Verado
Mercury®	300XL Verado Warm White
Yamaha®	F200XA
Yamaha®	F250XA
Yamaha®	F250XCA
Yamaha®	F300XCA

232 FISHERMAN / STANDARDS

HULL/DECK

- Anchor locker/storage
- Bow and Stern Eyes, stainless steel
- Bow anchor roller
- Bow rails, powder coated
- Cleats, stainless steel
- Fiberglass stringer
- Foam Flotation
- Gel scheme, all white
- Gel accent stripe: choice of three colors
- Grab rails, powder coated
- Horn, stainless steel
- Meets applicable USCG & Canadian Regs; NMMA Certified using ABYC Stds.

- Navigation Lights
- Rod holders, gunnel mount
- Rub Rail, w/stainless steel insert
- Swim platform w/ladder
- Thru hull fittings, stainless steel

COCKPIT

- Assist handles, powder coated
- Bait well/live well
- Beverage holder(s)
- Cooler
- Courtesy Lights

- Cutting board
- Diamond pattern anti-skid
- Leaning post
- Rod storage, gunnel
- Seats, aft
- Self bailing cockpit
- Storage/Fishbox w/overboard drain
- Tackles storage w/boxes

HELM

- 12 volt receptacle
- Compass
- Instrumentation, full digital
- Steering wheel, stainless w/knob

ENGINE/SYSTEMS

- Batteries dual w/on-off switch
- Bilge pump, automatic
- Hydraulic tilt steering (std on 135 hp and up)
- Raw water wash down

CONSOLE

- Changing room
- Head, porta potti (NA Canada)
- Port light
- Windscreen, console

T-TOPS

- Canvas, PFD storage, rod holders & spreader light



232 FISHERMAN / OPTIONS

HULL/DECK

- Gel scheme, solid color hull, w/water line, choice of color combination
- Gel scheme, two-tone, color choices
- Ladder, heavy duty, dive

COCKPIT

- Bolsters, cockpit
- Cooler, under leaning post (removable)
- Seating, bow cushion
- Seating, forward console cooler w/backrest

ENTERTAINMENT

- Fusion Stereo

ENGINE/SYSTEMS

- Fresh water pkg w/transom shower
- Trim tabs

T-TOPS

- Outriggers: taco grand slam top mount
- T-Top canvas enclosure
- T-Top electronics box

TRAILER

- EZ-loader aluminum (tandem axle) w/brakes
- EZ-loader galvanized (tandem axle) w/brakes

GARMIN ELECTRONICS PKG

- B740S multi-function 7" color display w/GPS
- Chartplotter/fish finder
- VHF radio

SCARAB OFFSHORE PKG

- Bow cushions
- Carbon fiber dash & bezels
- Scarab Offshore graphics
- Stereo upgrade
- Tri-Tone gel scheme
- Upgrade cockpit interior



NOTES

Performance and fuel consumption will vary and be affected by water and weather conditions, altitude, load and condition of boat, engine and propeller(s). Cruise range based on 95% of fuel capacity. All data is illustrative and is not warranted. This test was conducted with clean bottom, no bottom paint and light to average load.

Specifications, options, and equipment are subject to change without notice.

MADE FOR FISHERMEN BY FISHERMEN

241 FISHERMAN



SPECIFICATIONS

	US	METRIC
L.O.A.	24' 4"	7.40 m
Beam	8' 6"	2.59 m
Fuel Capacity	87 gal	329 L
Draft (drive up)	14"	35.56 cm
Draft (drive down)	31"	78.74 cm
Maximum Capacity	2500 lbs	1134 kg
Persons Capacity	8	8
Approx. Boat & Engine Weight	4200 lbs	1900 kg
Maximum Horsepower	300 hp	224 kw
Deadrise	15°	15°
Bridge Clearance	8' 3"	2.51 m

KEY SALES FEATURES

- Cleats pull-up
- Fiberglass stringer
- Powdercoat hardware
- Cooler, carry on
- Diamond pattern anti-skid
- Self bailing cockpit
- Fishbox w/overboard drain
- Console changing room
- Tackle storage curtains
- Wellcraft custom trailer

PERFORMANCE DATA / YAMAHA® F250XCA

Top Speed	48.8 MPH @ 5920 RPM
Cruise Speed	31.2 MPH @ 3700 RPM
Cruise Range	260 Miles

241 FISHERMAN / POWER OPTIONS

Evinrude®	200DPX
Evinrude®	250X G2
Evinrude®	300X G2
Mercury®	200XL Verado
Mercury®	250XL Verado
Mercury®	300XL Verado
Mercury®	300XL Verado White
Yamaha®	F200XB
Yamaha®	F200XA
Yamaha®	F250XCA
Yamaha®	F300XCA

241 FISHERMAN / STANDARDS

HULL/DECK

- Anchor locker/storage
- Bow and Stern Eyes, stainless steel
- Cleats, pull-up, stainless steel
- Fiberglass stringer
- Foam Flotation
- Gel scheme, all white
- Grab rails, powder coated
- Horn, stainless steel
- Ladder, boarding
- Meets applicable USCG & Canadian Regs; NMMA Certified using ABYC Stds.
- Navigation Lights
- Rub Rail, w/stainless steel insert
- Thru hull fittings, stainless steel

COCKPIT

- 5 gallon bucket in holder
- Assist handles, stainless steel
- Bait well/live well
- Beverage holder(s)
- Center bow two level dry storage
- Cooler, bow
- Cooler, carry-on, 72 qt
- Courtesy Lights
- Deck lids w/stainless steel, latches gas assist
- Diamond pattern anti-skid

- Leaning post
- Rod storage, gunnel
- Seating, forward console
- Seating, rear folding bench
- Self bailing cockpit
- Storage/Fishbox w/overboard drain
- Tackles storage w/boxes
- Under rear seat storage

HELM

- 12 volt receptacle
- Steering wheel, stainless w/knob

ENGINE/SYSTEMS

- Battery on/off switch
- Bilge pump, automatic
- High speed live well pick-up
- Hydraulic tilt steering (std on 135 hp and up)

CONSOLE

- Battery storage
- Changing room
- Rod holders
- Tackle storages curtains
- Windscreen, console

TRAILER

- Wellcraft custom trailer, tandem axle w/brakes Galv/Gatorhyde



241 FISHERMAN / OPTIONS

HULL/DECK

- Anchor w/rope & chain
- Gel scheme, two-tone, color choices
- Underwater lights

COCKPIT

- Leaning post, upgrade w/backrest, rod holders
- Mat package, helm floor and rod storage
- Seating, bow sun lounge cushions w/backrest
- Sport seats

HELM

- Compass
- GPS plotter w/depth sounder

ENTERTAINMENT

- Fusion Stereo
- Premium Sound system (Fusion stereo, JL audio amp, speakers and subwoofer)

ENGINE/SYSTEMS

- Battery charger
- Batteries dual w/on-off switch
- Jack plate, hydraulic
- Power pole, 1 or 2
- Raw water wash down
- Tilt steering
- Trim tabs w/LED indicators
- Trolling motor pre-wire
- Trolling motor, 24 volt

CONSOLE

- Head, porta potti (NA Canada)

T-TOPS

- Deluxe T-Top, LED lights, spreader lights & electronic box
- Fiberglass T-Top w/rod holders

CANVAS

- Bimini Top (NA w/T-Top)
- Console cover
- Eisenglass spray shields (T-Top only)

TRAILER

- EZ-loader aluminum (tandem axle) w/brakes
- Spare tire & wheel, galvanized
- Wheels, aluminum

FAMILY PACKAGE

- Bow sun lounge cushions w/backrest
- Porta potti (NA in Canada)

TOURNAMENT TRIM PACKAGE

- Mat package, helm floor and rod storage
- Tri-Tone gel scheme
- Tournament graphics
- Upgrade cockpit interior
- Upgrade leaning post w/backrest, rod holders



NOTES

Performance and fuel consumption will vary and be affected by water and weather conditions, altitude, load and condition of boat, engine and propeller(s). Cruise range based on 95% of fuel capacity. All data is illustrative and is not warranted. This test was conducted with clean bottom, no bottom paint and light to average load.

Specifications, options, and equipment are subject to change without notice.

MADE FOR FISHERMEN BY FISHERMEN

242 FISHERMAN



SPECIFICATIONS	US	METRIC
L.O.A.	24' 4"	7.42 m
Beam	8' 6"	2.59 m
Fuel Capacity	160 gal	605 L
Draft (drive up)	16"	40.64 cm
Draft (drive down)	34"	86.36 cm
Maximum Capacity	3500 lbs	1587 kg
Persons Capacity	10	10
Approx. Boat & Engine Weight	4700 lbs	2130 kg
Maximum Horsepower	400 hp	298 kw
Deadrise	20°	20°
Bridge Clearance	8' 6"	2.59 m

KEY SALES FEATURES

- Cleats pull-up
- Fiberglass stringer
- Powdercoat hardware
- Cooler, carry on
- Diamond pattern anti-skid
- Fishbox w/overboard drain
- Console changing room
- Porta pottie
- Tackle storage curtains
- Built-in bait/livewell

PERFORMANCE DATA / EVINRUDE® 300XXU

Top Speed	49.9 MPH @ 5960 RPM
Cruise Speed	32.0 MPH @ 3740 RPM
Cruise Range	400 Miles

242 FISHERMAN / POWER OPTIONS

Evinrude®	250Z G2
Evinrude®	300ZU G2
Twin Evinrude®	150 DPX
Twin Evinrude®	200DPX
Mercury®	250XXL Verado
Mercury®	300XXL Verado
Mercury®	300XXL Verado White
Twin Mercury®	150XL 4S
Twin Mercury®	200XL Verado
Yamaha®	F250UCA
Yamaha®	F300UCA
Twin Yamaha®	F150XB
Twin Yamaha®	F200XCA

242 FISHERMAN / STANDARDS

- | | |
|---|---|
| HULL/DECK | · Cooler, bow |
| · Anchor locker/storage | · Cooler, carry-on, 72 qt |
| · Bow and Stern Eyes, stainless steel | · Cooler, under leaning post (removable) |
| · Bow rails, stainless steel | · Courtesy Lights |
| · Cleats, pull-up, stainless steel | · Cutting board |
| · Fiberglass stringer | · Deck lids w/stainless steel, latches gas assist |
| · Foam Flotation | · Diamond pattern anti-skid |
| · Gel scheme, all white | · Leaning post |
| · Grab rails, powder coated | · Rod storage, gunnel |
| · Horn, stainless steel | · Seating, forward console |
| · Ladder, boarding | · Seating, rear folding bench |
| · Meets applicable USCG & Canadian Regs; NMMA Certified using ABYC Stds | · Self bailing cockpit |
| · Navigation Lights | · Storage/Fishbox w/overboard drain |
| · Rod holders, aft transom mounted | · Tackles storage w/boxes |
| · Rod holders, gunnel mount | |
| · Rub Rail, w/stainless steel insert | HELM |
| · Thru hull fittings, stainless steel | · 12 volt receptacle |
| | · Compass |
| | · Steering wheel, stainless w/knob |

COCKPIT

- 5 gallon bucket in holder
- Assist handles, stainless steel
- Bait well/live well
- Beverage holder(s)
- Bolsters, cockpit

ENGINE/SYSTEMS

- Battery on/off switch
- Bilge pump, automatic
- High speed live well pick-up
- Power assisted steering
- Raw water wash down



STANDARDS - CONT

- Trim tabs
- Port light
- Rod holders
- Tackle storages curtains
- Windscreen, console
- CONSOLE
- Battery storage
- Changing room
- Head, porta potti (NA Canada)

242 FISHERMAN / OPTIONS

HULL/DECK

- Anchor w/rope & chain
- Bow anchor roller
- Gel scheme, two-tone, color choices
- Underwater lights
- Windlass, w/rope, chain and anchor

COCKPIT

- Leaning post, upgrade w/backrest, rod holders
- Mat package, helm floor and rod storage
- Sport seats

HELM

- Compass
- GPS plotter w/depth sounder

ENTERTAINMENT

- Fusion Stereo
- Premium Sound system (Fusion stereo, JL audio amp, speakers and subwoofer)
- VHF Radio

ENGINE/SYSTEMS

- Battery charger
- Batteries dual w/on-off switch
- Down rigger pre-wire
- Fresh water pkg, cockpit sink & transom shower
- Tilt steering

CONSOLE

- Head, electric toilet w/holding tank
- Head, overboard discharge
- Head, pump-out

T-TOPS

- Deluxe T-Top, LED lights, spreader lights & electronic box
- Fiberglass T-Top w/rod holders

CANVAS

- Bimini Top (NA w/T-Top)
- Console cover

TRAILER

- Wellcraft customer trailer, tandem axle w/brakes Galv/Gatorhyde
- EZ-aluminum (tandem axle) w/brakes
- Spare tire & wheel, galvanized
- Wheels, aluminum

FAMILY PACKAGE

- Bow sun lounge cushions w/backrest
- Bow table

SCARAB OFFSHORE PACKAGE

- Bow cushions
- Carbon fiber dash & bezels
- Mat package, helm floor & rod storage
- Scarab Offshore graphics
- Tri-tone gel scheme
- Upgrade cockpit interior
- Upgrade leaning post w/backrest, rod holders

SEASIDE TRIM PACKAGE

- Beige cockpit interior
- Flooring, sea grass
- Mat package, helm floor & rod storage
- Upgrade leaning post w/backrest, rod holders & cooler storage



NOTES

Performance and fuel consumption will vary and be affected by water and weather conditions, altitude, load and condition of boat, engine and propeller(s). Cruise range based on 95% of fuel capacity. All data is illustrative and is not warranted. This test was conducted with clean bottom, no bottom paint and light to average load.

Specifications, options, and equipment are subject to change without notice.

MADE FOR FISHERMEN BY FISHERMEN

252 FISHERMAN



SPECIFICATIONS	US	METRIC
L.O.A.	24' 4"	7.42 m
Beam	8' 9"	2.66 m
Fuel Capacity	170 gal	644 L
Draft (drive up)	16"	41 cm
Draft (drive down)	30"	75 cm
Maximum Capacity	3200 lbs	1450 kg
Persons Capacity	8	8
Approx. Boat & Engine Weight	4680 lbs	2123 kg
Water Capacity	8 gal	30 L
Maximum Horsepower	450 hp	336 kw
Deadrise	20°	20°
Bridge Clearance	6' 8"	2.03 m
Bridge Clearance W/T-Top	8' 2"	2.49 m

KEY SALES FEATURES

- Cleats, stainless steel
- Fiberglass stringers
- Rod holders, gunnel mount
- Cooler
- Diamond pattern anti-skid
- Self bailing cockpit
- Fishbox w/overboard drain
- Custom gauges
- Swim platform w/ladder
- Built-in bait/livewell

PERFORMANCE DATA / YAMAHA® F250XA

Top Speed	45 MPH @ 5800 RPM
Cruise Speed	30.1 MPH @ 4000 RPM
Cruise Range	540 Miles

252 FISHERMAN / POWER OPTIONS

Evinrude®	250DPZ
Evinrude®	250Z G2
Twin Evinrude®	150DPX
Twin Evinrude®	200DPX
Twin Evinrude®	225DPX
Twin Evinrude®	225X G2
Mercury®	250XXL Verado
Mercury®	300XXL Verado
Mercury®	300XXL Verado Warm White
Twin Mercury®	150XL Verado
Twin Mercury®	200XL Verado
Yamaha®	F250UCA
Yamaha®	F300UCA
Twin Yamaha®	F150XB
Twin Yamaha®	F200XA
Twin Yamaha®	F200XCA
Twin Yamaha®	F225XCA

252 FISHERMAN / STANDARDS

HULL/DECK

- Anchor locker/storage
- Bow and Stern Eyes, stainless steel
- Bow anchor roller
- Bow rails, powder coated
- Cleats, stainless steel
- Fiberglass stringer
- Foam Flotation
- Gel scheme, all white
- Gel accent stripe: choice of three colors
- Grab rails, powder coated
- Horn, stainless steel
- Meets applicable USCG & Canadian Regs; NMMA Certified using ABYC Stds
- Navigation Lights
- Rod holders, gunnel mount
- Rub Rail, w/stainless steel insert
- Swim platform w/ladder
- Thru hull fittings, stainless steel

COCKPIT

- Assist handles, powder coated
- Bait well/live well
- Beverage holder(s)
- Cooler
- Courtesy Lights
- Cutting board
- Diamond pattern anti-skid
- Leaning post
- Rod storage, gunnel
- Seats, aft
- Self bailing cockpit
- Storage/Fishbox w/macerator and overboard drain
- Storage/Fishbox w/overboard drain
- Tackles storage w/boxes

HELM

- 12 volt receptacle
- Compass
- Instrumentation, full digital
- Steering wheel, stainless w/knob

STANDARDS - CONT

ENGINE/SYSTEMS

- Batteries dual w/on-off switch
- Bilge pump, automatic
- Hydraulic tilt steering (std on 135 hp and up)
- Raw water wash down
- Trim tabs

CONSOLE

- Changing room
- Head, porta potti (NA Canada)
- Port light
- Windscreen, console

252 FISHERMAN / OPTIONS

ENGINE/SYSTEMS

- Gel scheme, solid color hull, w/water line, choice of color combination
- Gel scheme, two-tone, color choices
- Ladder, heavy duty, dive

COCKPIT

- Seating, bow cushion
- Seating, forward console cooler w/backrest

ENTERTAINMENT

- Fusion Stereo

ENGINE/SYSTEMS

- Fresh water pkg w/transom shower

CONSOLE

- Head, electric toilet w/holding tank
- Head, overboard discharge

T-TOPS

- Outriggers: taco grand slam top mount
- T-Top canvas enclosure
- T-Top electronics box

T-TOPS

- T-Top: canvas, PFD storage, rod holders & spreader light

TRAILER

- EZ-loader aluminum (tandem axle) w/brakes
- EZ-loader galvanized (tandem axle) w/brakes

COCKPIT SEATING PACKAGE

- Starboard baitwell & portside storage box cushions (removable)

GARMIN ELECTRONICS PACKAGE

- 740S multi-function 7" color display w/GPS
- Chartplotter/fish finder
- VHF radio

SCARAB OFFSHORE PACKAGE

- Bow cushions
- Carbon fiber dash & bezels
- Scarab Offshore graphics
- Stereo upgrade
- Tri-Tone gel scheme
- Upgrade cockpit interior

NOTES

Performance and fuel consumption will vary and be affected by water and weather conditions, altitude, load and condition of boat, engine and propeller(s). Cruise range based on 95% of fuel capacity. All data is illustrative and is not warranted. This test was conducted with clean bottom, no bottom paint and light to average load.

Specifications, options, and equipment are subject to change without notice.

MADE FOR FISHERMEN BY FISHERMEN



— W —

**SCARAB
OFFSHORE**

30 SCARAB® OFFSHORE SPORT



SPECIFICATIONS	US	METRIC
L.O.A.	30' 2"	9.19 m
Beam	9' 2"	2.79 m
Fuel Capacity	268 gal	1014 L
Draft (drive up)	23"	58 cm
Draft (drive down)	31"	79 cm
Maximum Capacity	3310 lbs	1500 kg
Persons Capacity	8	8
Approx. Boat & Engine Weight	7275 lbs	3303 kg
Water Capacity	13 gal	49 L
Maximum Horsepower	600 hp	447 kw
Deadrise	23°	23°
Bridge Clearance	8' 2"	2.49 m

KEY SALES FEATURES

- Cleats pull-up
- Fiberglass stringers
- Rod holders, gunnel mount
- Cooler
- Diamond pattern anti-skid
- Self bailing cockpit
- Fishbox w/overboard drain
- Enclosed head
- Swim platform w/ladder
- Tackle center/rigging station

PERFORMANCE DATA / YAMAHA® F250XCA

Top Speed	54.9 MPH @ 5800 RPM
Cruise Speed	36.4 MPH @ 4000 RPM
Cruise Range	403 Miles

POWER OPTIONS

Twin Evinrude*	250DPX
Twin Evinrude*	250X G2
Twin Evinrude*	300XU G2
Twin Mercury*	250XL Verado
Twin Mercury*	300XL Verado
Twin Mercury*	300XL Verado Warm White
Twin Yamaha*	F250XCA
Twin Yamaha*	F250XCA Helm Master
Twin Yamaha*	F300XCA
Twin Yamaha*	F300 XCA Helm Master

30 SCARAB® OFFSHORE SPORT / STANDARDS

- | | |
|---|---|
| <p>HULL/DECK</p> <ul style="list-style-type: none"> · Anchor locker/storage · Bow and Stern Eyes, stainless steel · Bow rails, powder coated · Cleats, pull-up, stainless steel · Deck hatch · Fiberglass stringer · Foam Flotation · Gel scheme, all white · Gel accent stripe: choice of three colors · Grab rails, powder coated · Horn, stainless steel · Ladder, heavy duty, dive · Meets applicable USCG & Canadian Regs; NMMA Certified using ABYC Stds · Navigation Lights · Rod holders, gunnel mount · Swim platform w/ladder · Thru hull fittings, stainless steel · Windshield, w/walk-thru, full aluminum frame <p>COCKPIT</p> <ul style="list-style-type: none"> · Assist handles, powder coated · Bait well/live well · Beverage holder(s) · Bolsters, cockpit · Cooler · Courtesy Lights · Cutting board | <ul style="list-style-type: none"> · Diamond pattern anti-skid · Leaning post · Refreshment/Galley center · Rod storage, gunnel · Seats, aft · Seating, forward console · Seating, forward console cooler w/backrest · Self bailing cockpit · Storage/Fishbox w/macerator and overboard drain · Storage/Fishbox w/overboard drain · Tackles storage w/boxes <p>CABIN</p> <ul style="list-style-type: none"> · Berth w/cushions · Cabin door, lockable · Head, power ventilation · Head, porta potti (NA Canada), pump-out · Head, shower <p>HELM</p> <ul style="list-style-type: none"> · 12 volt receptacle · Compass · Instrumentation, full digital · Steering wheel, stainless w/knob <p>ENTERTAINMENT</p> <ul style="list-style-type: none"> · Fusion Stereo |
|---|---|



STANDARDS - CONT

ENGINE/SYSTEMS

- Battery charger
- Batteries dual w/on-off switch
- Bilge pump, automatic
- Detector, carbon monoxide
- Dockside power
- Dockside water connection
- Freshwater system
- Fresh water pkg w/transom shower
- Hydraulic tilt steering (std on 135 hp and up)
- Raw water wash down
- Water heater

CONSOLE

- Port light
- Tackle center/rigging station aft (replaces STD aft baitwell)

T-TOPS

- Sport Arch (replaces standard T-Top)

30 SCARAB® OFFSHORE SPORT / OPTIONS

HULL/DECK

- Gel scheme, solid color hull, w/water line, choice of color combination
- Gel scheme, two-tone, color choices

COCKPIT

- Seating, bow cushion, forward filler & sunpad
- Bow table
- Remote spotlight

ENTERTAINMENT

- Stereo upgrade: Premium sound system w/amplifier, subwoofer, & upgrade speakers

ENGINE/SYSTEMS

- Air conditioning/heating
- Power assisted steering
- Trim tabs

CONSOLE

- Head, overboard discharge

T-TOPS

- Outriggers: taco grand slam top mount

RAY MARINE ES127

ELECTRONICS PKG

- (2) 12" Multifunction color displays w/GPS, chartplotter & HDFI fish finder
- High performance 1KW in-hull transducer
- Ray Marine Radar: 4KW Digital Raydome
- Ray Marine Radar: 4KW Open Array
- Ray 50 Modular system
- Video/instrumentation integration capabilities
- VHF radio



NOTES

Performance and fuel consumption will vary and be affected by water and weather conditions, altitude, load and condition of boat, engine and propeller(s). Cruise range based on 95% of fuel capacity. All data is illustrative and is not warranted. This test was conducted with clean bottom, no bottom paint and light to average load.

Specifications, options, and equipment are subject to change without notice.

MADE FOR FISHERMEN BY FISHERMEN

30 SCARAB® OFFSHORE TOURNAMENT



SPECIFICATIONS	US	METRIC
L.O.A.	30' 2"	9.19 m
Beam	9' 2"	2.79 m
Fuel Capacity	268 gal	1015 L
Draft (drive up)	23"	58 cm
Draft (drive down)	31"	79 cm
Maximum Capacity	3310 lbs	1500 kg
Persons Capacity	8	8
Approx. Boat & Engine Weight	6635 lbs	3010 kg
Water Capacity	13 gal	49 L
Maximum Horsepower	600 hp	447 kw
Deadrise	23°	23°
Bridge Clearance	8' 10"	2.73 m

KEY SALES FEATURES

- Cleats pull-up
- Fiberglass stringers
- Rod holders, gunnel mount
- Cooler
- Diamond pattern anti-skid
- Self bailing cockpit
- Fishbox w/overboard drain
- Enclosed head
- Swim platform w/ladder
- Tackle center/rigging station

PERFORMANCE DATA / YAMAHA® F250XCA

Top Speed	54 MPH @ 5900 RPM
Cruise Speed	37 MPH @ 4000 RPM
Cruise Range	504 Miles

POWER OPTIONS

Twin Evinrude*	250DPX
Twin Evinrude*	250X G2
Twin Evinrude*	300XU G2
Twin Mercury*	250XL Verado
Twin Mercury*	300XL Verado
Twin Mercury*	300XL Verado Warm White
Twin Yamaha*	F250XCA
Twin Yamaha*	F250XCA Helm Master
Twin Yamaha*	F300XCA
Twin Yamaha*	F300 XCA Helm Master

30 SCARAB® OFFSHORE TOURNAMENT / STANDARDS

HULL/DECK

- Anchor locker/storage
- Bow and Stern Eyes, stainless steel
- Bow rails, powder coated
- Cleats, pull-up, stainless steel
- Fiberglass stringer
- Foam Flotation
- Gel scheme, all white
- Gel accent stripe: choice of three colors
- Grab rails, powder coated
- Horn, stainless steel
- Ladder, heavy duty, dive
- Meets applicable USCG & Canadian Regs; NMMA Certified using ABYC Stds
- Navigation Lights
- Rod holders, gunnel mount
- Swim platform w/ladder
- Thru hull fittings, stainless steel
- Windshield, w/walk-thru, full aluminum frame

- Leaning post
- Rod storage, gunnel
- Seats, aft
- Seating, forward console
- Seating, forward console cooler w/backrest
- Self bailing cockpit
- Storage/Fishbox w/macerator and overboard drain
- Storage/Fishbox w/overboard drain
- Tackles storage w/boxes

CABIN

- Head, power ventilation
- Head, porta potti (NA Canada)

HELM

- 12 volt receptacle
- Compass
- Instrumentation, full digital
- Steering wheel, stainless w/knob

ENTERTAINMENT

- Fusion Stereo

COCKPIT

- Assist handles, powder coated
- Bait well/live well
- Beverage holder(s)
- Bolsters, cockpit
- Cooler
- Courtesy Lights
- Cutting board
- Diamond pattern anti-skid

ENGINE/SYSTEMS

- Batteries dual w/on-off switch
- Bilge pump, automatic
- Dockside water connection
- Freshwater system
- Fresh water pkg w/transom shower

35 SCARAB® OFFSHORE SPORT



SPECIFICATIONS	US	METRIC
L.O.A.	35' 4"	10.76 m
Beam	9' 11"	3.02 m
Fuel Capacity	376 gal	1423 L
Draft (drive up)	23"	58 cm
Draft (drive down)	33"	84 cm
Maximum Capacity	2840 lbs	1288 kg
Persons Capacity	11	11
Approx. Boat & Engine Weight	8800 lbs	3992 kg
Water Capacity	13 gal	49 L
Maximum Horsepower	1050 hp	782 kw
Deadrise	23°	23°
Draft Down Triple	39"	96 cm
Bridge Clearance w/T-top	8' 4"	2.54 m
Bridge Clearance w/arch	7'11"	2.41 m

KEY SALES FEATURES

- Cleats pull-up
- Fiberglass stringers
- Rod holders, gunnel mount
- Cooler
- Diamond pattern anti-skid
- Self bailing cockpit
- Fishbox w/overboard drain
- Enclosed head
- Swim platform w/ladder
- Tackle center/rigging station

PERFORMANCE DATA / TWIN YAMAHA® F350UCB

Top Speed	57.2 MPH @ 5800 RPM
Cruise Speed	38.1 MPH @ 4000 RPM
Cruise Range	560 Miles

35 SCARAB® OFFSHORE SPORT / POWER OPTIONS

Triple Evinrude®	300XU G2
Twin Mercury®	300XXL Verado
Twin Mercury®	300XXL Verado Warm White
Twin Mercury®	350XXL Verado
Twin Mercury®	350XXL Warm White Verado
Triple Mercury®	300XL Verado
Triple Mercury®	300XL Verado Warm White
Triple Mercury®	350XL Verado
Triple Mercury®	350XL Verado Warm White
Twin Yamaha®	F350UCB
Twin Yamaha®	F350UCB Helm Master
Triple Yamaha®	F300XCA
Triple Yamaha®	F350XCB

35 SCARAB® OFFSHORE SPORT / STANDARDS

HULL/DECK

- Anchor locker/storage
- Bow and Stern Eyes, stainless steel
- Bow anchor roller
- Bow rails, powder coated
- Cleats, pull-up, stainless steel
- Deck hatch
- Fiberglass stringer
- Foam Flotation
- Gel scheme, all white
- Gel accent stripe: choice of three colors
- Grab rails, powder coated
- Horn, stainless steel
- Ladder, heavy duty, dive
- Meets applicable USCG & Canadian Regs; NMMA Certified using ABYC Stds.
- Navigation Lights
- Rod holders, gunnel mount
- Swim platform w/ladder
- Thru hull fittings, stainless steel
- Windshield, w/walk-thru, full aluminum frame
- Bolsters, cockpit
- Cooler
- Courtesy Lights
- Cutting board
- Diamond pattern anti-skid
- Leaning post
- Rod storage, gunnel
- Seats, aft
- Seating, forward console
- Seating, forward console cooler w/backrest
- Self bailing cockpit
- Storage/Fishbox w/overboard drain

CABIN

- Cabin door, lockable
- Head, power ventilation
- Head, porta potti (NA Canada)
- Head, shower

HELM

- 12 volt receptacle
- Compass
- Instrumentation, full digital
- Steering wheel, stainless w/knob

COCKPIT

- Assist handles, powder coated
- Bait well/live well
- Beverage holder(s)

ENTERTAINMENT

- Fusion Stereo



STANDARDS - CONT

ENGINE/SYSTEMS

- Battery charger
- Batteries dual w/on-off switch
- Bilge pump, automatic
- Detector, carbon monoxide
- Dockside power
- Dockside water connection
- Freshwater system
- Fresh water pkg w/transom shower
- Hydraulic tilt steering (std on 135 hp and up)
- Raw water wash down
- Water heater

CONSOLE

- Port light
- Tackle center/rigging station aft (replaces STD aft baitwell)

T-TOPS

- Sport Arch (replaces standard T-Top)

35 SCARAB® OFFSHORE SPORT / OPTIONS

HULL/DECK

- Gel scheme, solid color hull, w/water line, choice of color combination
- Gel scheme, two-tone, color choices
- Rod holders, aft transom mounted
- Rub Rail, w/stainless steel insert
- Scarab Logo Upgrade
- Underwater lights
- Windlass, w/rope, chain and anchor

COCKPIT

- Remote spotlight
- Seating, bolster, double drop out w/aft facing seat

ENTERTAINMENT

- Stereo upgrade: premium sound system w/amplifier, subwoofer, & upgrade speakers

ENGINE/SYSTEMS

- Air conditioning/heating
- Generator
- Power assisted steering
- Trim tabs

CONSOLE

- Head, overboard discharge
- Head, pump-out

T-TOPS

- Outriggers: Taco Grand Slam Top mount
- T-Top (replaces standard sport arch & powdercoat pkg)
- T-Top canvas enclosure

RAY MARINE ES127 ELECTRONICS PKG

- (2) 12" Multifunction color displays w/GPS, chartplotter & HDFI fish finder
- High performance 1KW in-hull transducer
- Ray Marine Radar: 4KW Digital Raydome
- Ray Marine Radar: 4KW Open Array
- Ray 50Modular system
- Video/instrumentation integration capabilities
- VHF radio

NOTES

Performance and fuel consumption will vary and be affected by water and weather conditions, altitude, load and condition of boat, engine and propeller(s). Cruise range based on 95% of fuel capacity. All data is illustrative and is not warranted. This test was conducted with clean bottom, no bottom paint and light to average load.

Specifications, options, and equipment are subject to change without notice.

MADE FOR FISHERMEN BY FISHERMEN

35 SCARAB® OFFSHORE TOURNAMENT



SPECIFICATIONS	US	METRIC
L.O.A.	35' 4"	10.76 m
Beam	9' 11"	3.02 m
Fuel Capacity	376 gal	1423 L
Draft (drive up)	23"	58 cm
Draft (drive down)	33"	84 cm
Maximum Capacity	2840 lbs	1288 kg
Persons Capacity	11	11
Approx. Boat & Engine Weight	8600 lbs	3901 kg
Water Capacity	13 gal	49 L
Maximum Horsepower	1050 hp	783 kw
Deadrise	23°	23°
Draft Down Triple	39"	96 cm
Bridge Clearance w/T-top	8' 4"	2.54 m
Bridge Clearance w/Sport Arch	7'11"	2.41 m

KEY SALES FEATURES

- Cleats pull-up
- Fiberglass stringers
- Rod holders, gunnel mount
- Cooler
- Diamond pattern anti-skid
- Self bailing cockpit
- Fishbox w/overboard drain
- Enclosed head
- Swim platform w/ladder
- Tackle center/rigging station

PERFORMANCE DATA / TWIN YAMAHA® F350UCB

Top Speed	57.5 MPH @ 5950 RPM
Cruise Speed	38.8 MPH @ 4000 RPM
Cruise Range	560 Miles

35 SCARAB® OFFSHORE TOURNEY / POWER OPTIONS

Triple Evinrude®	300XU G2
Twin Mercury®	300XXL Verado
Twin Mercury®	300XXL Verado Warm White
Twin Mercury®	350XXL Verado
Twin Mercury®	350XXL Warm White Verado
Triple Mercury®	300XL Verado
Triple Mercury®	300XL Verado Warm White
Triple Mercury®	350XL Verado
Triple Mercury®	350XL Verado Warm White
Twin Yamaha®	F350UCB
Twin Yamaha®	F350UCB Helm Master
Triple Yamaha®	F300XCA
Triple Yamaha®	F350XCB

35 SCARAB® OFFSHORE TOURNAMENT / STANDARDS

HULL/DECK

- Anchor locker/storage
- Bow and Stern Eyes, stainless steel
- Bow anchor roller
- Bow rails, powder coated
- Cleats, pull-up, stainless steel
- Fiberglass stringer
- Foam Flotation
- Gel scheme, all white
- Gel accent stripe: choice of three colors
- Grab rails, powder coated
- Horn, stainless steel
- Ladder, heavy duty, dive
- Meets applicable USCG & Canadian Regs; NMMA Certified using ABYC Stds
- Navigation Lights
- Rod holders, gunnel mount
- Swim platform w/ladder
- Thru hull fittings, stainless steel
- Windshield, w/walk-thru, full aluminum frame
- Bolsters, cockpit
- Cooler
- Courtesy Lights
- Cutting board
- Diamond pattern anti-skid
- Leaning post
- Rod storage, gunnel
- Seats, aft
- Seating, forward console
- Seating, forward console cooler w/backrest
- Self bailing cockpit
- Storage/Fishbox w/overboard drain
- Tackles storage w/boxes

CABIN

- Head, power ventilation
- Head, porta potti (NA Canada), shower

HELM

- 12 volt receptacle
- Compass
- Instrumentation, full digital
- Steering wheel, stainless w/knob

COCKPIT

- Assist handles, powder coated
- Bait well/live well
- Beverage holder(s)

ENTERTAINMENT

- Fusion Stereo



STANDARDS - CONT

ENGINE/SYSTEMS

- Battery charger
- Batteries dual w/on-off switch
- Bilge pump, automatic
- Dockside power
- Dockside water connection
- Freshwater system
- Fresh water pkg w/transom shower
- Hydraulic tilt steering (std on 135 hp and up)
- Raw water wash down

CONSOLE

- Port light
- Tackle center/rigging station aft (replaces STD aft baitwell)

T-TOPS

- Canvas, PFD storage, rod holders & spreader light
- T-Top electronics box

35 SCARAB® OFFSHORE TOURNAMENT / OPTIONS

HULL/DECK

- Gel scheme, solid color hull, w/water line, choice of color combination
- Gel scheme, two-tone, color choices
- Rod holders, aft transom mounted
- Rub Rail, w/stainless steel insert
- Scarab Logo Upgrade
- Underwater lights
- Windlass, w/rope, chain and anchor

COCKPIT

- Remote spotlight
- Seating, bolster, double drop out w/aft facing seat
- Seating, bow cushion
- Seating, bow cushion forward filler & sunpad

ENTERTAINMENT

- Stereo upgrade: premium sound system w/amplifier, subwoofer, & upgrade speakers

ENGINE/SYSTEMS

- Power assisted steering
- Trim tabs

CONSOLE

- Head, overboard discharge
- Head, pump-out

T-TOPS

- Outriggers: taco grand slam top mount
- Sport Arch (replaces standard T-Top)
- Sport Arch w/outriggers (replaces standard T-Top)
- T-Top canvas enclosure

RAY MARINE ES127 ELECTRONICS PACKAGE

- (2) 12" Multifunction color displays w/GPS, chartplotter & HDFI fish finder
- High performance 1KW in-hull transducer
- Ray Marine Radar: 4KW Digital Raydome
- Ray Marine Radar: 4KW Open Array
- Ray 50Modular system
- Video/instrumentation integration capabilities
- VHF radio



NOTES

Performance and fuel consumption will vary and be affected by water and weather conditions, altitude, load and condition of boat, engine and propeller(s). Cruise range based on 95% of fuel capacity. All data is illustrative and is not warranted. This test was conducted with clean bottom, no bottom paint and light to average load.

Specifications, options, and equipment are subject to change without notice.

MADE FOR FISHERMEN BY FISHERMEN



SPORTSMAN

180 SPORTSMAN



SPECIFICATIONS

	US	METRIC
L.O.A.	18' 0"	5.48 m
Beam	8' 0"	2.44 m
Fuel Capacity	51 gal	193 L
Draft (drive up)	15"	38 cm
Draft (drive down)	32"	81 cm
Maximum Capacity	1650 lbs	748 kg
Persons Capacity	6	6
Approx. Boat & Engine Weight	2085 lbs	964 kg
Maximum Horsepower	150 hp	111.9 kw
Deadrise	20°	20°
Bridge Clearance	4' 5"	1.37 m
Bridge Clearance w/Bimini	6'7"	2.01 m

KEY SALES FEATURES

- Cleats, stainless steel
- Fiberglass stringers
- Rod holders, gunnel mount
- Cooler
- Diamond pattern anti-skid
- Self bailing cockpit
- Fishbox w/overboard drain
- Unique windshield design
- Swim platform w/ladder
- Built-in bait/livewell

PERFORMANCE DATA / YAMAHA® F-115 LA 4-STROKE

Top Speed	40.5 MPH @ 5900 RPM
Cruise Speed	24.2 MPH @ 4000 RPM
Cruise Range	225 Miles

POWER OPTIONS

Evinrude®	115DPL
Evinrude®	135 HO HSL
Evinrude®	150DSL
Mercury®	115ELPT 4S
Mercury®	150L 4S
Yamaha®	F115LB
Yamaha®	F150LB

180 SPORTSMAN / STANDARDS

HULL/DECK

- Anchor locker/storage
- Bow and Stern Eyes, stainless steel
- Cleats, stainless steel
- Fiberglass stringer
- Foam Flotation
- Gel scheme, all white
- Gel accent stripe: choice of three colors
- Horn, stainless steel
- Meets applicable USCG & Canadian Regs; NMMA Certified using ABYC Stds.
- Navigation Lights
- Rod holders, gunnel mount
- Rub Rail, w/stainless steel insert
- Swim platform w/ladder
- Thru hull fittings, stainless steel
- Windshield, w/walk-thru, full aluminum frame

HELM

- 12 volt receptacle
- Compass
- Instrumentation: tachometer, fuel, trim and speedometer
- Steering wheel, stainless w/knob

ENGINE/SYSTEMS

- Bilge pump, automatic

COCKPIT

- Assist handles, stainless steel
- Beverage holder(s)
- Cooler
- Courtesy Lights
- Diamond pattern anti-skid
- Rod storage, gunnel
- Seats, aft
- Seating, pedestal w/cushions
- Self bailing cockpit
- Storage/Fishbox w/overboard drain



180 SPORTSMAN / OPTIONS

HULL/DECK

- Gel scheme, solid color hull, w/water line, choice of color combination
- Gel scheme, two-tone, color choices

TOW SPORTS

- Ski tow pylon

COCKPIT

- Bait well/live well
- Bolsters, cockpit
- Seating, back to back lounge, port with storage
- Seating, bow cushion
- Snap-in carpet (only with fishing pkg or port lounge)

ENTERTAINMENT

- Fusion Stereo

ENGINE/SYSTEMS

- Hydraulic tilt steering (std on 135 hp and up)

CANVAS

- Bimini Top (NA w/T-Top)
- Bow and cockpit cover

TRAILER

- EZ-loader aluminum (tandem axle) w/brakes
- EZ-loader galvanized (tandem axle) w/brakes

FISHING PACKAGE

- Port pedestal seat w/fish box
- Raw water wash down
- Rod boxes at port & stbd



NOTES

Performance and fuel consumption will vary and be affected by water and weather conditions, altitude, load and condition of boat, engine and propeller(s). Cruise range based on 95% of fuel capacity. All data is illustrative and is not warranted. This test was conducted with clean bottom, no bottom paint and light to average load.

Specifications, options, and equipment are subject to change without notice.

MADE FOR FISHERMEN BY FISHERMEN

220 SPORTSMAN



SPECIFICATIONS

	US	METRIC
L.O.A.	21' 0"	6.4 m
Beam	8' 6"	2.59 m
Fuel Capacity	103 gal	390 L
Draft (drive up)	17"	43 cm
Draft (drive down)	33"	84 cm
Maximum Capacity	2100 lbs	952 kg
Persons Capacity	8	8
Approx. Boat & Engine Weight	3741 lbs	1670 kg
Maximum Horsepower	250 hp	187 kw
Deadrise	19°	19°
Bridge Clearance	6' 1"	1.85 m
Bridge Clearance w/T-top	8'0"	2.44 m

KEY SALES FEATURES

- Cleats pull-up
- Fiberglass stringers
- Rod holders, gunnel mount
- Cooler
- Diamond pattern anti-skid
- Self bailing cockpit
- Fishbox w/overboard drain
- Unique windshield design
- Swim platform w/ladder
- Built-in bait/livewell

PERFORMANCE DATA / YAMAHA® F200XA

Top Speed	43.7 MPH @ 6150 RPM
Cruise Speed	25.1 MPH @ 4000 RPM
Cruise Range	343 Miles

POWER OPTIONS

Evinrude®	200DPX
Evinrude®	250DPX
Mercury®	200XL Verado
Yamaha®	F200XA
Yamaha®	F250XA
Yamaha®	F250XCA

220 SPORTSMAN / STANDARDS

HULL/DECK

- Anchor locker/storage
- Bow and Stern Eyes, stainless steel
- Bow anchor roller
- Bow rails, stainless steel
- Cleats, pull-up, stainless steel
- Fiberglass stringer
- Foam Flotation
- Gel scheme, all white
- Gel accent stripe: choice of three colors
- Grab rails, powder coated
- Horn, stainless steel
- Meets applicable USCG & Canadian Regs; NMMA Certified using ABYC Stds
- Navigation Lights
- Rod holders, gunnel mount
- Rub Rail, w/stainless steel insert
- Swim platform w/ladder
- Thru hull fittings, stainless steel
- Windshield, w/walk-thru, full aluminum frame

- Seats, aft
- Seating, bow cushion
- Seating, pedestal w/cushions steel
- Self bailing cockpit
- Storage/Fishbox w/macerator and overboard drain
- Storage/Fishbox w/overboard drain
- Tackles storage w/boxes

HELM

- 12 volt receptacle
- Compass
- Instrumentation, full digital
- Steering wheel, stainless w/knob

ENGINE/SYSTEMS

- Batteries dual w/on-off switch
- Bilge pump, automatic
- Hydraulic tilt steering (std on 135 hp and up)
- Raw water wash down

CONSOLE

- Head, porta potti (NA Canada)

COCKPIT

- Assist handles, powder coated
- Bait well/live well
- Beverage holder(s)
- Cooler
- Courtesy Lights
- Diamond pattern anti-skid
- Rod storage, gunnel

CANVAS

- Bimini Top (NA w/T-Top)



220 SPORTSMAN / OPTIONS

HULL/DECK

- Gel scheme, solid color hull, w/water line, choice of color combination
- Gel scheme, two-tone, color choices

TOW SPORTS

- Ski pylon

COCKPIT

- Bolsters, cockpit
- Lounge seat, back to back (port) w/36qt cooler

ENTERTAINMENT

- Fusion Stereo

ENGINE/SYSTEMS

- Fresh water pkg, cockpit sink & transom shower
- Trim tabs

CONSOLE

- Head, pump-out

TRAILER

- EZ-loader aluminum (tandem axle) w/brakes
- EZ-loader galvanized (tandem axle) w/brakes



NOTES

Performance and fuel consumption will vary and be affected by water and weather conditions, altitude, load and condition of boat, engine and propeller(s). Cruise range based on 95% of fuel capacity. All data is illustrative and is not warranted. This test was conducted with clean bottom, no bottom paint and light to average load.

Specifications, options, and equipment are subject to change without notice.

MADE FOR FISHERMEN BY FISHERMEN



COASTAL



220 COASTAL®



SPECIFICATIONS	US	METRIC
L.O.A.	21'0"	6.4 m
Beam	8' 6"	2.59 m
Fuel Capacity	103 gal	390 L
Draft (drive up)	17"	43 cm
Draft (drive down)	33"	84 cm
Maximum Capacity	2100 lbs	952 kg
Persons Capacity	8	8
Approx. Boat & Engine Weight	3575 lbs	1626 kg
Water Capacity	5 gal	19 L
Maximum Horsepower	250 hp	187 kw
Deadrise	19°	19°
Bridge Clearance w/Bimini	7' 0"	2.13 m
Bridge Clearance w/Hardtop	7' 11"	2.41 m

KEY SALES FEATURES

- Cleats, stainless steel
- Fiberglass stringers
- Rod holders, gunnel mount
- Cabin door, lockable
- Unique windshield design
- Self bailing cockpit
- Fishbox w/overboard drain
- Enclosed head
- Swim platform w/ladder
- Built-in bait/livewell

PERFORMANCE DATA / YAMAHA® F200XA

Top Speed	42.7 MPH @ 5860 RPM
Cruise Speed	29.3 MPH @ 4000 RPM
Cruise Range	330 Miles

POWER OPTIONS

Evinrude®	200DPX
Evinrude®	250DPX
Mercury®	200XL Verado
Yamaha®	F200XA
Yamaha®	F250XA
Yamaha®	F250XCA

220 COASTAL® / STANDARDS

HULL/DECK

- Anchor locker/storage
- Bow and Stern Eyes, stainless steel
- Bow anchor roller
- Bow rails, aluminum
- Cleats, stainless steel
- Deck hatch
- Fiberglass stringer
- Foam Flotation
- Gel scheme, all white
- Gel accent stripe: choice of three colors
- Grab rails, powder coated
- Horn, stainless steel
- Meets applicable USCG & Canadian Regs; NMMA Certified using ABYC Stds.
- Navigation Lights
- Rod holders, gunnel mount
- Rub Rail, w/stainless steel insert
- Swim platform w/ladder
- Thru hull fittings, stainless steel
- Windshield, w/walk-thru, full aluminum frame

CABIN

- Berth w/cushions
- Cabin door, lockable
- Head, porta potti (NA Canada)

HELM

- 12 volt receptacle
- Compass
- Instrumentation, full digital
- Steering wheel, stainless w/knob

ENGINE/SYSTEMS

- Batteries dual w/on-off switch
- Bilge pump, automatic
- Detector, carbon monoxide
- Hydraulic tilt steering (std on 135 hp and up)

CANVAS

- Bimini Top (NA w/T-Top)

COCKPIT

- Assist handles, powder coated
- Beverage holder(s)
- Courtesy Lights
- Rod storage, gunnel
- Seating, pedestal w/cushions
- Self bailing cockpit
- Tackles storage w/boxes



220 COASTAL* / OPTIONS

HULL/DECK

- Gel scheme, solid color hull, w/water line, choice of color combination
- Gel scheme, two-tone, color choices
- Windshield wiper

COCKPIT

- Bait well/live well
- Bolsters, cockpit
- Seating, jump seat cushions, port & starboard

CABIN

- Dinette table w/v-berth filler cushion
- Galley, stove, butane (N/A w/CE pkg)
- Head, pump-out

ENTERTAINMENT

- Fusion Stereo

ENGINE/SYSTEMS

- Battery charger
- Trim tabs

CONSOLE

- Tackle center/rigging station aft (replaces STD aft baitwell)

T-TOPS

- Hardtop, w/rod holders

CANVAS

- Canvas pkg for bimini top
- Canvas pkg for hard top (requires hard top)

TRAILER

- EZ-loader aluminum (tandem axle) w/brakes
- EZ-loader galvanized (tandem axle) w/brakes

GALLEY PACKAGE

- Sink w/pressurized fresh water system
- Transom shower



NOTES

Performance and fuel consumption will vary and be affected by water and weather conditions, altitude, load and condition of boat, engine and propeller(s). Cruise range based on 95% of fuel capacity. All data is illustrative and is not warranted. This test was conducted with clean bottom, no bottom paint and light to average load.

Specifications, options, and equipment are subject to change without notice.

MADE FOR FISHERMEN BY FISHERMEN

232 COASTAL®



SPECIFICATIONS

	US	METRIC
L.O.A.	22' 4"	6.81 m
Beam	8' 86"	2.64 m
Fuel Capacity	11.6 gal	439 L
Draft (drive up)	15"	38 cm
Draft (drive down)	32"	81 cm
Maximum Capacity	3200 lbs	1450 kg
Persons Capacity	8	8
Approx. Boat & Engine Weight	3600 lbs	1633 kg
Water Capacity	8 gal	30 L
Maximum Horsepower	300 hp	224 kw
Deadrise	20°	20°
Bridge Clearance	6' 0"	1.83 m
Bridge Clearance w/Bimini	8' 0"	2.43 m
Bridge Clearance w/Hardtop	8' 1"	2.44 m

KEY SALES FEATURES

- Cleats, stainless steel
- Fiberglass stringers
- Rod holders, gunnel mount
- Cabin door, lockable
- Unique windshield design
- Self bailing cockpit
- Fishbox w/overboard drain
- Enclosed head
- Swim platform w/ladder
- Built-in bait/livewell

PERFORMANCE DATA / YAMAHA® F200XA

Top Speed	40 MPH @ 6100 RPM
Cruise Speed	28.5 MPH @ 4500 RPM
Cruise Range	350 Miles

POWER OPTIONS

Evinrude®	200DPX
Evinrude®	250DPX
Evinrude®	250X G2
Evinrude®	300DPX
Evinrude®	300X G2
Mercury®	200XL Verado
Mercury®	250XL Verado
Mercury®	300XL Verado
Mercury®	300XL Verado Warm White
Yamaha®	F200XA
Yamaha®	F250XA
Yamaha®	F250XCA
Yamaha®	F300XCA

232 COASTAL® / STANDARDS

HULL/DECK

- Anchor locker/storage
- Bow and Stern Eyes, stainless steel
- Bow anchor roller
- Bow rails, aluminum
- Cleats, stainless steel
- Deck hatch
- Fiberglass stringer
- Foam Flotation
- Gel scheme, all white
- Gel accent stripe: choice of three colors
- Grab rails, powder coated
- Horn, stainless steel
- Meets applicable USCG & Canadian Regs; NMMA Certified using ABYC Stds
- Navigation Lights
- Rod holders, gunnel mount
- Rub Rail, w/stainless steel insert
- Swim platform w/ladder
- Thru hull fittings, stainless steel
- Windshield, w/walk-thru, full aluminum frame
- Windshield wiper

COCKPIT

- Assist handles, powder coated
- Bait well/live well
- Beverage holder(s)

- Courtesy Lights
- Cutting board
- Rod storage, gunnel
- Seats, aft
- Seating, pedestal w/cushions
- Self bailing cockpit
- Storage/Fishbox w/overboard drain
- Tackles storage w/boxes

CABIN

- Berth w/cushions
- Cabin door, lockable
- Dinette table
- Galley, pressure water system
- Head, porta potti (NA Canada)

HELM

- 12 volt receptacle
- Compass
- Instrumentation, full digital
- Steering wheel, stainless w/knob

ENGINE/SYSTEMS

- Batteries dual w/on-off switch
- Bilge pump, automatic
- Detector, carbon monoxide
- Hydraulic tilt steering (std on 135 hp and up)
- Raw water wash down

T-TOPS

- Hardtop, w/rod holders



232 COASTAL® / OPTIONS

HULL/DECK

- Gel scheme, solid color hull, w/water line, choice of color combination
- Gel scheme, two-tone, color choices
- Ladder, heavy duty, dive

COCKPIT

- Bolsters, cockpit
- Seating, jump seat cushions, port & starboard

CABIN

- Dinette table w/v-berth filler cushion
- Galley, stove, butane (N/A w/CE pkg)
- Head, pump-out

ENTERTAINMENT

- Fusion Stereo

ENGINE/SYSTEMS

- Battery charger
- Fresh water pkg w/transom shower
- Trim tabs

CANVAS

- Bimini top (NA w/T-Top)
- Canvas pkg for bimini top
- Canvas pkg for hard top (requires hard top)

TRAILER

- EZ-loader aluminum (tandem axle) w/brakes
- EZ-loader galvanized (tandem axle) w/brakes

ENCLOSED FRP HARDTOP PACKAGE (REPLACES STD HARDTOP & WINDSHIELD)

- Defroster & spreader light
- Fiberglass hardtop w/rod holders
- Full windshield w/opening vents
- Isinglass aft closure curtain
- Two overhead dome lights

GARMIN ELECTRONICS PACKAGE

- 740S multi-function 7" color display w/GPS
- Chartplotter/fish finder
- Garmin Radar (avail. w/hard top only)
- VHF radio



NOTES

Performance and fuel consumption will vary and be affected by water and weather conditions, altitude, load and condition of boat, engine and propeller(s). Cruise range based on 95% of fuel capacity. All data is illustrative and is not warranted. This test was conducted with clean bottom, no bottom paint and light to average load.

Specifications, options, and equipment are subject to change without notice.

MADE FOR FISHERMEN BY FISHERMEN

252 COASTAL®



SPECIFICATIONS	US	METRIC
L.O.A.	24' 4"	7.42 m
Beam	8' 9"	2.66 m
Fuel Capacity	133 gal	503 L
Draft (drive up)	16"	41 cm
Draft (drive down)	30"	75 cm
Maximum Capacity	3200 lbs	1450 kg
Persons Capacity	8	8
Approx. Boat & Engine Weight	4360 lbs	1978 kg
Water Capacity	9 gal	34 L
Maximum Horsepower	400 hp	298 kw
Deadrise	20°	20°
Bridge Clearance w/Hardtop	8'2"	2.49 m

KEY SALES FEATURES

- Cleats, stainless steel
- Fiberglass stringers
- Rod holders, gunnel mount
- Cabin door, lockable
- Unique windshield design
- Self bailing cockpit
- Fishbox w/overboard drain
- Enclosed head
- Swim platform w/ladder
- Built-in bait/livewell

PERFORMANCE DATA / TWIN YAMAHA® 150 XA 4-STROKE

Top Speed	51.7 MPH @ 6000 RPM
Cruise Speed	34 MPH @ 4000 RPM
Cruise Range	353 Miles

POWER OPTIONS

Evinrude®	250DPZ
Evinrude®	250Z G2
Twin Evinrude®	150DPX
Twin Evinrude®	200DPX
Mercury®	250XXL Verado
Mercury®	300XXL Verado
Mercury®	300XXL Verado Warm White
Twin Mercury®	150XL Verado
Twin Mercury®	200XL Verado
Yamaha®	F250UCA
Yamaha®	F300UCA
Twin Yamaha®	F150XB
Twin Yamaha®	F200XA
Twin Yamaha®	F200XCA

252 COASTAL® / STANDARDS

HULL/DECK

- Anchor locker/storage
- Bow and Stern Eyes, stainless steel
- Bow anchor roller
- Bow rails, aluminum
- Cleats, stainless steel
- Deck hatch
- Fiberglass stringer
- Foam Flotation
- Gel scheme, all white
- Gel accent stripe: choice of three colors
- Grab rails, powder coated
- Horn, stainless steel
- Meets applicable USCG & Canadian Regs; NMMA Certified using ABYC Stds.
- Navigation Lights
- Rod holders, gunnel mount
- Rub Rail, w/stainless steel insert
- Swim platform w/ladder
- Thru hull fittings, stainless steel
- Windshield, w/walk-thru, full aluminum frame
- Windshield wiper

COCKPIT

- Assist handles, powder coated
- Bait well/live well
- Beverage holder(s)
- Bolsters, cockpit
- Courtesy Lights
- Cutting board
- Rod storage, gunnel
- Seats, aft
- Seating, pedestal w/cushions
- Self bailing cockpit
- Storage/Fishbox w/macerator and overboard drain
- Storage/Fishbox w/overboard drain
- Tackles storage w/boxes

CABIN

- Berth w/cushions
- Cabin door, lockable
- Dinette table
- Galley, pressure water system
- Head, porta potti (NA Canada)



STANDARDS - CONT

HELM

- 12 volt receptacle
- Compass
- Instrumentation, full digital
- Steering wheel, stainless w/ knob

- Freshwater system
- Hydraulic tilt steering (std on 135 hp and up)
- Raw water wash down
- Trim tabs

T-TOPS

- Hardtop, w/rod holders

ENGINE/SYSTEMS

- Batteries dual w/on-off switch
- Bilge pump, automatic
- Detector, carbon monoxide
- Dockside water connection

252 COASTAL® / OPTIONS

HULL/DECK

- Gel scheme, solid color hull, w/water line, choice of color combination
- Gel scheme, two-tone, color choices
- Windlass, w/rope, chain and anchor

TRAILER

- EZ-loader aluminum (tandem axle) w/brakes
- EZ-loader galvanized (tandem axle) w/brakes

COCKPIT

- Snap-in carpet (only w/fishing pkg or port lounge)

DIVE PACKAGE

- Fresh water transom shower
- Heavy duty dive ladder

CABIN

- Galley, stove, butane (N/A w/CE pkg)
- Head, overboard discharge
- Head, Vacu-Flush w/holding tank

ENCLOSED FRP HARDTOP PACKAGE (REPLACES STD HARDTOP & WINDSHIELD)

- Defroster & spreader light
- Fiberglass hardtop w/rod holders
- Full windshield w/opening vents
- Isinglass aft closure curtain
- Two overhead dome lights

ENTERTAINMENT

- Fusion Stereo

GARMIN ELECTRONICS PACKAGE

- 740S multi-function 7" color display w/GPS
- Chartplotter/fish finder
- Garmin Radar (avail. w/hard top only)
- VHF radio

ENGINE/SYSTEMS

- Battery charger

CANVAS

- Canvas pkg for hard top (requires hard top)

NOTES

Performance and fuel consumption will vary and be affected by water and weather conditions, altitude, load and condition of boat, engine and propeller(s). Cruise range based on 95% of fuel capacity. All data is illustrative and is not warranted. This test was conducted with clean bottom, no bottom paint and light to average load.

Specifications, options, and equipment are subject to change without notice.

MADE FOR FISHERMEN BY FISHERMEN

290 COASTAL®



SPECIFICATIONS	US	METRIC
L.O.A.	30' 2"	9.19 m
Beam	10' 5"	3.20 m
Fuel Capacity	210 gal	795 L
Draft (drive up)	22"	56 cm
Draft (drive down)	33"	84 cm
Maximum Capacity	4240 lbs	1922 kg
Persons Capacity	11	11
Approx. Boat & Engine Weight	8735 lbs	3962 kg
Water Capacity	42 gal	159 L
Maximum Horsepower	600 hp	447 kw
Deadrise	18°	18°
Bridge Clearance	7'3"	2.2 m
Bridge Clearance w/Bimini Top	8'3"	2.51 m
Bridge Clearance w/Hardtop	90"	2.74 m

KEY SALES FEATURES

- Cleats, stainless steel
- Fiberglass stringers
- Rod holders, gunnel mount
- Cabin door, lockable
- Unique windshield design
- Self bailing cockpit
- Fishbox w/overboard drain
- Enclosed head
- Swim platform w/ladder
- Built-in bait/livewell

PERFORMANCE DATA / YAMAHA® F200XA

Top Speed	51.8 MPH @ 5800 RPM
Cruise Speed	34.6 MPH @ 4000 RPM
Cruise Range	360 Miles

290 COASTAL® / POWER OPTIONS

Twin Evinrude®	250DPX
Twin Evinrude®	250X G2
Twin Mercury®	250XL Verado
Twin Mercury®	300XL Verado
Twin Mercury®	300XL Verado Warm White
Twin Yamaha®	F250XCA
Twin Yamaha®	F250XCA Helm Master
Twin Yamaha®	F300XCA
Twin Yamaha®	F300XCA Helm Master

290 COASTAL® / STANDARDS

- HULL/DECK**
- Anchor locker/storage
 - Bow and Stern Eyes, stainless steel
 - Bow anchor roller
 - Bow rails, aluminum
 - Cleats, stainless steel
 - Deck hatch
 - Fiberglass stringer
 - Foam Flotation
 - Gel scheme, all white
 - Gel accent stripe: choice of three colors
 - Grab rails, powder coated
 - Horn, stainless steel
 - Ladder, heavy duty, dive
 - Meets applicable USCG & Canadian Regs; NMMA Certified using ABYC Stds
 - Navigation Lights
 - Rod holders, gunnel mount
 - Rub Rail, w/stainless steel insert
 - Swim platform w/ladder
 - Thru hull fittings, stainless steel
 - Windshield, w/walk-thru, full aluminum frame
- CABIN**
- Berth w/cushions
 - Cabin, aft
 - Cabin door, lockable
 - Dinette table
 - Galley
 - Microwave
 - Pressure water system
 - Refrigerator
 - Sink
 - Solid surface countertop w/sink
 - Stove, electric
- Hanging locker**
- Head**
- Full length mirror
 - Power ventilation
 - Shower
 - Vacu-Flush w/holding tank
 - Vanity-sink and storage
- COCKPIT**
- Assist handles, powder coated
 - Bait well/live well
 - Beverage holder(s)
 - Bolsters, cockpit
 - Courtesy Lights
 - Cutting board
- HELM**
- 12 volt receptacle
 - Compass
 - Instrumentation, full digital
 - Steering wheel, stainless w/knob
- TACKLES STORAGE**
- Rod storage, gunnel
 - Seats, aft
 - Seating, pedestal w/cushions
 - Self bailing cockpit
 - Storage/Fishbox w/macerator and overboard drain
 - Tackles storage w/boxes



STANDARDS - CONT

ENTERTAINMENT

- Fusion Stereo

ENGINE/SYSTEMS

- Battery charger
- Batteries dual w/on-off switch
- Bilge pump, automatic
- Detector, carbon monoxide
- Dockside power
- Dockside water connection
- Freshwater system

- Fresh water pkg w/transom shower
- Hydraulic tilt steering (std on 135 hp and up)
- Raw water wash down
- Trim tabs
- Water heater

T-TOPS

- Hardtop, w/rod holders

290 COASTAL® / OPTIONS

HULL/DECK

- Gel scheme, solid color hull, w/water line, choice of color combination
- Gel scheme, two-tone, color choices
- Rod holders, aft transom mounted
- Windlass, w/rope, chain and anchor
- Windshield wiper/washer system

Generator

- Power assisted steering
- Raw water wash down
- Trim tabs
- Water heater

T-TOPS

- Outriggers: taco grand slam top mount

CANVAS

- Cockpit cover for hard top

COCKPIT

- Dive tank storage racks
- Remote spotlight
- Snap-in carpet (only with fishing pkg or port lounge)

COCKPIT SEATING PACKAGE

- Starboard baitwell & portside storage box cushions (removable)

RAY MARINE ES127

ELECTRONICS PACKAGE

- (2) 12" Multifunction color displays w/GPS, chartplotter & HDFI fish finder
- High performance 1KW in-hull transducer
- Ray Marine Radar: 4KW Digital Raydome
- Ray Marine Radar: 4KW Open Array
- Ray 50Modular system
- Video/instrumentation integration capabilities
- VHF radio

CABIN

- Cabin floor, chemclad teak and holly
- Head, overboard discharge

ENTERTAINMENT

- LCD TV/DVD w/TV telephone Inlet & Antenna (N/A w/220 V or CE pkg)
- Stereo upgrade package: cockpit subwoofer, power amp & 2 add. Speakers

ENGINE/SYSTEMS

- Air conditioning/heating
- Fire extinguishing system
- Fuel tank, extra (N/A w/generator)

NOTES

Performance and fuel consumption will vary and be affected by water and weather conditions, altitude, load and condition of boat, engine and propeller(s). Cruise range based on 95% of fuel capacity. All data is illustrative and is not warranted. This test was conducted with clean bottom, no bottom paint and light to average load.

Specifications, options, and equipment are subject to change without notice.

MADE FOR FISHERMEN BY FISHERMEN

340 COASTAL®



SPECIFICATIONS	US	METRIC
L.O.A.	34' 1"	10.38 m
Beam	11' 9"	3.58 m
Fuel Capacity	366 gal	1385 L
Draft (drive up)	20"	51 cm
Draft (drive down)	32"	81 cm
Maximum Capacity	4220 lbs	1915 kg
Persons Capacity	12	12
Approx. Boat & Engine Weight	13500 lbs	5036 kg
Water Capacity	56 gal	212 L
Maximum Horsepower	750 hp	560 kw
Deadrise	20°	20°
Bridge Clearance w/Hardtop	10'2"	3.09 m

KEY SALES FEATURES

- Cleats, stainless steel
- Fiberglass stringers
- Rod holders, gunnel mount
- Cabin door, lockable
- Unique windshield design
- Self bailing cockpit
- Fishbox w/overboard drain
- Enclosed head
- Swim platform w/ladder
- Built-in bait/livewell

PERFORMANCE DATA / TW YAMAHA® F350XCB

Top Speed	51.4 MPH @ 6100 RPM
Cruise Speed	33.1 MPH @ 4000 RPM
Cruise Range	435 Miles

POWER OPTIONS

Triple Evinrude®	250DPX
Triple Mercury®	250XL Verado
Twin Yamaha®	F350XCB
Twin Yamaha®	F350XCB Helm Master
Triple Yamaha®	F250XCA

340 COASTAL® / STANDARDS

HULL/DECK

- Anchor locker/storage
- Bow and Stern Eyes, stainless steel
- Bow anchor roller
- Bow rails, aluminum
- Cleats, stainless steel
- Deck hatch
- Fiberglass stringer
- Foam Flotation
- Gel scheme, all white
- Gel accent stripe: choice of three colors
- Grab rails, powder coated
- Horn, stainless steel
- Ladder, heavy duty, dive
- Meets applicable USCG & Canadian Regs; NMMA Certified using ABYC Stds
- Navigation Lights
- Rod holders, gunnel mount
- Rub Rail, w/stainless steel insert
- Swim platform w/ladder
- Thru hull fittings, stainless steel
- Windlass, w/rope, chain and anchor
- Windshield, w/walk-thru, full aluminum frame
- Windshield wiper

- Cutting board
- Remote spotlight
- Rod storage, gunnel
- Seats, aft
- Seating, rear folding bench
- Self bailing cockpit
- Storage/Fishbox w/macerator and overboard drain
- Tackles storage w/boxes

CABIN

- Berth w/cushions
- Cabin, aft
- Cabin door, lockable
- Dinette table
- Galley
 - Microwave
 - Pressure water system
 - Sink
 - Refrigerator
 - Solid surface countertop w/sink
 - Stove, electric
- Hanging locker
- Head
 - Full length mirror
 - Power ventilation
 - Shower
 - Vacu-Flush w/holding tank
 - Vanity-sink and storage

HELM

- 12 volt receptacle
- Compass
- Instrumentation, full digital
- Steering wheel, stainless w/knob

COCKPIT

- Assist handles, powder coated
- Bait well/live well
- Beverage holder(s)
- Bolsters, cockpit
- Courtesy Lights



STANDARDS - CONT

ENTERTAINMENT

- Fusion Stereo:
- Stereo upgrade package: cockpit subwoofer, power amp & 2 add. Speakers

ENGINE/SYSTEMS

- Air conditioning/heating
- Battery charger
- Batteries dual w/on-off switch
- Bilge pump, automatic
- Detector, carbon monoxide
- Dockside power
- Dockside water connection
- Freshwater system

- Fresh water pkg w/transom shower
- Generator
- Hydraulic tilt steering (std on 135 hp and up)
- Power assisted steering
- Raw water wash down
- Trim tabs
- Water heater

T-TOPS

- Hardtop, w/rod holders

340 COASTAL® / OPTIONS

HULL/DECK

- Gel scheme, solid color hull, w/water line, choice of color combination
- Gel scheme, two-tone, color choices
- Sunpads, deck

COCKPIT

- Cockpit grill, stainless steel
- Cockpit table
- Ice maker, cockpit (replaces STD wet bar storage)
- Refreshment/Galley center
- Seating, cockpit: port & starboard under gunwale fold-out (replaces rod storage)
- Snap-in carpet (only with fishing pkg or port lounge)

CABIN

- Head, overboard discharge

ENTERTAINMENT

- LCD TV/DVD player w/antenna & dockside TV/Telephone cords

ENGINE/SYSTEMS

- Bow thruster
- Fire extinguishing system

T-TOPS

- Hardtop canvas enclosure
- Outriggers: taco grand slam top mount

RAY MARINE ES127

ELECTRONICS PACKAGE

- (2) 12" Multifunction color displays w/GPS, chartplotter & HDFI fish finder
- High performance 1KW in-hull transducer
- Ray Marine Radar: 4KW Digital Raydome
- Ray Marine Radar: 4KW Open Array
- Ray 50Modular system
- Video/instrumentation integration capabilities
- VHF radio

NOTES

Performance and fuel consumption will vary and be affected by water and weather conditions, altitude, load and condition of boat, engine and propeller(s). Cruise range based on 95% of fuel capacity. All data is illustrative and is not warranted. This test was conducted with clean bottom, no bottom paint and light to average load.

Specifications, options, and equipment are subject to change without notice.

MADE FOR FISHERMEN BY FISHERMEN

Rec Boat Holdings, LLC dba Wellcraft ("Wellcraft") warrants to you, the first North American retail purchaser of this 2016 model year Wellcraft boat or a second North American retail purchaser as noted below ("you"), that it will repair or replace, at its sole discretion, defects in materials or workmanship that occur and are reported to Wellcraft, or its factory authorized dealer, within the applicable limited warranty periods, subject to the terms, conditions and exclusions set forth below. Your acceptance of delivery of the warranted Wellcraft boat constitutes your acceptance of the terms of this limited warranty. This limited warranty gives you specific legal rights, which may vary from state to state.

This limited warranty is the sole and exclusive express warranty from Wellcraft regarding your 2016 Wellcraft boat and there are no express warranties which extend beyond those outlined in this limited warranty. There are no implied warranties from Wellcraft, unless otherwise required under applicable law, and ALL IMPLIED WARRANTIES (INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE) ARE EXCLUDED AND DISCLAIMED WHERE ALLOWED BY APPLICABLE LAW. ANY IMPLIED WARRANTIES (IF APPLICABLE) ARE LIMITED TO THE MINIMUM PERIOD OF TIME ALLOWED UNDER APPLICABLE LAW. Some states do not allow limitations on how long an implied warranty lasts, so the above limitations may not apply to you.

Coverage Under this Limited Warranty:

Exterior Cosmetic Gel Coat Limited Warranty: The limited warranty period runs for one (1) year for defects in the boat's exterior cosmetic gel coat, including cracking, crazing, discoloring and fading, except as noted below.

Non-structural Parts and Components Limited Warranty: The limited warranty period runs for one (1) year for defects in non-structural parts and components, except as noted below.

Structural Deck or Liner Limited Warranty: The limited warranty period runs for five (5) years for Structural Deck or Liner Defects (defined below), except as noted below. For purposes of this limited warranty, the "Deck" shall mean the single fiberglass molded shell and integral fiberglass structural components above the Hull (defined below) flange (i.e. gunwale) and the "Liner" shall mean the single fiberglass molded interior shell walls and interior floor of the Hull (defined below) below the Hull flange (i.e. gunwale). A "Structural Deck or Liner Defect" shall mean a substantial defect in the boat's Hull or Liner which causes the boat to be unfit or unsafe for use as a pleasure craft under normal operating conditions.

Structural Hull Limited Warranty: The limited warranty period runs for ten (10) years for Structural Hull Defects (defined below), except as noted below. For purposes of this limited warranty, the "Hull" shall mean the single fiberglass molded shell and integral structure within the shell, including stringers, floorboards, transom and related structural reinforcements, all of which are below the Hull flange (i.e. gunwale). A "Structural Hull Defect" shall mean a defect that causes the Hull to be unsafe or unfit for use under normal operating conditions.

The applicable limited warranty period, for both the First and Second (if applicable) North American retail purchasers, runs from the date of delivery of the boat to the first North American retail purchaser, provided that the boat is delivered to that purchaser within twelve (12) months from the date of its manufacture. For a boat delivered to that purchaser more than twelve (12) months after the date of its manufacture, the limited warranty period runs from the date of its manufacture, not from the date the boat was delivered to the first North American retail purchaser.

For a boat delivered to that purchaser more than twelve (12) months and up to thirty-six (36) months after its date of manufacture, the selling dealer will be required to submit a condition report on the boat with photos to Wellcraft before delivery of the boat to that purchaser; Wellcraft will then determine and advise what limited warranty coverage remains in effect on the boat, if any. For a boat delivered to that purchaser more than thirty-six (36) months after the date of its manufacture, only the structural limited warranties on the boat will be in effect; all other limited warranties are voided. All limited warranties run concurrently.

This limited warranty may be transferred to a second North American retail purchaser, if the transfer occurs within five (5) years of the boat's sale to the first North American retail purchaser, for a non-refundable recording fee of \$200 (US) for boats 21' or less, \$300 (US) for boats more than 21' to 26', or \$500 (US) for boats more than 26', provided that the second North American retail purchaser purchases the boat from the first North American retail purchaser or an authorized Wellcraft dealer. To transfer the limited warranty, the second North American retail purchaser or the authorized Wellcraft dealer must send to Wellcraft, within fifteen (15) days of the boat's purchase, at the address noted below the: 1) first North American retail purchaser's plastic registration card, if available; 2) proof of purchase; and 3) the non-refundable recording fee made payable to Rec Boat Holdings, LLC dba Wellcraft. The limited warranty may only be transferred **once**. Wellcraft will confirm all limited warranty transfers, in writing, to the authorized Wellcraft dealer and/or second North American retail purchaser via email. Wellcraft reserves the right to reject a limited warranty transfer request for a Wellcraft boat that has been damaged, neglected or otherwise previously excluded from limited warranty coverage.

THIS LIMITED WARRANTY DOES NOT COVER:

1. A boat purchased from any party other than an authorized Wellcraft dealer or the first North American retail purchaser.
2. A boat, including its components, that has been altered or modified so as to adversely affect its operation, performance or durability, as determined by Wellcraft, or a boat that has been salvaged or declared a total loss or a constructive total loss for any reasons not covered in this limited warranty.
3. Any damage resulting from an accident or impact with another object or any damage caused by an act of nature.
4. Damage, breakage and leakage around windshields, hatches or other designed openings.
5. Boats that are damaged due to storage or exposure conditions including, but not limited to, sun or cold weather.
6. Engines, power trains, outdrives, jet pumps, controls, propellers, batteries, appliances and other equipment, accessories or components that are not manufactured by Wellcraft, whether or not they are warranted by other manufacturers. Note: it is the purchaser's responsibility to complete any limited warranty registration procedure that may be applicable to these components.
7. Window glass, mirrors, varnish, paint, fabrics and chromium, stainless steel and other metal finishes.
8. Gel coat fading or discoloration that occurs below or at the water line on the Hull.
9. Gel coat damage resulting from blistering and osmotic blistering and the original gel surface that has been altered in any way, including by repair, application of any coating other than marine barrier coating or marine barrier coating followed by bottom paint, improper surface preparation for paint or improper or excessive sanding, scraping or sandblasting.

10. The cost of removal or re-installation of parts or disassembly of units to repair or replace components covered by this limited warranty.
11. A boat that has been overpowered, according to the boat's maximum recommended engine horsepower, or overloaded in excess of the maximum limits as stated on the U.S. Coast Guard Capacity Plate.
12. Any boat that has been misused; used in a negligent manner; used for racing, speed or endurance contests; used for rental or charter; used for military, rescue, fire, safety, medical, police, law enforcement, patrol or similar government uses; used for commercial purposes; used without normal maintenance; operated contrary to any instructions furnished by Wellcraft; improperly lifted or trailered; improperly secured to a trailer; or operated in violation of any federal, state, local, Coast Guard or other governmental agency laws, rules or regulations. Also, this limited warranty does not cover any damage resulting from failure to use a lower unit support device on any boat with an outboard motor when transporting the boat.
13. Estimated characteristics such as weight, speed, range, fuel consumption or other estimated performance characteristics.
14. Dealer preparation, cleaning, final adjustments and alignments in preparing the boat for delivery.
15. Fit and adjustment of exterior canvas tops, enclosures and weather covers or other soft goods.
16. Sacrificial deterioration of anti-fouling paint or zinc anodes.
17. Damage resulting from electrolysis or corrosion of any nature from any source.
18. Any failure or defect arising from previous repairs made by a non-authorized service provider, unless preapproved by Wellcraft.
19. Any defect that results in redesign of the Wellcraft boat.
20. Trailers.

THE SOLE AND EXCLUSIVE REMEDY UNDER THIS LIMITED WARRANTY AND ANY APPLICABLE IMPLIED WARRANTY IS THE REPAIR OR REPLACEMENT, AT WELLCRAFT'S SOLE OPTION, OF WARRANTED PARTS AND COMPONENTS. WELLCRAFT EXCLUDES AND DISCLAIMS ANY LIABILITY FOR INCIDENTAL OR CONSEQUENTIAL DAMAGES, INCLUDING LOSS OF TIME, INCONVENIENCE, INSTALLMENT PAYMENTS, INSURANCE PAYMENTS, MARINA FEES, RETAIL CHARGES, TRAVEL EXPENSES, LOSS OF USE, HAUL OUT, LAUNCH, TOWING AND/OR STORAGE CHARGES, LOSS OF OR DAMAGE TO PERSONAL PROPERTY OR OTHER SIMILAR COSTS AND EXPENSES OR ANY CLAIM NOT SPECIFICALLY COVERED BY THIS LIMITED WARRANTY. Some states do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you. Any legal action alleging breach of any applicable warranty coverage must be brought within one (1) year from the date the alleged breach first occurred or the shortest period allowed under applicable law, whichever is earlier.

PRE-DELIVERY SERVICE AND LIMITED WARRANTY REGISTRATION

Prior to delivering a new Wellcraft boat to the first North American retail purchaser, the authorized dealer is required to inspect and perform all necessary pre-delivery services including completing the "Pre-Delivery Service Record" portion of the limited warranty. Any cost associated with the pre-delivery inspection is the responsibility of the first North American retail purchaser. After completion of the necessary pre-delivery services, the first North American retail purchaser must sign the Wellcraft limited warranty registration form and Pre-Delivery Service Record provided by the dealer, where indicated. No limited warranty coverage is applicable to the boat unless these forms are completed, signed and returned to Wellcraft at the address indicated below, or via an authorized Wellcraft dealer's online dealer

extranet. All information received by Wellcraft via the limited warranty registration or transfer process shall be the property of Wellcraft, and submission of information, directly or indirectly, via the limited warranty registration process shall, to the extent permitted by applicable law, be deemed to constitute consent by the purchaser and dealer to Wellcraft's use of such information at any time for all purposes allowed by law, including use of that information by third parties selected by Wellcraft. You may opt to not have your personal information disclosed to third parties and/or to not receive marketing materials from Wellcraft by sending a written request to: Wellcraft Warranty Department, 925 Frisbie Street, Cadillac, MI 49601.

OBTAINING REPAIRS UNDER THIS LIMITED WARRANTY

The authorized Wellcraft dealer will carry out the limited warranty procedures on your behalf. All limited warranty work must be performed at an authorized dealer or a sublet repair facility chosen by an authorized dealer, at the Wellcraft factory, or at another repair facility approved by Wellcraft. You are responsible for the expense associated with transporting the boat to and from the repair facility. Wellcraft must receive written notice of all limited warranty claims prior to the expiration of this limited warranty and be allowed an opportunity to resolve them.

To obtain limited warranty service, you must return the boat, including any alleged defective part, to an authorized Wellcraft dealer and present the Owner's Registration Card. If necessary, you should call Wellcraft for assistance to locate the nearest Wellcraft dealer in your area. The following procedures will apply to a limited warranty claim:

- A. The dealer will contact and receive an authorization number from Wellcraft for repairs.
- B. Upon completion of repairs, you must pay the dealer for non-covered items.
- C. You assume all liability for payment of non-authorized repairs.
- D. You must sign the Wellcraft limited warranty claim form if the claim is not submitted through the Wellcraft extranet by the dealer.

If sublet limited warranty repairs are required for any reason, the authorized Wellcraft dealer will be responsible for choosing a qualified and reputable repair facility and the authorized Wellcraft Dealer will be responsible for all work performed by the sublet repair facility. Before referring any work to a sublet repair facility, the authorized Wellcraft dealer must submit a written estimate to Wellcraft's claims department to obtain written pre-authorization (including a claim authorization number). Wellcraft will not honor or pay for claims submitted for repairs by sublet repair facilities unless this procedure has been followed. Wellcraft will not authorize or pay for sublet repairs initiated because of a lack of dealer service facilities.

This document contains the entire limited warranty provided by Wellcraft. Any questions concerning the scope of this limited warranty should be directed to Wellcraft. The terms and conditions contained in this limited warranty may not be modified, altered or waived by any action, inaction or representation, whether oral or in writing, except upon the express, written authority of a senior management level employee of Wellcraft. Wellcraft does not authorize any person or persons (except a senior management level employee of Wellcraft), including Wellcraft's dealers, to change the terms of this limited warranty. (Note that your authorized Wellcraft dealer is an independent business, authorized to sell and service Wellcraft products, but is not an agent of Wellcraft). Wellcraft reserves the right to change or improve the design or manufacture of Wellcraft boats without obligation to modify any boat previously manufactured.

**Wellcraft / 925 Frisbie Street / Cadillac, MI 49601
Telephone: 231-775-1351**

Rec Boat Holdings, LLC dba Wellcraft ("Wellcraft") warrants to you, the first International retail purchaser of this 2015 model year Wellcraft boat or a second International retail purchaser as noted below ("you"), that it will repair or replace, at its sole discretion, defects in materials or workmanship that occur and are reported to Wellcraft, or its factory authorized dealer, within the applicable limited warranty periods, subject to the terms, conditions and exclusions set forth below. Your acceptance of delivery of the warranted Wellcraft boat constitutes your acceptance of the terms of this limited warranty.

This limited warranty is the sole and exclusive express warranty from Wellcraft regarding your 2015 Wellcraft boat, and there are no express warranties which extend beyond those outlined in this limited warranty. There are no implied warranties from Wellcraft unless otherwise required under applicable law, and ALL IMPLIED WARRANTIES (INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE) ARE EXCLUDED AND DISCLAIMED WHERE ALLOWED BY APPLICABLE LAW. ANY IMPLIED WARRANTIES (IF APPLICABLE) ARE LIMITED TO THE MINIMUM PERIOD OF TIME ALLOWED UNDER APPLICABLE LAW.

Retail purchasers in the European Union (EU) may have legal rights under applicable national legislation and the Consumers Protective Directive 1999/44/EC of the European Parliament and of the Council of 25 May 1999, governing the sale of consumer goods, which are not affected by this limited warranty. Retail purchasers in other countries may also have legal rights which are not affected by this limited warranty.

Coverage Under This Limited Warranty:

Exterior Cosmetic Gel Coat Limited Warranty: The limited warranty period runs for one (1) year for defects in the boat's exterior cosmetic gel coat, including cracking, crazing, discoloring and fading, except as noted below.

Non-Structural Parts And Components Limited Warranty: The limited warranty period runs for one (1) year for defects in non-structural parts and components, except as noted below.

Structural Deck Or Liner Limited Warranty: The limited warranty period runs for five (5) years for Structural Deck or Liner Defects (defined below), except as noted below. For purposes of this limited warranty, the "Deck" shall mean the single fiberglass molded shell and integral fiberglass structural components above the Hull flange (i.e. gunwale) and the "Liner" shall mean the single fiberglass molded interior shell walls and interior floor of the Hull (defined below) below the Hull flange (i.e. gunwale). A "Structural Deck or Liner Defect" shall mean a substantial defect in the boat's Hull or Liner, which causes the boat to be unfit or unsafe for use as a pleasure craft under normal operating conditions.

Structural Hull Limited Warranty: The limited warranty period runs for ten (10) years for Structural Hull Defects, except as noted below. For purposes of this limited warranty, the "Hull" shall mean the single fiberglass molded shell and integral structure within the shell, including stringers, floorboards, transom and related structural reinforcements, all of which are below the Hull flange (i.e. gunwale). A "Structural Hull Defect" shall mean a defect that causes the Hull to be unsafe or unfit for use under normal operating conditions.

The applicable limited warranty period, for both the first and second (if applicable) International retail purchasers, runs from the date of delivery of the boat to the first International retail purchaser, provided that the boat is delivered to that purchaser within twelve (12) months from the date of its manufacture. For a boat delivered to that purchaser more than twelve (12) months after the date of its manufacture, the limited warranty period runs from the date of its manufacture, not from the date the

boat was delivered to the first International retail purchaser. For a boat delivered to that purchaser more than twelve (12) months and up to thirty-six (36) months after its date of manufacture, the selling dealer will be required to submit a condition report on the boat with photos to Wellcraft before delivery of the boat to that purchaser; Wellcraft will then determine and advise what limited warranty coverage remains in effect on the boat, if any. For a boat delivered to that purchaser more than thirty-six (36) months after the date of its manufacture, only the structural limited warranties on the boat will be in effect; all other limited warranties are voided. All limited warranties run concurrently.

This limited warranty may be transferred to a second International retail purchaser, if the transfer occurs within five (5) years of the boat's sale to the first International retail purchaser, for a non-refundable recording fee of \$200 (US) for boats 21' or less, \$300 (US) for boats more than 21' to 26', or \$500 (US) for boats more than 26', provided that the second International retail purchaser purchases the boat from the first International retail purchaser or an authorized Wellcraft dealer. To transfer the limited warranty, the second International retail purchaser or the authorized Wellcraft dealer must send to Wellcraft, within fifteen (15) days of the boat's purchase, at the address noted below the: 1) first International retail purchaser's plastic registration card, if available; 2) proof of purchase; and 3) the non-refundable recording fee made payable to Wellcraft. The limited warranty may only be transferred once. Wellcraft will confirm all limited warranty transfers, in writing, to the authorized Wellcraft dealer and/or second International retail purchaser via email. Wellcraft reserves the right to reject a limited warranty transfer request for a Wellcraft boat that has been damaged, neglected or otherwise previously excluded from limited warranty coverage.

THIS LIMITED WARRANTY DOES NOT COVER:

1. A boat purchased from any party other than an authorized Wellcraft dealer or the first International retail purchaser.
2. A boat, including its components, that has been altered or modified so as to adversely affect its operation, performance or durability, as determined by Wellcraft, or a boat that has been salvaged or declared a total loss or a constructive total loss for any reasons not covered in this limited warranty.
3. Any damage resulting from an accident or impact with another object or any damage caused by an act of nature.
4. Damage, breakage and leakage around windshields, hatches or other designed openings.
5. Boats that are damaged due to storage or exposure conditions including, but not limited to, sun or cold weather.
6. Engines, power trains, outdrives, jet pumps, controls, propellers, batteries, appliances and other equipment, accessories or components that are not manufactured by Wellcraft, whether or not they are warranted by other manufacturers. **Note:** it is the purchaser's responsibility to complete any limited warranty registration procedure that may be applicable to these components.
7. Window glass, mirrors, varnish, paint, fabrics and chromium, stainless steel and other metal finishes.
8. Gel coat fading or discoloration that occurs below or at the water line on the Hull.
9. Gel coat damage resulting from blistering and osmotic blistering; and the original gel surface that has been altered in any way, including by repair, application of any coating other than marine barrier coating or marine barrier coating followed by bottom paint, improper surface preparation for paint or improper or excessive sanding, scraping or sandblasting.

10. The cost of removal or re-instatement of parts or disassembly of units to repair or replace components covered by this limited warranty.
11. A boat that has been overpowered, according to the boat's maximum recommended engine horsepower, or overloaded in excess of the maximum limits as stated on the Capacity Plate.
12. Any boat that has been misused or used in a negligent manner; used for racing, speed or endurance contests; used for rental or charter; used for military, rescue, fire, safety, medical, police, law enforcement, patrol or similar government uses; used for commercial purposes; used without normal maintenance; operated contrary to any instructions furnished by Wellcraft; improperly lifted or trailered; improperly secured to a trailer; or operated in violation of any federal, state, local or governmental agency laws, rules or regulations. Also, this limited warranty does not cover any damage resulting from failure to use a lower unit support device on any boat with an outboard motor when transporting the boat.
13. Estimated characteristics such as weight, speed, range, fuel consumption or other estimated performance characteristics.
14. Dealer preparation, cleaning, final adjustments and alignments in preparing the boat for delivery.
15. Fit and adjustment of exterior canvas tops, enclosures and weather covers or other soft goods.
16. Sacrificial deterioration of anti-fouling paint or zinc anodes.
17. Damage resulting from electrolysis or corrosion of any nature from any source.
18. Any failure or defect arising from previous repairs made by a non-authorized service provider, unless preapproved by Wellcraft.
19. Any defect that results in redesign of the Wellcraft boat.
20. Trailers.

THE SOLE AND EXCLUSIVE REMEDY UNDER THIS LIMITED WARRANTY AND ANY APPLICABLE IMPLIED WARRANTY IS THE REPAIR OR REPLACEMENT, AT WELLCRAFT'S SOLE OPTION, OF WARRANTED PARTS AND COMPONENTS. WELLCRAFT EXCLUDES AND DISCLAIMS ANY LIABILITY FOR INCIDENTAL OR CONSEQUENTIAL DAMAGES, INCLUDING LOSS OF TIME, INCONVENIENCE, INSTALLMENT PAYMENTS, INSURANCE PAYMENTS, MARINA FEES, RETAIL CHARGES, TRAVEL EXPENSES, LOSS OF USE, HAUL OUT, LAUNCH, TOWING AND/OR STORAGE CHARGES, LOSS OF OR DAMAGE TO PERSONAL PROPERTY OR OTHER SIMILAR COSTS AND EXPENSES OR ANY CLAIM NOT SPECIFICALLY COVERED BY THIS LIMITED WARRANTY. Any legal action alleging breach of any applicable warranty coverage must be brought within one (1) year from the date the alleged breach first occurred or the shortest period of time allowed under applicable law. Any claim by a retail purchaser in the EU that the boat was nonconforming at the time of delivery must be made within two (2) years from the date of delivery.

PRE-DELIVERY SERVICE AND LIMITED WARRANTY REGISTRATION

Prior to delivering a new Wellcraft boat to the first International retail purchaser, the authorized dealer is required to inspect and perform all necessary pre-delivery services including completing the "Pre-Delivery Service Record" portion of the limited warranty. Any cost associated with the pre-delivery inspection is the responsibility of the first International retail purchaser. After completion of the necessary pre-delivery services, the first International retail purchaser must sign the Wellcraft limited warranty registration form and Pre-Delivery Service Record provided by the dealer, where indicated. No limited warranty coverage is applicable to the boat unless these forms are completed, signed and returned to Wellcraft at the address indicated below, or via an authorized Wellcraft dealer's online dealer

extranet. All information received by Wellcraft via the limited warranty registration or transfer process shall be the property of Wellcraft, and submission of information, directly or indirectly, via the limited warranty registration process shall, to the extent permitted by applicable law, be deemed to constitute consent by the purchaser and dealer to Wellcraft's use of such information at any time for all purposes allowed by law, including use of that information by third parties selected by Wellcraft. You may opt to not have your personal information disclosed to third parties and/or to not receive marketing materials from Wellcraft by sending a written request to: Wellcraft Warranty Department, 925 Frisbie Street, Cadillac, MI 49601.

OBTAINING REPAIRS UNDER THIS LIMITED WARRANTY

The authorized Wellcraft dealer will carry out the limited warranty procedures on your behalf. All limited warranty work must be performed at an authorized dealer or Wa sublet repair facility chosen by an authorized dealer, at the Wellcraft factory, or at another repair facility approved by Wellcraft. You are responsible for the expense associated with transporting the boat to and from the repair facility. Wellcraft must receive written notice of all limited warranty claims prior to the expiration of this limited warranty and be allowed an opportunity to resolve them.

To obtain limited warranty service, you must return the boat, including any alleged defective part, to an authorized Wellcraft dealer and present the Owner's Registration Card. If necessary, you should call Wellcraft for assistance to locate the nearest Wellcraft dealer in your area. The following procedures will apply to a warranty claim:

- A. The dealer will contact and receive an authorization number from Wellcraft for repairs.
- B. Upon completion of repairs, you must pay the dealer for non-covered items.
- C. You assume all liability for payment of non-authorized repairs.
- D. You must sign the Wellcraft limited warranty claim form if the claim is not submitted through the Wellcraft extranet by the dealer.

If sublet limited warranty repairs are required for any reason, the authorized Wellcraft dealer will be responsible for choosing a qualified and reputable repair facility and the authorized Wellcraft Dealer will be responsible for all work performed by the sublet repair facility. Before referring any work to a sublet repair facility, the authorized Wellcraft dealer must submit a written estimate to Wellcraft's claims department to obtain written pre-authorization (including a claim authorization number). Wellcraft will not honor or pay for claims submitted for repairs by sublet repair facilities unless this procedure has been followed. Wellcraft will not authorize or pay for sublet repairs initiated because of a lack of dealer service facilities.

This document contains the entire limited warranty provided by Wellcraft. Any questions concerning the scope of this limited warranty should be directed to Wellcraft. The terms and conditions contained in this limited warranty may not be modified, altered or waived by any action, inaction or representation, whether oral or in writing, except upon the express, written authority of a senior management level employee of Wellcraft. Wellcraft does not authorize any person or persons (except a senior management level employee of Wellcraft), including Wellcraft's dealers, to change the terms of this limited warranty. (Note that your authorized Wellcraft dealer is an independent business, authorized to sell and service Wellcraft products, but is not an agent of Wellcraft). Wellcraft reserves the right to change or improve the design or manufacture of Wellcraft boats without obligation to modify any boat previously manufactured.

**Wellcraft / 925 Frisbie Street / Cadillac, MI 49601
Telephone: 231-775-1351**



NOTES



925 Frisbie Street | Cadillac, MI 49601
231.775.1351

www.wellcraft.com