



Welkcraft[®]







Years of boat building expertise make your Wellcraft the landing place for fun, fishing, family time and more. For more than 50 years, we've held fast to the promise of crafting a great American icon. Saltwater or freshwater fishing, Wellcraft has the model to perfectly fit your style. From offshore fishing to Great Lakes fishing, pick your machine and let the fishing begin. Take a look at the line-up and choose the model that will be the start of many memorable moments on the water: Coastal[®], Fisherman, Sportsman, and Scarab[®] Offshore. New features, upgraded amenities, distinctive styling...choose Wellcraft and wear your badge of honor proudly.





FISHERMAN SERIES



180 FISHERMAN

KEY FEATURES

- Fiberglass foam filled stringers
- Composite transom
- Large console sits 2 comfortably
- Deep V-hull and wide beam creates soft ride.
- All stainless steel deck hardware thru-bolted
- Easy access for batteries
- Liner – fiberglass – diamond pattern skid resistant for easy maintenance

SPECIFICATIONS

LOA 18' 0" (5.48 m)

Beam 8' 0" (2.44 m)

Weight 2,065 lbs (937 kg)

Fuel Capacity 51 gal (193 L)

Max HP 150 HP (111.9 kw)

Deadrise 20°

Draft Up: 15" (38 cm)

Draft Down 32" (81 cm)

Bridge Clearance 4' 5" (1.37 m)

Bridge Clearance w/ Bimini 6' 7" (2.01 m)





210 FISHERMAN

KEY FEATURES

- Foam filled, fiberglass, stringers – composite transom
- Enclosed head under console
- Forward & aft fish boxes – aft boxes include macerator with overboard pumpout
- Dedicated electronics flat
- Lean post with baitwell features cup holders and rod holders for rigging
- Cockpit design featuring removable aft seats for maximum space
- All stainless steel deck hardware thru-bolted

SPECIFICATIONS

LOA 21' (6.4 m)
Beam 8' 6" (2.59 m)
Weight 3,654 lbs (1,363 kg)
Fuel Capacity 103 gal (390 L)
Max HP 250 HP (186.5 kw)
Deadrise 19°
Draft Up 17" (43 cm)
Draft Down 33" (84 cm)
Bridge Clearance 6' 1" (1.85 m)
Bridge Clearance w/T-top 8' 0" (2.44 m)



232 FISHERMAN

KEY FEATURES

- Full height transom
- Foam filled, fiberglass, stringer w/ integral high density composite transom
- Recessed powder coated grab rails – port/stbd bow
- Full FRP head console liner w/battery access
- Fish boxes (2) forward 155 qt. with overboard drain and sealed lids
- Rod storage under port/stbd gunnels
- Stainless steel gunwale-mounted rod holders (2)

SPECIFICATIONS

LOA 22' 4" (6.81 m)
Beam 8' 8" (2.64 m)
Weight 3,573 lbs (1,621 kg)
Fuel Capacity 116 gal (439 L)
Water Capacity 8 gal (30 L)
Max HP 300 HP (224 kw)
Deadrise 20°
Draft Up 15" (38 cm)
Draft Down 32" (81 cm)
Bridge Clearance 6' 0" (1.83 m)
Bridge Clearance w/ T-top 8' 4" (2.53 m)





252 FISHERMAN

KEY FEATURES

- Full height transom
- Foam filled, fiberglass, stringer w/ integral high density composite transom
- Recessed powder coated grab rails - port/stbd bow
- Full FRP cabin console liner with additional port/stbd below deck storage
- Fwd and aft fishboxes (sealed)-aft boxes include macerator w/overboard pumpout
- Lighted baitwell 84 qt. with overboard drain
- Rod storage under gunwale port and starboard

SPECIFICATIONS

- LOA** 24' 4" (7.42 m)
- Beam** 8' 9" (2.66 m)
- Weight** 4,680 lbs (2,123 kg)
- Fuel capacity** 170 gal (644 L)
- Water capacity (option)** 8 gal (30 L)
- Max HP** 450 HP (336 kw)
- Deadrise** 20°
- Draft Up** 16" (41 cm)
- Draft Down** 30" (75 cm)
- Bridge clearance** 6' 8" (2.03 m)
- Bridge clearance w/T-top** 8' 2" (2.49 m)



SPORTSMAN
SERIES



180 SPORTSMAN

KEY FEATURES

- Foam filled, fiberglass, stringers – composite transom
- Versatile bow rider style suited for fishing & watersports
- Forward & aft seating
- Ski & kneeboard storage
- Stainless steel gunwale-mounted rod holders (2)
- Insulated cooler w/overboard drain
- Deep V and wide beam for stable fishing platform & soft ride

SPECIFICATIONS

LOA 18' 0" (5.48 m)
Beam 8' 0" (2.44 m)
Weight 2,085 lbs (964 kg)
Fuel Capacity 51 gal (193 L)
Max HP 150 HP (111.9 kw)
Deadrise 20°
Draft Up 15" (38 cm)
Draft Down 32" (81 cm)
Bridge Clearance 4' 5" (1.37 m)
Bridge Clearance w/ Bimini 6' 7" (2.01 m)



210 SPORTSMAN

KEY FEATURES

- Foam filled, fiberglass, stringers – composite transom
- Multi-purpose boat suited for fishing and watersports
- Enclosed head compartment
- Below deck ski/wakeboard storage
- Fishboxes in floor with overboard pumpout
- Dedicated electronics flat
- Bow seating with storage underneath

SPECIFICATIONS

LOA 21' 0" (6.4 m)
Beam 8' 6" (2.59 m)
Weight 3,741 lbs (1,670 kg)
Fuel Capacity 103 gal (390 L)
Max HP 250 HP (186.5 kw)
Deadrise 19°
Draft Up 17" (43 cm)
Draft Down 33" (84 cm)
Bridge Clearance 6' 1" (1.85 m)
Bridge Clearance w/ T-top 8' 0" (2.44 m)





210 COASTAL®

KEY FEATURES

- Foam filled fiberglass stringer system with integral high density composite transom
- Full FRP cabin liner
- Full height transom and splashwell with maximized cockpit space
- Fish boxes - port/stbd with overboard pumpout
- Lighted baitwell (88 qt.) with overboard drain
- Storage - port/stbd under helm seats
- Stainless steel gunwale mounted rod holders (4)

SPECIFICATIONS

LOA 21' 0" (6.4 m)

Beam 8' 6" (2.59 m)

Weight 3,575 lbs. (1,626 kg)

Fuel Capacity 103 gal (390 L)

Water Capacity 5 gal (19 L)

Max HP 250 HP (186.5 kw)

Deadrise 19°

Draft Up 17" (43 cm)

Draft Down 33" (84 cm)

Bridge Clearance w/Bimini 7' 0" (2.13 m)

Bridge Clearance w/Hardtop 7' 11" (2.41 m)





232 COASTAL®

KEY FEATURES

- Full height transom
- Foam filled, fiberglass, stringer with integral high density composite transom
- Full FRP cabin liner with diamond pattern skid resistant surface
- Fish/storage boxes below helm seats
- Lighted baitwell 84 qt. with overboard drains
- Recessed powdercoated grab rails-port/stbd
- Rod storage under gunwales

SPECIFICATIONS

LOA 22' 4" (6.81 m)
Beam 8' 8" (2.64 m)
Weight 3,600 lbs (1,633 kg)
Fuel Capacity 116 gal (439 L)
Water Capacity 8 gal (30 L)
Max HP 300 HP (224 kw)
Deadrise 20°
Draft Up 15" (38 cm)
Draft Down 32" (81 cm)
Bridge Clearance 6' 0" (1.83 m)
Bridge Clearance w/ Bimini 8' 0" (2.43 m)
Bridge Clearance w/ Hardtop 8' 1" (2.44 m)



252 COASTAL®

KEY FEATURES

- Full height transom
- Foam filled, fiberglass, stringer with integral high density composite transom
- Full fiberglass cabin liner with stretched soft touch headliner
- Aft fishboxes port/stbd include Macerator with overboard pump out
- Integrated cooler/dry storage under helm seats
- Lighted baitwell 84 qt. with overboard drain
- Battery switch access behind stbd helm seat

SPECIFICATIONS

LOA 24' 4" (7.42 m)
Beam 8' 9" (2.66 m)
Weight 4,360 lbs (1,978 kg)
Fuel Capacity 133 gal (503 L)
Water Capacity 9 gal (34 L)
Max HP 400 HP (298 kw)
Deadrise 20°
Draft Up: 16" (41 cm)
Draft Down: 30" (75 cm)
Bridge Clearance w/ Hardtop 8' 2" (2.49 m)





290 COASTAL®

KEY FEATURES

- Full height transom with door
- Modular port/stbd helm seating with storage
- Cruiser style cabin amenities and functional for extended fishing trips
- Kodiak Pro Flow 42 gal baitwell, light, over flow drain, clear plex bait lid and positive sealing latch
- Three integrated steps on helm for easy access to forward deck
- Integrated swim platform with boarding ladder
- Insulated fishboxes with overboard pumpout

SPECIFICATIONS

LOA 30' 2" (9.19 m)
Beam 10' 5" (3.2 m)
Weight 8,735 lbs (3,962 kg)
Fuel capacity 210 gal (795 L)
Water capacity 42 gal (159 L)
Max HP 600 HP (447 kw)
Deadrise 18°
Draft Up 22" (56 cm)
Draft Down 33" (84 cm)
Bridge Clearance 7' 3" (2.2 m)
Bridge Clearance w/Bimini Top 8' 3" (2.51 m)
Bridge Clearance w/Hardtop 9' 0" (2.74 m)



340 COASTAL®

KEY FEATURES

- Foam stringers with composite transom
- Impressive standard equipment includes - generator, air conditioner, and windlass
- Easy bilge/equipment access with hinged aft seat assembly
- Large windshield for weather protection with walkthru to foredeck
- Port/stbd pilot berths for additional sleeping capacity-large aft cabin
- Full featured galley includes stainless sink, Corian® countertop,
- Lockable rod storage on hardtop

SPECIFICATIONS

LOA 34' 1" (10.38 m)
Beam 11' 9" (3.58 m)
Weight 13,500 lbs (5,036 kg)
Fuel capacity 366 gal (1385 L)
Water capacity 56 gal (212 L)
Max HP 750 HP (560 kw)
Deadrise 20°
Draft Up 20" (51 cm)
Draft Down 32" (81 cm)
Bridge Clearance w/Hardtop 10' 2" (3.09 m)





30 SCARAB[®] SPORT OFFSHORE

KEY FEATURES

- Composite transom
- Forward Cuddy Cabin
- Port/stbd lounges
- Head with sink and shower underneath helm station
- Fishboxes & storage - fwd/aft & port/stbd
- Portside amenity station includes refrigerator, stove and sink
- Rigging station at transom

SPECIFICATIONS

LOA 30' 2" (9.19 m)

Beam 9' 2" (2.79 m)

Weight 7,275 lbs (3,303 kg)

Fuel Capacity 268 gal (1,014 L)

Water Capacity 13 gal (49 L)

Max HP 600 HP (447 kw)

Deadrise 23°

Draft Up: 23" (58 cm)

Draft Down: 31" (79 cm)

Bridge Clearance w/ Arch 8' 2" (2.49 m)

SCARAB[®]
OFFSHORE SERIES






30 SCARAB[®] TOURNAMENT OFFSHORE

KEY FEATURES

- Composite transom
- Lockable storage under forward sole hatch
- Center console with head
- Tilt out storage bins - port/starboard
- FRP T-top with electronics box, rod holders, and PFD storage bags
- Rigging station at transom
- Pressurized fresh and raw water

SPECIFICATIONS

LOA 30' 2" (9.19 m)
Beam 9' 2" (2.79 m)
Weight 6,635 lbs (3,010 kg)
Fuel Capacity 268 gal (1,015 L)
Water Capacity 13 gal (49 L)
Max HP 600 HP (447 kw)
Deadrise 23°
Draft Up 23" (58 cm)
Draft Down 31" (79 cm)
Bridge Clearance w/ T-top 8' 10" (2.73 m)



35 SCARAB[®] SPORT OFFSHORE

KEY FEATURES

- Wider beam provides more seating and cockpit space
- Rigging station at transom with sink
- Foam fiberglass encapsulated stringer system and composite transom
- Pressurized raw and fresh water system w/hot water heater
- Powdercoated sport arch w/elect box & rocket launchers
- Amenities offer fishing excursions as well as extended family cruising
- Wider console -includes self-contained head, sink and access to console rigging

SPECIFICATIONS

LOA 35' 4" (10.76 m)
Beam 9' 11" (3.02 m)
Weight 8,800 lbs (3,992 kg)
Fuel Capacity 376 gal (1,423 L)
Water Capacity 13 gal (49 L)
Max HP 1,050 HP (782 kw)
Deadrise 23°
Draft Up 23" (58 cm)
Draft Down 33" (84 cm)
Draft Down Triple 39" (96 cm)
Bridge Clearance w/ T-top 8' 4" (2.54 m)
Bridge Clearance w/ arch 7' 11" (2.41 m)





35 SCARAB® OFFSHORE TOURNAMENT

KEY FEATURES

- Wider beam provides more seating and cockpit space
- Plenty of storage with 4 tilt-out storage bins
- Forward casting platform
- Large center console (6'2" head room) w/head & sink with hand held shower
- T-top FRP w/rod holders, spreader lights, electric box & PFD storage
- Rigging station at transom with sink
- Foam fiberglass encapsulated stringer system and composite transom

SPECIFICATIONS

- LOA** 35' 4" (10.76 m)
- Beam** 9' 11" (3.02 m)
- Weight** 8,600 lbs (3,901 kg)
- Fuel Capacity** 376 gal (1,423 L)
- Water Capacity** 13 gal (49 L)
- Max HP** 1050 HP (783 kw)
- Deadrise** 23°
- Draft Up** 23" (58 cm)
- Draft Down** 33" (84 cm)
- Draft Down Triple** 39" (96 cm)
- Bridge Clearance w/ T-top** 8' 4" (2.54 m)
- Bridge Clearance w/ Sport Arch** 7' 11" (2.41 m)



POWER OPTIONS



Wellcraft® boats are powered by some of the best engines in the industry: Evinrude®, Mercury®, and Yamaha®. You'll also benefit from an engine manufacturer's limited warranty plan. See your Wellcraft dealer for details. Ask your dealer to recommend the best power package for your boating needs.

GEL COLOR OPTIONS



Deep Navy



Impact Red



Onyx Black



Steel Grey



White

INTERIOR COLOR OPTIONS



Deep Navy



Impact Red



Onyx Black



White

LIMITED WARRANTY

Coverage under Wellcraft's limited warranty includes generally 1-year non-structural parts and components, 1 year gel coat cosmetic, 5-year structural components of the deck and liner, and 10-year structural components of the hull, stringer, and transom. This warranty is transferable. Please see your Wellcraft dealer for more details on our limited warranty.

STANDARDS & OPTIONS

Model	FISHERMAN				SPORTSMAN		COASTAL®					SCARAB® OFFSHORE				
	180F	210F	232F	252F	180S	210S	210C	232C	252C	290C	340C	30SS	30ST	35SS	35ST	
Hull and Deck																
Anchor	-	-	-	-	-	-	-	-	-	-	std	opt	opt	opt	opt	
Anchor Locker	std	std	std	std	std	std	std	std	std	std	std	std	std	std	std	
Bow roller and deck pipe/anchor chute	-	std	std	std	-	std	std	std	std	std	std	opt	opt	std	std	
Bow rail -aluminum	-	-	-	-	-	-	-	-	-	-	-	-	std		std	
Bow rail - powder coated	-	std	std	std	-	-	-	-	-	-	-	std	opt	std	opt	
Bow rail - stainless steel	opt	opt	opt	std	-	-	std	std	std	std	std	-	-	-	-	
Bow sunpad	-	-	-	-	-	-	-	-	-	-	opt	opt	-	-	-	
Bow thruster	-	-	-	-	-	-	-	-	-	-	opt	-	-	-	-	
Cleats (fixed) - thru bolted stainless steel	std		std	std	std	-	std	std	std	std	std	-	-	-	-	
Cleats (pull-up) - thru bolted stainless steel	-	std	-	-	-	std	-	-	-	-	-	std	std	std	std	
Compliant with Coast Guard Safety standards, NMMA certified	std	std	std	std	std	std	std	std	std	std	std	std	std	std	std	
Deck Hatch	-	-	-	-	-	-	std	std	std	std	std	std	-	std	-	
Dive Ladder - Heavy Duty	-	-	opt	opt	-	opt	opt	opt	opt	std	std	opt	opt	opt	opt	
Dive/Swim platform (integrated)	std	-	std	std	std	-	-	std	std	std	std	std	std	std	std	
Dive Platform with Ladder (half)	-	std	-	-	-	std	std	-	-	-	-	-	-	-	-	
Dive pkg (heavy duty dive ladder, freshwater transom shower)	-	-	-	-	-	-	-	-	opt	-	-	-	-	-	-	
Swim Ladder flip down	std	-	std	std	std	-	-	std	std	-	-	-	-	-	-	
Enclosed Hardtop Pkg (4 rd hldrs, defroster, w/s vents, dome and spreader lights)	-	-	-	-	-	-	-	opt	opt	-	-	-	-	-	-	
Fiberglass Stringer system	std	std	std	std	std	std	std	std	std	-	-	-	-	-	-	
Foam Flotation	std	std	std	std	std	std	std	std	std	std	std	std	std	std	std	
Hard Top - fiberglass with rod holders	-	-	-	-	-	-	opt	std	std	std	std	-	-	-	-	
Hull color, all white with waterline stripe	std	std	std	std	std	std	std	std	std	std	std	std	std	std	std	
Hull color, two tone, choice of four colors	opt	opt	opt	opt	opt	opt	opt	opt	opt	opt	opt	opt	opt	opt	opt	
Hull color, solid color, choice of four colors	opt	opt	opt	opt	opt	opt	opt	opt	opt	opt	opt	opt	opt	opt	opt	
Hull color, solid color, black sides w/ impact red hull bottom	-	-	opt	opt	-	-	-	opt	opt	-	-	-	-	-	-	
Outriggers: Taco Grand slam	-	-	opt	opt	-	-	-	-	-	opt	opt	opt	opt	opt	opt	
Port lights	-	-	-	-	-	-	std	std	std	std	std	-	-	-	-	
Powder coat package	-	-	-	-	-	-	-	-	-	-	-	-	opt	std	opt	
Rails - powder coated	-	std	std	std	-	-	std	std	std	std	std	std	opt	std	opt	
Rub rail, Heavy duty w/stainless insert	std	std	std	std	std	std	std	std	std	std	std	opt	opt	opt	opt	
Rod Holders - flush mount	std	std	std	std	std	std	std	std	std	std	std	std	std	std	std	
Rod Racks - under gunnel	std	std	std	std	opt	std	std	std	std	std	std	std	std	std	std	
Rod Racks - transom mounted	-	-	-	-	-	-	-	-	-	opt	-	-	-	opt	opt	

STANDARDS & OPTIONS

Model	FISHERMAN				SPORTSMAN		COASTAL®						SCARAB® OFFSHORE			
	180F	210F	232F	252F	180S	210S	210C	232C	252C	290C	340C	30SS	30ST	35SS	35ST	
Freshwater system	-	opt	opt	opt	-	opt	opt	opt	std	std	std	std	std	std	std	
Grab rails - stainless steel	-	-	-	-	std	-	-	-	-	-	-	-	std	-	std	
Grab rails - powdercoated	-	std	std	std	-	std	std	std	std	std	std	std	opt	opt	std	opt
Helm storage	-	-	std	std	-	std	std	std	std	std	std	std	std	std	std	std
Knife and pliers rack	-	-	-	-	-	-	-	-	-	std	-	-	-	-	-	
Cutting board	-	-	std	std	-	-	std	std	std	std	std	std	std	std	std	std
Leaning post seat	-	std	std	std	-	-	-	-	-	-	-	std	std	std	std	
Livewell	std	std	std	std	opt	std	std	std	std	-	-	std	std	std	std	
Kodiak™ baitwell	-	-	-	-	-	-	-	-	-	std	std	-	opt	opt	opt	
Raw water washdown system	std	std	std	std	opt	std	std	std	std	std	std	std	std	std	std	std
Refrigerator, Stainless steel	-	-	-	-	-	-	-	-	-	-	opt	opt	-	-	-	
Rigging station	-	-	-	-	-	-	opt	-	-	-	-	std	std	std	std	
Seating - dropout bolster w/aft baitwell	-	-	-	-	-	-	-	-	-	-	-	-	opt	opt	opt	
Seating - dropout bolster w/aft facing seat	-	-	-	-	-	-	-	-	-	-	-	-	opt	opt	opt	
Seating - forward console	std	opt	opt	opt	-	-	-	-	-	-	-	-	std	std	std	
Seating - helm	std	std	std	std	std	std	std	std	std	std	std	std	std	std	std	std
Seating - pedestal with cushions	-	-	-	-	std	std	std	std	std	-	-	-	-	-	-	
Seating - back to back lounge, port	-	-	-	-	opt	opt	-	-	-	-	-	-	-	-	-	
Seating - backrest for leaning post	-	opt	-	-	-	-	-	-	-	-	-	-	-	-	-	
Seating - port module	-	-	-	-	-	-	-	-	-	std	std	-	-	-	-	
Self-draining, non-skid fiberglass floor	std	std	std	std	std	std	std	std	std	std	std	std	std	std	std	std
Seating - port & starboard under gunwale	-	-	-	-	-	-	-	-	-	-	opt	-	-	-	-	
Ski pylon	-	-	-	-	opt	opt	-	-	-	-	-	-	-	-	-	
Tackle storage	-	std	std	std	-	std	std	std	std	std	std	std	std	std	std	std
Tackle center with storage	-	-	-	-	-	-	opt	-	-	std	-	-	-	-	-	
Cabin																
Aft cabin	-	-	-	-	-	-	-	-	-	std	std	-	-	-	-	
Air conditioner	-	-	-	-	-	-	-	-	-	opt	std	opt	-	opt	-	
Berth with cushions	-	-	-	-	-	-	std	std	std	std	std	std	-	-	-	
Cabin door - lockable	-	-	-	-	-	-	std	std	std	std	std	std	-	std	-	
Cabin floor - Teak & Holly	-	-	-	-	-	-	-	-	-	opt	std	-	-	-	-	
Carpet - snap-in	-	-	-	-	-	-	-	-	opt	std	opt	-	-	-	-	
Dinette table	-	-	-	-	-	-	opt	opt	std	std	std	-	-	-	-	
Galley with Granulon countertop and sink	-	-	-	-	-	-	-	-	-	std	std	-	-	-	-	

STANDARDS & OPTIONS

Model	FISHERMAN				SPORTSMAN		COASTAL®					SCARAB® OFFSHORE				
	180F	210F	232F	252F	180S	210S	210C	232C	252C	290C	340C	30SS	30ST	35SS	35ST	
Galley with pressure water system	-	-	-	-	-	-	opt	opt	std	std	std	-	-	-	-	
Hanging locker	-	-	-	-	-	-	-	-	-	std	std	-	-	-	-	
Lighting - 12V w/switch	-	-	-	-	-	-	std	std	std	-	-	std	-	std	-	
Lighting - direct/indirect	-	-	-	-	-	-	-	-	-	std	std	-	-	-	-	
Microwave	-	-	-	-	-	-	-	-	-	std	std	-	-	-	-	
Refrigerator	-	-	-	-	-	-	-	-	-	std	std	opt	-	-	-	
Setee - port/stbd converts to twin pilot berth	-	-	-	-	-	-	-	-	-	std	std	-	-	-	-	
Shore power	-	-	-	-	-	-	-	-	-	std	std	-	-	std	-	
Stove (butane on 210 C	-	-	-	-	-	-	opt	opt	opt	std	std	-	-	-	-	
TV/DVD player, includes TV & telephone inlet	-	-	-	-	-	-	-	-	-	opt	opt	-	-	-	-	
Head compartment																
Duplex outlet - GFI protected	-	-	-	-	-	-	-	-	-	std	std	-	-	-	-	
Full fiberglass head compartment with ventilation	-	-	-	-	-	-	-	-	-	std	std	-	-	-	-	
Head - self-contained	-	-	-	-	-	-	std	std	std	-	-	-	-	-	-	
Head - dockside pumpout	-	-	-	-	-	-	opt	opt	-	-	-	-	-	-	-	
Head - overboard discharge	-	-	-	-	-	-	-	-	opt	opt	opt	-	-	-	-	
Head - Sealand Vacuflush™ with holding tank	-	-	-	-	-	-	-	-	opt	std	std	-	-	-	-	
Head marine - dockside pumpout	-	-	-	-	-	-	-	opt	opt	-	-	-	-	-	-	
Mirror - full length	-	-	-	-	-	-	-	-	-	std	std	-	-	-	-	
Shower - hand held	-	-	-	-	-	-	-	-	-	std	std	-	-	-	-	
Toilet paper holder	-	-	-	-	-	-	-	std	std	std	std	-	-	-	-	
Vanity - sink and storage	-	-	-	-	-	-	-	-	-	std	std	-	-	-	-	
Head console																
Full fiberglass head compartment with ventilation	-	-	-	-	-	-	-	-	-	-	-	std	std	std	std	
Head - dockside pumpout	-	opt	-	-	-	opt	-	-	-	-	-	-	-	-	-	
Head - self-contained	-	std	std	std	-	std	-	-	-	-	-	std	std	std	std	
Head - overboard discharge	-	-	-	opt	-	-	-	-	-	-	-	opt	-	opt	opt	
Head - Sealand Vacuflush with holding tank & dockside pumpout	-	-	-	opt	-	-	-	-	-	-	-	-	-	-	-	
Head marine - dockside pumpout	-	-	-	-	-	-	-	-	-	-	-	opt	opt	opt	opt	
Port lights	-	std	std	std	-	-	-	-	-	-	-	std	std	std	std	
Shower - hand held	-	-	-	-	-	-	-	-	-	-	-	std	-	std	std	
Toilet paper holder	-	-	std	std	-	-	-	-	-	-	-	std	std	std	std	

STANDARDS & OPTIONS

Model	FISHERMAN				SPORTSMAN		COASTAL®					SCARAB® OFFSHORE				
	180F	210F	232F	252F	180S	210S	210C	232C	252C	290C	340C	30SS	30ST	35SS	35ST	
Mechanical																
Accessory plug - 12V	std	std	std	std	std	std	std	std	std	std	std	std	std	std	std	std
Auxiliary fuel tank	-	-	-	-	-	-	-	-	-	opt	-	-	-	-	-	
Battery box - heavy duty	-	-	-	-	-	-	-	-	-	-	std	std	std	std	std	
Battery charger	-	-	-	-	-	-	opt	opt	opt	std	std	std	opt	std	std	
Battery switch	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Battery switch dual	-	std	std	std	-	std	std	std	std	std	std	std	std	std	std	
Bilge pump with auto float switch	std	std	std	std	std	std	std	std	std	std	std	std	std	std	std	
Compass	std	std	std	std	std	std	std	std	std	std	std	std	std	std	std	
Detector - carbon monoxide	-	-	-	-	-	-	std	std	std	std	std	std	-	std		
Dockside water connection	-	opt	opt	opt	-	opt	opt	opt	std	std	std	std	std	std	std	
Fuel tank, additional 70 gal	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Garmin™ Electronics Pkg (7" display and VHF 100 radio)	-	-	opt	opt	-	-	-	opt	opt	-	-	-	-	-	-	
Garmin™ Radar (4kw with 18" high definition dome)	-	-	-	-	-	-	-	opt	opt	-	-	-	-	-	-	
Generator	-	-	-	-	-	-	-	-	-	opt	std	-	-	opt	-	
Horn	std	std	std	std	std	std	std	std	std	std	std	std	std	std	std	
Hydraulic steering (Std on 150 hp and up)	opt	std	std	std	opt	std	std	std	std	std	std	std	std	std	std	
Ignition interrupter with lanyard	std	std	std	std	std	std	std	std	std	std	std	std	std	std	std	
Instrumentation - system check (tachometer, fuel, trim, speedometer)	std	-	-	-	std	-	-	-	-	-	-	-	-	-	-	
Instrumentation - full (digital)	-	std	std	std	-	std	std	std	std	std	std	std	std	std	std	
Navigation lights	std	std	std	std	std	std	std	std	std	std	std	std	std	std	std	
Oil Tank storage with remote fill	opt	opt	opt	opt	opt	opt	opt	opt	opt	opt	opt	opt	opt	-	-	
Multimedia CTR - LCD TV w/tuner, DVD player, TV /telephone inlet w/antenna	-	-	-	-	-	-	-	-	-	opt	opt	-	-	-	-	
Pressurized freshwater system with transom shower	-	opt	opt	opt	-	opt	opt	opt	opt	std	std	std	std	std	std	
Pre-wire for windlass	-	-	-	-	-	-	-	-	-	std	-	std	std	std	std	
Propeller	std	std	std	std	std	std	std	std	std	std	std	std	std	std	std	
Raymarine™ E127 Elect Pkg (12" display w/chart plotter, fish finder, gps & VHF radio)	-	-	-	-	-	-	-	-	-	opt	opt	opt	opt	opt	opt	
Raymarine™ Radar (4 kw dome)	-	-	-	-	-	-	-	-	-	opt	opt	opt	opt	opt	opt	
Raymarine™ Radar (4 kw open array)	-	-	-	-	-	-	-	-	-	opt	opt	opt	opt	opt	opt	
Remote spotlight	-	-	-	-	-	-	-	-	-	opt	-	opt	opt	opt	opt	
Shore power w/50' cord	-	-	-	-	-	-	-	-	-	std	std	std	-	std	std	
Steering - hydraulic	opt	std	std	std	opt	std	std	std	std	std	std	std	std	std	std	
Steering - non-feedback	std	-	-	-	std	-	-	-	-	-	-	-	-	-	-	
Steering - power assist	-	-	-	-	-	-	-	-	-	opt	std	opt	opt	opt	opt	

STANDARDS & OPTIONS

Model	FISHERMAN				SPORTSMAN		COASTAL®					SCARAB® OFFSHORE			
	180F	210F	232F	252F	180S	210S	210C	232C	252C	290C	340C	30SS	30ST	35SS	35ST
Steering Wheel - stainless	std	std	std	std	std	std	std	std	std	std	std	std	std	std	std
Stereo - AM/FM with CD player & MP3 jack	-	opt	opt	opt	opt	opt	opt	opt	opt	std	std	std	std	std	std
Stereo upgrade - subwoofer, power amp, 2 additional speakers	-	-	-	-	-	-	-	-	-	opt	std	-	-	-	-
Trim tabs - dual ram	-	-	-	-	-	-	-	-	-	-	-	std	std	std	std
Trim tabs - hydraulic	-	opt	opt	std	-	opt	opt	opt	std	std	std	-	-	-	-
Trim tabs - heavy duty	-	-	-	-	-	-	-	-	-	-	-	opt	opt	opt	opt
VHF radio with antenna	-	-	opt	opt	-	-	-	opt	opt	opt	opt	opt	opt	opt	opt
Water heater	-	-	-	-	-	-	-	-	-	std	std	std	-	std	-
Windlass	-	-	-	-	-	-	-	-	opt	opt	std	opt	opt	opt	opt
Windshield wiper	-	-	-	-	-	-	opt	std	std	opt	std	opt	opt	-	-
Canvas															
Bimini Top	opt	opt	opt	-	opt	std	std	opt	-	-	-	-	-	-	-
Canvas bow cover	-	-	-	-	opt	-	-	-	-	-	-	-	-	-	-
Canvas pkg (bimini)	-	-	-	-	-	-	opt	opt	-	-	-	-	-	-	-
Canvas pkg (hardtop)	-	-	-	-	-	-	opt	opt	opt	std	opt	-	-	-	-
Cockpit cover	-	-	-	-	opt	-	-	-	-	opt	-	-	-	-	-
T-top canvas enclosure	-	opt	opt	opt	-	-	-	-	-	-	-	-	opt	opt	opt

POWER OPTIONS

Model	FISHERMAN				SPORTSMAN		COASTAL					SCARAB OFFSHORE			
	180F	210F	232F	252F	180S	210S	210C	232C	252C	290C	340C	30SS	30ST	35SS	35ST
Evinrude® E-TEC	115 - 150	200 - 250	200 - 300	250	115 - 150	200 - 250	200 - 250	200 - 300	250	-	-	-	-	-	-
Evinrude® E-TEC twin	-	-	-	T 150 - 225	-	-	-	-	T 150-200	T 250	-	T 250	T 250	-	-
Evinrude® E-TEC triple	-	-	-	-	-	-	-	-	-	-	Triple 250	-	-	-	-
Mercury®	115 - 150	200 - 250	200 - 300	250 - 300	115 - 150hp	200 - 250	200 - 250	200 - 250	250 - 300	-	-	-	-	-	-
Mercury® Twin	-	-	-	T 150 - 200	-	-	-	-	T 150 - 200	T 250	-	T 250 - 300	T 250 - 300	-	-
Mercury® Triple	-	-	-	-	-	-	-	-	-	-	Triple 250	-	-	Triple 300	Triple 300
Yamaha®	115 - 150	200 - 250	200 - 300	250 - 300	115 - 150hp	200 - 250	200 - 250	200 - 300	250 - 300	-	-	-	-	-	-
Yamaha® Twin	-	-	-	T 150 - 225	-	-	-	-	T 150 - 200	T 250	T 350	T 250 - 300	T 250 - 300	T 350	T 350
Yamaha® Triple	-	-	-	-	-	-	-	-	-	-	Triple 250	-	-	Triple 300	Triple 300

Engine ratings are listed in horsepower.



An important note about the information in this booklet: Copyright, 2013, Rec Boat Holdings, LLC. ®/TM signifies trademarks of Wellcraft, LLC or suppliers. Models are shown with options and accessories. Some models are shown with optional equipment. While Wellcraft makes every effort to ensure that the information contained in this booklet is correct, unending product refinement and design changes may result in revisions to current models that may not be shown in this booklet. Wellcraft reserves the right to make changes in specifications, models, features and colors at any time.

Representations made in this catalog do not constitute a warranty of any of the products shown. All limited warranties are outlined in the Wellcraft limited warranty that accompanies each boat.

Please see your authorized Wellcraft dealer for additional information, available options and specific limited warranty details.

925 FRISBIE STREET, CADILLAC, MI 49601 | 231.775.1351