


EXCALIBUR



230 EXCALIBUR



L.O.A.	22'9" (6.93m)
Beam	8'4" (2.54m)
Dry weight w/engine (approx.)	3800 lbs. (1724kg)
Fuel capacity	75 gal. (283.8L)
Max horsepower @ prop	415 HP (309.7kw)
Deadrise	21°
Draft: up (approx.)	18" (.46m)
Draft: down (approx.)	36" (.92m)
Bridge clearance w/o top	4'10" (1.47m)
Bridge clearance w/bimini top	6'11" (2.10m)
Sleeping capacity	2
Head room	4'5" (1.35m)

KEY SALES FEATURES

- All fiberglass cockpit liner • Ski storage
- Microballoon filled strakes for additional strength
 - Variable degree deadrise hull
- Complies with Coast Guard safety regulations
- All stainless steel deck hardware thru-bolted
- 10-Year structural limited hull warranty - transferable
- Integrated swim platform with boarding ladder
 - Step Lift V Π ™ bottom
 - NMMA Certified

STANDARD EQUIPMENT

HULL & DECK

Anchor light
Anchor locker
Bow eye - stainless steel
Cleats - stainless steel
Deck hatch - opening
Engine cover hinged with fiberglass liner and power lift and sun lounge cushion
Exhaust vents
Foot rest - helm and companion
Gunwale trim - heavy duty
Hand holds - stainless
Ski tow eye - stainless steel
Stainless steel rails
Stern eyes - stainless steel
Swim platform - integrated with boarding ladder
Windshield - tinted with tempered glass

COCKPIT

Aft bench seat U-shaped with ski storage below
Beverage holders
Canvas sport top - Sunbrella color matched
Cockpit carpet - snap in
Cockpit coaming storage boxes
Courtesy lights
Glove box - lockable
Seats - port & stbd adjustable bucket seats

CABIN

Cabin door - sliding with lock
Filler cushions
Lighting - 12V
V-berth with forward cushion and storage
MECHANICAL
Battery tray
Bilge blower
Bilge pump with auto float switch
Controls with trim
Engine hatch - electric
Engine mounts - aluminum thru-bolted
Fuel tank - non-corrosive - built-in
Horn - electric flush mounted
Ignition interrupter with lanyard
Instrumentation - woodgrain dash with fuel, voltmeter, tachometer, speedometer, oil pressure, water temperature, trim, depth finder
Navigation lights
Power steering with tilt wheel
Propeller - aluminum
Stereo - Clarion AM/FM CD player with all-weather speakers (4) and remote control
Switches - weather resistant
Woodgrain steering wheel

OPTIONAL EQUIPMENT

Aft seat filler cushion
Bimini top with boot - color matched Sunbrella
Canada certification
Canvas - side, aft curtain and windshield connector for bimini top
Canvas - side and aft curtain for sport top
CE certification (for export only)
Cleats - pull up stainless steel
Cockpit cover - color matched Sunbrella
Cradle
Fire extinguisher system
Gunwale trim - heavy duty with stainless steel insert
Head - self contained
Pressurized fresh water system with transom shower
Trailer - custom painted **(NEW)**
Trim tabs

*** Preferred Option Package**

Cockpit cover
Pull up cleats
Stainless steel thru hulls
Nova EX Package Option (NEW)
Battery on/off switch
Color coordinated cockpit carpet
Color coordinated cockpit canvas
Custom painted graphics red/blue/yellow
**Exhaust - Corsa Quick and Quiet Plus
Fire extinguisher system
Merc Zero effort controls with trim
Stand up bolster seating

* Note: Items in Packages cannot be ordered individually unless listed as stand alone.

**Noise abatement laws vary by state. Please check your local area.

ENGINE OPTIONS

Merc 350 MAG MPI Bravo I (A)
Merc MX 6.2 MPI Bravo I (A)
Merc MX 6.2 MPI Bravo III (A)
Merc 496 MAG Bravo I (A)

Volvo 5.7 GI SX (A)
Volvo 5.7 GI DP (A)
Volvo 5.7 GXI SX
Volvo 5.7 GXI DP
Volvo 8.1 GI DP (A)

(A) Bodensee approved

COLOR OPTIONS

Red, Blue, Green, Yellow
Hullside Gelcoat (not available with Nova Ex package)

PERFORMANCE DATA - Merc 496 Bravo I

Time to Plane	3.0 Seconds
Top Speed	67.1 MPH @ 5000 RPM
Cruise Speed	43.3 MPH @ 3500 RPM
Cruise Range	195 Miles

Performance and fuel consumption will vary and be affected by water and weather conditions, altitude, load and condition of boat, engine and propeller(s). Cruise range based on 95% of fuel capacity. All data is illustrative and is not warranted.

Specifications, options, and equipment are subject to change without notice.

NOTES

NOTES
