



# SCARAB



## 29 SCARAB SPORT OPEN



L.O.A.	28'3" (8.61m)
Beam	8'10" (2.67m)
Dry weight w/engine (approx.)	5600 lbs. (2540kg)
Fuel capacity	214 gal. (810L)
Water capacity	29 gal. (109.78L)
Max power @ prop	500 HP (373kw)
Shaft length	30" (.76m)
Deadrise	23°
Draft: up (approx.)	21" (.53m)
Draft: down (approx.)	29" (.73m)
Bridge clearance w/o T-top	5'10" (1.78m)
Bridge clearance w/T-top	7'8" (2.34m)

### KEY SALES FEATURES

- Fully featured fishboat that delivers both fishability and performance
- Stand up head compartment in console includes SeaLand™ VacuFlush head with 10 gal. holding tank and dockside pumpout
- Fish boxes (4) insulated with overboard pumpout
  - Foam fiberglass encapsulated stringer system
- Composite transom
- Recirculating livewell (37 gal.)
  - Rigging station with sink and cutting board
  - 10-year structural hull warranty - transferable
- NMMA Yacht Certification
- Pressurized fresh and raw water management system with quick disconnect and 15' hose
- Complies with Coast Guard safety regulations

## STANDARD EQUIPMENT

### HULL & DECK

Bow eye - stainless steel  
Center mount cleat with stainless steel chafe guard  
Cleats - pull up stainless steel (6)  
Foam filled, fiberglass encapsulated stringer and composite transom  
Forward anchor line storage  
Gunnel trim - heavy duty with stainless steel insert  
Hardware - thru bolted - stainless steel  
Integrated swim platform  
Heavy duty dive ladder - removable  
Rails - stainless steel  
Rod holders with cap flush mounted - 2 pair  
Rod racks - under gunnel  
Stainless steel thru hulls  
Stern eyes - stainless steel  
Transom door  
Windscreen - plexiglass

### COCKPIT

Beverage holders  
Cockpit overboard scuppers with screens  
Cockpit coaming bolsters - port/stbd  
Cockpit coaming bolsters - forward bow  
Console forward seat with beverage holders and hand holds  
Courtesy lights  
Fish boxes - insulated with overboard pumpout (4)  
Forward storage box with overboard pumpout  
Glovebox  
Hand holds - forward/mid/aft  
Livewell with light - (37 gal.) recirculating with dual pumps  
Location at console for electronics  
Rigging station includes sink and cutting board  
Seat - stand up drop out bolster with tackle storage, rod holders (4) and 68 qt. cooler

### STAND UP HEAD COMPARTMENT

12V lighting  
Accessory plug - 12V  
Portlights (2) opening with screen  
SeaLand™ VacuFlush head with 10 gal. holding tank and dockside pumpout  
Sink with pressurized fresh water and hand-held shower  
Toilet paper holder with cover  
Under sink storage

### MECHANICAL

Accessory plug - 12V  
Aft bilge lighting  
Battery trays - heavy duty  
Battery switches and parallel switch  
Bilge pump with auto float switch (2)  
Compass - high speed  
Horn - dual flush mount  
Ignition safety lanyard  
Instrumentation - fuel, volt meter, water pressure, trim, tach, speedometer, systems warning\*  
Navigation lights  
Oil tank storage with remote fills  
Pressurized fresh and raw water management system with quick disconnect and 15' hose at transom  
Propellers - stainless steel\*\*  
Steering - hydraulic tilt  
Steering wheel - stainless steel  
Stereo - Clarion AM/FM CD player with 4 speakers and remote control at helm  
Trim tabs - dual ram with indicators

\* System warning available with specific engines

\*\* Props included with preferred TW 225 hp factory installed engines and drop shipped engines only

**OPTIONAL EQUIPMENT**

Anchor roller cleat deck pipe and laynard  
 Battery charger package includes: converter with shore power and 50' cord  
 Custom program offering  
 Forward rod storage  
 Forward storage locker with cushion  
 Merc Zero Effort controls with trim  
 Overboard discharge for head  
 Pre-rig for Merc, Yamaha, Evinrude, and Johnson  
 (Tw 225 hp to Tw 250 hp)

Steering wheel with power knob  
 Trim tabs - heavy duty K-planes  
 Windlass - with electric up/down foot switches and 150' rope/chain combo, lanyard and anchor  
**\* Preferred Option Package**  
 Aft seat-fold-down  
 Additional battery (for total of 3)  
 Seat - double drop out bolster with additional livewell, tackle center and freezer  
 T-top - canvas with rod holders, spreader light (2), radio box, hand holds, PFD storage

**PAINT GRAPHICS**

Gulfstream I  
 Competition I  
 Competition III

Color Options:  
 Black  
 Blue  
 Red  
 Yellow

**ENGINE OPTIONS**

Tw Merc 225 XXL Optimax Saltwater (DIG)

Tw Yamaha F 225 TURA  
 Tw Yamaha SX 250 TURA

Tw Evinrude 225 FFI

**PERFORMANCE DATA - TW Merc 225 Optimax**

Top Speed	57 MPH @ 5660 RPM
Cruise Speed	41 MPH @ 4000 RPM
Cruise Range	411 Miles

Performance and fuel consumption will vary and be affected by water and weather conditions, altitude, load and condition of boat, engine and propeller(s). Cruise range based on 95% of fuel capacity. All data is illustrative and is not warranted.

Specifications, options, and equipment are subject to change without notice.

**NOTES**

---



---



---



---



---



---

