


NEW FOR 2006



**Welcraft®**

## 215 BAY



L.O.A.	21' 6" (6.55 m)
Beam	8' 6" (2.59 m)
Dry weight (approx.)*	1900 lbs. (861.83 kg)*
Fuel capacity (Gas)	54 gal. (204.39 L)
Max power @ prop	225 HP (167.85 kw)
Transom height	25" (.63 m)
Dead rise	14°
Draft: engine up (approx.)	10" (.25 m)
Draft: engine down (approx.)	15" (.38 m)
Bridge clearance w/o top (approx.)	5'6" (1.68 m)

\* Dry weights are calculated with standard equipment only and do not include engine(s). Dry weight will vary with engine and options installed.

### KEY SALES FEATURES

- Console baitwell with light (29 gal.) with overboard drain
- Release well center transom
- Fwd and Aft casting platforms
- Fiberglass cockpit with pebble skid resistant surfaces
  - Fwd Rod Locker
  - All stainless steel deck hardware thru-bolted
  - 10-year structural hull warranty - transferable
    - Large fish box with drain
  - Complies with Coast Guard safety regulations
    - NMMA Certified

## STANDARD EQUIPMENT

### **HULL & DECK**

Anchor storage locker  
Bow and stern eyes - stainless steel  
Cleats - stainless steel (6) 6"  
Rub rail - high impact  
Shipping cover  
Skid resistant surfaces  
Transom storage bin (removable)- stbd

### **COCKPIT**

Baitwell with light (29 gal.) - fwd console  
Beverage holders  
Cockpit courtesy lights  
Cockpit overboard scuppers  
Console rail - stainless steel  
Console rod holders (8)  
Flip back cooler seat - 92 qt  
Forward bow dry storage  
Forward casting platform  
Forward console baitwell seat cushions  
Forward fish box - insulated with overboard drain  
Glove box

Release well - center transom  
Rod storage - lockable - port forward box  
Windscreen - plexiglass

### **MECHANICAL**

Accessory plug - 12V  
Bilge pump with automatic float switch - 800 GPH  
Horn - flush mount  
Hydraulic steering  
Ignition - safety interlock system with lanyard  
Instrumentation - tachometer, fuel, speedometer, trim  
Navigation lights  
Propeller - aluminum  
Steering wheel - stainless steel  
Switches - weather resistant

## OPTIONAL EQUIPMENT

Aft bench seat with removable backrest  
Baitwell with light (15 gal.) - port transom  
Battery switch - dual  
Basic T-top includes 4 rod holders and t-top canvas (dealer installed)  
Battery charger w/inlet (not available with trolling motor charger system)  
Bimini top w/boot - premium canvas with stainless steel hardware  
Bow cushions - port/stbd  
Bow lifting ring  
Cleats stainless steel pull-up  
Cockpit bolsters - port/stbd  
Console cover - canvas  
Forward platform casting seat  
Fuel/water separator  
Helm seat stainless with 5 position backrest & 72 qt cooler (Lean post seat opt N/A)  
Lean post seat w/backrest and 72 qt cooler (helm seat SS 5-position backrest opt N/A)  
Poling platform (dealer installed)  
Propeller - stainless steel (black) (150 HP and above)  
Rod holders (2) - gunwale mount - stainless steel  
Rod racks - port/stbd

Stainless steel side rails  
Steering - tilt hydraulic (std 200 hp and above)  
Tackle box - console (3 drawer)  
Trailer - Aluminum with brakes  
Trailer - Galvanized with brakes  
Trim tabs - electric  
Trolling motor bow panel - 12/24 volt wiring system  
Trolling motor charger system  
Water pressure gauge  
Windshield rail - removable (replaces standard rail)

### **\*Preferred Option Package**

Compass  
Half dive swim platform  
Raw water washdown

### **\*Premium Hardware Package**

Stainless steel rub rail insert  
Stainless steel steering wheel with power knob  
Upgraded hullside logo

\*Note: Items in Packages cannot be ordered individually unless listed as stand-alone.



