

252 COASTAL



L.O.A.	24' 4" (7.42 m)
Beam	8' 9" (2.66 m)
Dry weight (approx.)*	4360 lbs. (1978 kg)
Fuel capacity (Gas)	140 gal. (530 L)
Water capacity	9 gal. (34 L)
Max power @ prop	400 HP (298 kw)
Shaft length single	30" (.76 m)
Shaft length twin	25" (.64 m)
Dead rise	20°
Draft: up (approx.)	16" (.40 m)
Draft: down (approx.)	29.5" (.75 m)
Bridge clearance w/o top (approx.)	6' (1.83 m)
Bridge clearance w/bimini top (approx.)	8' (2.43 m)
Bridge clearance w/hardtop (approx.)	8' 2" (2.49 m)

* Dry weights are calculated with standard equipment only and do not include engine(s). Dry weight will vary with engine and options installed.

KEY SALES FEATURES

- Full height transom
- Foam-filled, fiberglass, box section stringer with integral high density composite transom
- Full fiberglass cabin liner with molded soft touch headliner
 - Fishbox portside 128 qt. w/overboard drain
- Integrated cooler - stbd side - 44 qt. w/overboard drain
 - Lighted baitwell 84 qt. with overboard drain
- Dry storage (92 qt) under helm seat with room for safety gear
- Rod storage under gunwale port and starboard
 - Stainless steel gunwale - mounted rod holders (4)
- Fiberglass cockpit with diamond pattern skid resistant surfaces
- All stainless steel deck hardware thru-bolted
- Complies with Coast Guard safety regulations
 - 10-year structural hull warranty - transferable
 - NMMA Certified

STANDARD EQUIPMENT

HULL & DECK

Anchor rope locker w/hawse pipe
Anchor roller with cleat
Bow and stern eyes - stainless steel
Cleats (6) 8" stainless steel
Gunnel caps - with integrated stainless steel side grabrails
Integrated steps to forward deck - skid resistant
Rod holders (4) - stainless steel w/cap
Rub rail with stainless steel insert
Stainless steel rails
Swim platform - integrated
Swim ladder - flip down
Thru hulls - stainless steel
Transom full height with door
Windshield - curved tempered Solex® glass

COCKPIT

Baitwell - 84 qt. w/light and overboard drain
Beverage holders (5)
Bimini top w/boot - premium canvas with stainless steel hardware
Cockpit courtesy lights
Cockpit overboard scuppers
Cooler - 44 qt integrated stbd side with overboard drain
Fishbox - 128 qt. portside with overboard drain
Pedestal seats, adjustable with cushions port/stbd
Skid resistant surfaces
Storage under helm seat 92 qt (dry)
Tackle storage box with removable trays
Transom storage bin

MECHANICAL

Accessory plug - (2) 12V at helm
Baitwell pump - remote mount
Battery parallel with remote switch at helm
Battery switch - dual with 2 trays for single engine; 3 trays for twin engines **(new)**
Bilge pumps with automatic float switches 500 gph forward; 1500 gph aft
Breakers - weather resistant
Compass
Full instrumentation - tachometer, speedometer, fuel, volts, water pressure, trim, systems check*
Horn - flush mount
Hoses - steel reinforced
Ignition - safety interlock system w/lanyard
Navigation lights
Powered buss bar & space at helm for electronics
**Propeller - stainless steel
Raw water washdown **(new)**
Remote oil fill (2-stroke)
Steering - tilt hydraulic
Steering wheel - stainless steel w/power knob
Submersible rated electrical connections
Switches - sealed
Trim tabs

CABIN

Battery storage with tray(s)
Bi-fold locking entry door
Deck hatch - oversized with screen
Dinette table w/filler cushion and dedicated storage
Galley with sink, storage bin, and pressurized fresh water
Head - self contained, covered
Molded soft touch headliner w/integrated features including overhead rod storage
Portlights - (2) opening w/screen
Rope locker access hatch
V-berth with cushions and storage

*Systems check available with specific engines

**Drop shipped and factory rigged engines only

OPTIONAL EQUIPMENT

Canada certification
CE Certification (for export only)
Cockpit/cabin carpet - snap in
Engine cowling cover -
Sunbrella™ with logo for
Yamaha F200, F225 and
F250 only (**new**) (available
through parts department only)
Overboard discharge for
Vacuflush head only
Pre-rig for Evinrude,
Mercury and Yamaha
(Recommended HP 225 to
300hp, check for engine availability)
Steering wheel - aluminum
with power knob
Stove - butane (not available for
CE boats)
Trailer - Aluminum with
brakes (**new**)
Trailer - Galvanized with
brakes (**new**)
Vacuflush head w/holding
tank (10 gal) and dockside
pumpout
Windlass with 150' rope/chain
combo, electric up/down
switches, lanyard and
anchor (**new**)

***Seating Package**

Fold-away rear bench seat
with aft bolster
Port/Stbd cockpit bolsters
Port/Stbd jump seat cushions
with backrest

***Canvas Package for Bimini Top**

Side and drop curtains with
windshield connector

***Dive Package**

Dive ladder - heavy duty -
removable
Transom shower fresh water

***Sirius Satellite Radio System**

Clarion AM/FM CD player
Sirius Satellite Receiver and
antenna
4 speakers
Digital remote control at helm

***Hardtop Package**

Hardtop - molded, w/aluminum
frame with 2" rigging pipe,
electronics box with power
for electronics, storage, 4
rod holders, spreader light,
overhead incandescent
lights (2), full canvas
enclosure and port/stbd
windshield wipers

***Enclosed Hardtop Package (new)**

Fiberglass hardtop with 4 rod
holders
Defroster
Full windshield with opening
vents (replaces standard
windshield)
Isinglass aft closure curtain
Overhead domed lights (2)
Spreader light
Windshield wiper system -
port/stbd

***Ray Marine C80 Electronics Package 8.4" Color Display**

(Unit is radar ready - additional
components required)
(available with hardtop only)
Includes chartplotter & HDFI
fishfinder
VHF Radio - Ray 54

*Note: items in Packages cannot be
ordered individually unless listed as
stand-alone.

COLOR OPTIONS

Hullside Color Option Upgrade

Fighting Lady Yellow
Hunter Green
Midnite Blue

Interior Fabric Selection

Natural Bisque
Seashore
Tropical Breeze

ENGINE OPTIONS

Sgl Merc 225 Verado 4-stroke
Sgl Merc 250 Verado 4-stroke
Sgl Merc 275 Verado 4-stroke
Sgl Evinrude 225 E-Tec
Sgl Evinrude 250 E-Tec

Tw Evinrude 200 E-Tec
Sgl Yamaha F 225 4-stroke
Sgl Yamaha F 250 4-stroke
Tw Yamaha F 150 4-stroke
Tw Yamaha F 200 4-stroke

PERFORMANCE DATA - TW F 150 YAMAHA

Time to Plane	3.93 Seconds
Top Speed	51.7 MPH @ 6000 RPM
Cruise Speed	34 MPH @ 4000 RPM
Cruise Range	353 Miles

Performance and fuel consumption will vary and be affected by water and weather conditions, altitude, load and condition of boat, engine and propeller(s). Cruise range based on 95% of fuel capacity. All data is illustrative and is not warranted. This test done with clean bottom, no bottom paint and light to average load.

Specifications, options, and equipment are subject to change without notice.

NOTES
