

# 2014 Product Information Guide



**Wellcraft<sup>®</sup>**

# INTRODUCTION

Welcome to the Wellcraft® team.

We are pleased to provide you this sales handbook which contains information essential to representing and selling Wellcraft boats. Use this book as both a study guide as you prepare to sell the 2014 Wellcraft models and as an “on-the-court” tool to assist you in providing accurate information to prospects and buyers.

We invite and urge you to commit yourself to having a record-breaking year for Wellcraft, your dealership and yourself. Use this handbook and your dealership’s team to train, develop and support you in delivering on your goals.

This book contains product information that you can use to familiarize yourself with the boats and as a quick reference for answering your customer’s questions.

Since its 1955 introduction, Wellcraft has become a force to be reckoned with in the boating industry; but there are many competitors trying hard to keep up. A successful sale against the competitive options begins with accurately presenting Wellcraft’s superior product benefits as shown in this handbook and then relating them to the buyer’s needs.

Good luck and thank you for your hard work and commitment.

TIGHT LINES!



## TABLE OF CONTENTS

The Wellcraft® Brand .....	3
Series Overview .....	3
Eight Steps To Success.....	6
Warranty.....	8
180 Fisherman .....	16
180 Sportsman .....	20
210 Fisherman.....	24
210 Sportsman .....	28
210 Coastal® .....	32
232 Fisherman .....	36
232 Coastal® .....	40
252 Fisherman .....	44
252 Coastal® .....	48
290 Coastal® .....	52
340 Coastal® .....	56
30 Scarab® Offshore Tournament.....	60
30 Scarab® Offshore Sport.....	64
35 Scarab® Offshore Tournament .....	68
35 Scarab® Offshore Sport .....	72

### Notice:

Due to Wellcraft's policy of continual product improvement, specifications are subject to change without notice. The weights and volumes shown are approximate and can vary slightly from boat to boat. Wellcraft boats meet or exceed all USCG and NMMA requirements for certification at the date of manufacture.

**Wellcraft boats are NMMA certified using ABYC Standards.**



### Performance disclosure:

Test results for each model were obtained using specified engines at sea level in ideal conditions with two or more test drivers aboard. Your performance may vary depending upon load, altitude, temperature, humidity, water conditions, choice of prop and cleanliness of the boat's hull.

Adeptus, Attwood, Bennett, Cummins, Clarion, Evinrude, GG Schmitt, Granulon, ITW, M&G Electronics, Mercruiser, Mercury, Moeller, Norcold, Perko, Rule, SeaLand, TH Marine, Taylor Made Systems, Teleflex, Universal Products, Volvo Penta, Windline, and Yamaha are registered names with their respective companies.

## WELLCRAFT® BRAND

Wellcraft delivers an all-round boating experience for both coastal recreational fishermen and family boaters. Functionally considered layouts, a wider range of product offerings and more contemporary styling exceed owner's individual expectations when it comes to tournament or recreational fishing, cruising, diving, watersports and entertaining family and friends.

From the hull up, every Wellcraft is built with the consistency of quality and craftsmanship you'd expect from a leading boat manufacturer. Priced competitively, Wellcraft boats will continue to be recognized as the quality and value leader for boaters seeking an exciting, enjoyable and reliable all-around boating experience.

## WELLCRAFT SERIES OVERVIEW

### COASTAL® SERIES

#### **Our all-inclusive family fishing package.**

Looking for a family getaway cabin with all the comforts of home?

You'll find it aboard our luxury fishing line - The Coastal® Series.

The backend is built for business. Superior offshore fishability comes standard with plenty of storage, plenty of room to maneuver, and plenty of reasons for you and your crew to catch yourself some fun.

With a reputation for premium appointments, thoughtful innovations and impeccably considered design, every Coastal® comes with a galley, head and all the quality cruiser style amenities you would expect of a top-line pleasure craft.

Round up the family and spend the day chasing "the big one", cruising the islands or simply relaxing in the lavish luxury and amazing versatility of our Coastal® series.

## **FISHERMAN SERIES:**

**Functionally considered for the passionate fisherman.**

There are those who fit fishing into their lives. And then there's the Wellcraft® Fisherman owner who fits life into fishing. Whether it's casting a line in the backwaters or trolling offshore, the Fisherman Series has all the options to deliver a fishing experience worth repeating.

From gigantic baitwells and mammoth fish boxes to an abundance of comfortable seating, gunwale-mounted rod storage and the safe and smooth performance of Deep-V hulls, you'll find the Fisherman Series easy to want and hard not to need.

Like your favorite lure or trusted rod, once you've fished from a Wellcraft Fisherman, you can't wait to use it again.

## **SPORTSMAN SERIES**

**Introducing a portable playground for the entire family.**

Spirited and sleek, we created the Sportsman Series for families eager to catch a new world of fun. From wakeboarding and tubing to fishing and cruising the options are as endless as the waters you explore. With features including a fresh-water sink and storage capable of holding a lot more than fish, you can go places and stay for the day. When you invest in a Sportsman, you're investing in family memories that will last a lifetime.

## **SCARAB® OFFSHORE CENTER CONSOLES**

**A step up – every time you step aboard.**

The SCARAB® Offshore Center Console Series is not your average fishing boat.

These are tournament-grade center consoles built with legendary performance hulls that are tested, trusted and approved by tournament champions.

If you're after the big fish, this series puts you ahead of the game. Hold on to your hat – these long-range, highly specialized machines can be configured to unleash up to 1050 HP with on-a-dime agility.

True to Wellcraft's reputation, solid and dependable Deep-V hulls provide superior handling and a smooth dry ride that is beyond compare. And premium features provide the fishability expected by you, your crew and all who follow.

## EIGHT STEPS TO SUCCESS

The selling process consists of eight very unique and important steps – greeting, qualifying, presentation, special deal, trial close, close, deposit, and follow-up. If you take too many shortcuts or fail to recognize each step of the process, your chance of making a sale will severely diminish. Whether you're an "Old Pro" or just beginning a new career in sales, these eight steps are exactly the same, no matter what you sell. If your prospect has an apparent want or need of the product—yet does not buy—it's likely due to the sales technique instead of the product. Remember: The basic steps of sales never change! With practice, the sooner you recognize each phase of the sales process, the easier the sale will happen. Let's take a closer look and review the eight basic steps.

■ **GREETING:** You'll never get a second chance to make a good first impression. The sale happens in the first five minutes, or it doesn't happen at all...regardless of the total time spent with the prospect. Good first impressions are extremely important in the selling process. Greet every prospect right away and introduce yourself (by name) with a handshake and a smile. This approach sure beats the world's oldest cliché: "Hi...can I help you?" No matter what you say then, you'll always hear the standard reply: "No thanks, just looking." If you ask a question, make sure it will be responded to with a positive answer. It is also important to find out the customer's name and use it often.

■ **QUALIFY:** Never stop qualifying your prospect...even after the sale! What is qualifying? Qualifying is the technique of asking specific questions to determine the wants and needs of your prospect. Specific questions that should always be prefaced with: Who, What, When, Where, How and Why... We'll name those types of questions open-ended because they require your prospect to talk with you instead of simply answering your questions with a yes or no. Open-ended questions will also help a salesperson maintain control of the selling process by leading the process by leading the prospect towards good decisions. Customers buy for one reason only. Emotional satisfaction. The more immediate the gratification is, the faster they will buy! It is important to find out what budget the customer has set, as you can always move a customer up in price and size, but it is extremely difficult to move him down.

■ **PRESENTATION:** Nearly all products (and many services) must be demonstrated to be believable...and eventually purchased. This does not imply, however, in order to sell boats in the wintertime, you must take them out for a test ride. Quite the opposite. You need to first establish if you have a qualified prospect. Through effective questioning, you will determine what model, power, equipment, style or other important features your prospect wants and needs. Once you have a better idea of your prospect's needs and wants, then you've earned the right to show and demonstrate your product. Try to choose only one boat that fits your prospect's needs. Picking more than one boat requires decision and more time of the salespeople. "I have just the boat you are looking for." Don't be a tour guide, or attempt to show them every model. Be sure to listen very carefully and become an active listener. Think of yourself as an assistant buyer with your prospect. Speaking too soon or often could cause you to blow the sale. Whenever you show your product's features, be sure to get your prospect involved in the demonstration. Show and demonstrate only those features that are the most important to your prospect, then set the hook by explaining product benefits.

## EIGHT STEPS TO SUCCESS

Don't waste their time or yours talking about unimportant features. During any demonstration, be sure and ask the prospect their opinion, too. If you're tellin'...you ain't sellin'! Never say anything negative about the competition, but instead, learn the weak points of the competition and sell the positive points of Wellcraft®.

Generally, the retail customer will only remember approximately 3 points about your presentation a day later, so make sure he remembers the strongest and/or most critical points. Remember, you are also selling yourself, and many times the sale is made because the customer really likes the salesperson. Don't sell your Wellcraft dealership short; stress service, inventories, facilities, longevity, etc. Make sure that you have all your facts and figures right and that they are realistic!

■ **SPECIAL DEAL:** (Reasons to buy today!) Buying decisions are rarely determined by price alone. Even though price is important, it's usually out-weighted by other buying considerations such as availability, color, features and selection. By contrast, something that appears to be a good deal to you, may NOT be a good deal for someone else. Professional salespeople learn to present benefits instead of features as best reasons to buy the product now.

■ **TRIAL CLOSE:** THE ABC's of closing. (Always Be Closing.) The trial close should be used often to test the prospect's interest and will help you determine if and when the prospect is likely to buy. Trial closing is like taking someone's buying temperature. We determine how hot the prospect is by asking open-ended questions. Here are a few examples of trial closing questions: "How does this model look to you?" "Does this boat have what you're looking for?" "What sort of payment range did you have in mind?" "How does this Wellcraft compare with other boats you've seen?" Remember also that some objections are very likely to come up during the trial closing process too. But that's a positive signal. That means your prospect is truly interested and gives you time to pause and think about your next response. The best salespeople actually learn how to anticipate objections before they happen. When you get hit with an objection, remember this simple formula for overcoming objections: Listen, Acknowledge, Question, Think and Confirm.

■ **CLOSING:** The more you practice, the more you'll sell. There's no such thing as a good salesperson who's a poor closer. If you can't close, you can't sell. Another big difference between trial closing and closing is commitment. Closing should never be a mystery. You'll know when to close because all objections are behind. The most important rule about closing is: Ask for the order!

■ **DEPOSIT:** What you should say if you can't get paid in full. When you ask for a deposit try: "How much can you leave with us today? Instead of "I'll need 10% down to hold this price during the show." The more money you get at the time of sale, the more committed your customer is.

■ **FOLLOW-UP:** The average salesperson typically asks a prospect to buy only once. Unfortunately, that's true. But that doesn't mean all prospects are just tire kickers. Boat buyers today are no different than before, only their needs have changes. Personalized selling gets the job done today. Sell yourself, sell your dealership, sell Wellcraft and follow up often.

# WELLCRAFT® 2014 LIMITED WARRANTY WELLCRAFT FIBERGLASS BOATS

## NORTH AMERICAN

Rec Boat Holdings, LLC dba Wellcraft ("Wellcraft") warrants to you, the first North American retail purchaser of this 2014 model year Wellcraft boat or a second North American retail purchaser as noted below ("you"), that it will repair or replace, at its sole discretion, defects in materials or workmanship that occur and are reported to Wellcraft, or its factory authorized dealer, within the applicable limited warranty periods, subject to the terms, conditions and exclusions set forth below. Your acceptance of delivery of the warranted Wellcraft boat constitutes your acceptance of the terms of this limited warranty. This limited warranty gives you specific legal rights, which may vary from state to state.

**This limited warranty is the sole and exclusive express warranty from Wellcraft regarding your 2014 Wellcraft boat and there are no express warranties which extend beyond those outlined in this limited warranty. There are no implied warranties from Wellcraft, unless otherwise required under applicable law, and ALL IMPLIED WARRANTIES (INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE) ARE EXCLUDED AND DISCLAIMED WHERE ALLOWED BY APPLICABLE LAW. ANY IMPLIED WARRANTIES (IF APPLICABLE) ARE LIMITED TO THE MINIMUM PERIOD OF TIME ALLOWED UNDER APPLICABLE LAW. Some states do not allow limitations on how long an implied warranty lasts, so the above limitations may not apply to you.**

### Coverage Under this Limited Warranty:

**Exterior Cosmetic Gel Coat Limited Warranty:** The limited warranty period runs for one (1) year for defects in the boat's exterior cosmetic gel coat, including cracking, crazing, discoloring and fading, except as noted below.

**Non-structural Parts and Components Limited Warranty:** The limited warranty period runs for one (1) year for defects in non-structural parts and components, except as noted below.

**Structural Deck or Liner Limited Warranty:** The limited warranty period runs for five (5) years for Structural Deck or Liner Defects (defined below), except as noted below. For purposes of this limited warranty, the "Deck" shall mean the single fiberglass molded shell and integral fiberglass structural components above the Hull (defined below) flange (i.e. gunwale) and the "Liner" shall mean the single fiberglass molded interior shell walls and interior floor of the Hull (defined below) below the Hull flange (i.e. gunwale). A "Structural Deck or Liner Defect" shall mean a substantial defect in the boat's Hull or Liner which causes the boat to be unfit or unsafe for use as a pleasure craft under normal operating conditions.

**Structural Hull Limited Warranty:** The limited warranty period runs for ten (10) years for Structural Hull Defects (defined below), except as noted below. For purposes of this limited warranty, the "Hull" shall mean the single fiberglass molded shell and integral structure within the shell, including stringers, floorboards, transom and related structural reinforcements, all of which are below the Hull flange (i.e. gunwale). A "Structural Hull Defect" shall mean a defect that causes the Hull to be unsafe or unfit for use under normal operating conditions.

The applicable limited warranty period, for both the First and Second (if applicable) North American retail purchasers, runs from the date of delivery of the boat to the first North American retail purchaser, provided that the boat is delivered to that purchaser within twelve (12) months from the date of its manufacture. For a boat delivered to that purchaser more than twelve (12) months after the date of its manufacture, the limited warranty period runs from the date of its manufacture, not from the date the boat was delivered to the first North American retail purchaser. For a boat delivered to that purchaser more than twelve (12) months and up to thirty-six (36) months after its date of manufacture, the selling dealer will be required to submit a condition report on the boat with photos to Wellcraft before delivery of the

boat to that purchaser; Wellcraft will then determine and advise what limited warranty coverage remains in effect on the boat, if any. For a boat delivered to that purchaser more than thirty-six (36) months after the date of its manufacture, only the structural limited warranties on the boat will be in effect; all other limited warranties are voided. All limited warranties run concurrently.

This limited warranty may be transferred to a second North American retail purchaser, if the transfer occurs within five (5) years of the boat's sale to the first North American retail purchaser, for a non-refundable recording fee of \$200 (US) for boats 21' or less, \$300 (US) for boats more than 21' to 26', or \$500 (US) for boats more than 26', provided that the second North American retail purchaser purchases the boat from the first North American retail purchaser or an authorized Wellcraft dealer. To transfer the limited warranty, the second North American retail purchaser or the authorized Wellcraft dealer must send to Wellcraft, within fifteen (15) days of the boat's purchase, at the address noted below the: 1) first North American retail purchaser's plastic registration card, if available; 2) proof of purchase; and 3) the non-refundable recording fee made payable to Rec Boat Holdings, LLC dba Wellcraft. The limited warranty may only be transferred **once**. Wellcraft will confirm all limited warranty transfers, in writing, to the authorized Wellcraft dealer and/or second North American retail purchaser via email. Wellcraft reserves the right to reject a limited warranty transfer request for a Wellcraft boat that has been damaged, neglected or otherwise previously excluded from limited warranty coverage.

**THIS LIMITED WARRANTY DOES NOT COVER:**

1. A boat purchased from any party other than an authorized Wellcraft dealer or the first North American retail purchaser.
2. A boat, including its components, that has been altered or modified so as to adversely affect its operation, performance or durability, as determined by Wellcraft, or a boat that has been salvaged or declared a total loss or a constructive total loss for any reasons not covered in this limited warranty.
3. Any damage resulting from an accident or impact with another object or any damage caused by an act of nature.
4. Damage, breakage and leakage around windshields, hatches or other designed openings.
5. Boats that are damaged due to storage or exposure conditions including, but not limited to, sun or cold weather.
6. Engines, power trains, outdrives, jet pumps, controls, propellers, batteries, appliances and other equipment, accessories or components that are not manufactured by Wellcraft, whether or not they are warranted by other manufacturers. **Note:** it is the purchaser's responsibility to complete any limited warranty registration procedure that may be applicable to these components.
7. Window glass, mirrors, varnish, paint, fabrics and chromium, stainless steel and other metal finishes.
8. Gel coat fading or discoloration that occurs below or at the water line on the Hull.
9. Gel coat damage resulting from blistering and osmotic blistering and the original gel surface that has been altered in any way, including by repair, application of any coating other than marine barrier coating or marine barrier coating followed by bottom paint, improper surface preparation for paint or improper or excessive sanding, scraping or sandblasting.
10. The cost of removal or re-instatement of parts or disassembly of units to repair or replace components covered by this limited warranty.
11. A boat that has been overpowered, according to the boat's maximum recommended engine horsepower, or overloaded in excess of the maximum limits as stated on the U.S. Coast Guard Capacity Plate.

12. Any boat that has been misused; used in a negligent manner; used for racing, speed or endurance contests; used for rental or charter; used for military, rescue, fire, safety, medical, police, law enforcement, patrol or similar government uses; used for commercial purposes; used without normal maintenance; operated contrary to any instructions furnished by Wellcraft; improperly lifted or trailered; improperly secured to a trailer; or operated in violation of any federal, state, local, Coast Guard or other governmental agency laws, rules or regulations. Also, this limited warranty does not cover any damage resulting from failure to use a lower unit support device on any boat with an outboard motor when transporting the boat.
13. Estimated characteristics such as weight, speed, range, fuel consumption or other estimated performance characteristics.
14. Dealer preparation, cleaning, final adjustments and alignments in preparing the boat for delivery.
15. Fit and adjustment of exterior canvas tops, enclosures and weather covers or other soft goods.
16. Sacrificial deterioration of anti-fouling paint or zinc anodes.
17. Damage resulting from electrolysis or corrosion of any nature from any source.
18. Any failure or defect arising from previous repairs made by a non-authorized service provider, unless preapproved by Wellcraft.
19. Any defect that results in redesign of the Wellcraft boat.
20. Trailers.

**THE SOLE AND EXCLUSIVE REMEDY UNDER THIS LIMITED WARRANTY AND ANY APPLICABLE IMPLIED WARRANTY IS THE REPAIR OR REPLACEMENT, AT WELLCRAFT'S SOLE OPTION, OF WARRANTED PARTS AND COMPONENTS. WELLCRAFT EXCLUDES AND DISCLAIMS ANY LIABILITY FOR INCIDENTAL OR CONSEQUENTIAL DAMAGES, INCLUDING LOSS OF TIME, INCONVENIENCE, INSTALLMENT PAYMENTS, INSURANCE PAYMENTS, MARINA FEES, RETAIL CHARGES, TRAVEL EXPENSES, LOSS OF USE, HAUL OUT, LAUNCH, TOWING AND/OR STORAGE CHARGES, LOSS OF OR DAMAGE TO PERSONAL PROPERTY OR OTHER SIMILAR COSTS AND EXPENSES OR ANY CLAIM NOT SPECIFICALLY COVERED BY THIS LIMITED WARRANTY. Some states do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you. Any legal action alleging breach of any applicable warranty coverage must be brought within one (1) year from the date the alleged breach first occurred or the shortest period allowed under applicable law, whichever is earlier.**

#### **PRE-DELIVERY SERVICE AND LIMITED WARRANTY REGISTRATION**

Prior to delivering a new Wellcraft boat to the first North American retail purchaser, the authorized dealer is required to inspect and perform all necessary pre-delivery services including completing the "Pre-Delivery Service Record" portion of the limited warranty. Any cost associated with the pre-delivery inspection is the responsibility of the first North American retail purchaser. After completion of the necessary pre-delivery services, the first North American retail purchaser must sign the Wellcraft limited warranty registration form and Pre-Delivery Service Record provided by the dealer, where indicated. No limited warranty coverage is applicable to the boat unless these forms are completed, signed and returned to Wellcraft at the address indicated below, or via an authorized Wellcraft dealer's online dealer extranet. All information received by Wellcraft via the limited warranty registration or transfer process shall be the property of Wellcraft, and submission of information, directly or indirectly, via the limited warranty registration process shall, to the extent permitted by applicable law, be deemed to constitute consent by the purchaser and dealer to Wellcraft's use of such information at any time for all purposes allowed by law, including use of that information by third parties selected by Wellcraft. You may opt to not have your personal information disclosed to third parties and/or to not receive marketing materials from Wellcraft by sending a written request to: Wellcraft

Warranty Department, 925 Frisbie Street, Cadillac, MI 49601.

### **OBTAINING REPAIRS UNDER THIS LIMITED WARRANTY**

The authorized Wellcraft dealer will carry out the limited warranty procedures on your behalf. All limited warranty work must be performed at an authorized dealer or a sublet repair facility chosen by an authorized dealer, at the Wellcraft factory, or at another repair facility approved by Wellcraft. You are responsible for the expense associated with transporting the boat to and from the repair facility. Wellcraft must receive written notice of all limited warranty claims prior to the expiration of this limited warranty and be allowed an opportunity to resolve them.

To obtain limited warranty service, you must return the boat, including any alleged defective part, to an authorized Wellcraft dealer and present the Owner's Registration Card. If necessary, you should call Wellcraft for assistance to locate the nearest Wellcraft dealer in your area. The following procedures will apply to a limited warranty claim:

- A. The dealer will contact and receive an authorization number from Wellcraft for repairs.
- B. Upon completion of repairs, you must pay the dealer for non-covered items.
- C. You assume all liability for payment of non-authorized repairs.
- D. You must sign the Wellcraft limited warranty claim form if the claim is not submitted through the Wellcraft extranet by the dealer.

If sublet limited warranty repairs are required for any reason, the authorized Wellcraft dealer will be responsible for choosing a qualified and reputable repair facility and the authorized **Wellcraft Dealer will be responsible for all work performed by the sublet repair facility. Before referring any work to a sublet repair facility, the authorized Wellcraft dealer must submit a written estimate to Wellcraft's claims department to obtain written pre-authorization (including a claim authorization number).**

Wellcraft will not honor or pay for claims submitted for repairs by sublet repair facilities unless this procedure has been followed. Wellcraft will not authorize or pay for sublet repairs initiated because of a lack of dealer service facilities.

This document contains the entire limited warranty provided by Wellcraft. Any questions concerning the scope of this limited warranty should be directed to Wellcraft. The terms and conditions contained in this limited warranty may not be modified, altered or waived by any action, inaction or representation, whether oral or in writing, except upon the express, written authority of a senior management level employee of Wellcraft. Wellcraft does not authorize any person or persons (except a senior management level employee of Wellcraft), including Wellcraft's dealers, to change the terms of this limited warranty. (Note that your authorized Wellcraft dealer is an independent business, authorized to sell and service Wellcraft products, but is not an agent of Wellcraft). Wellcraft reserves the right to change or improve the design or manufacture of Wellcraft boats without obligation to modify any boat previously manufactured.

Wellcraft  
925 Frisbie Street  
Cadillac, MI 49601  
Telephone: 231-775-1351

# WELLCRAFT® 2014 LIMITED WARRANTY WELLCRAFT FIBERGLASS BOATS

## INTERNATIONAL

Rec Boat Holdings, LLC dba Wellcraft ("Wellcraft") warrants to you, the first International retail purchaser of this 2014 model year Wellcraft boat or a second International retail purchaser as noted below ("you"), that it will repair or replace, at its sole discretion, defects in materials or workmanship that occur and are reported to Wellcraft, or its factory authorized dealer, within the applicable limited warranty periods, subject to the terms, conditions and exclusions set forth below. Your acceptance of delivery of the warranted Wellcraft boat constitutes your acceptance of the terms of this limited warranty.

**This limited warranty is the sole and exclusive express warranty from Wellcraft regarding your 2014 Wellcraft boat, and there are no express warranties which extend beyond those outlined in this limited warranty. There are no implied warranties from Wellcraft unless otherwise required under applicable law, and ALL IMPLIED WARRANTIES (INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE) ARE EXCLUDED AND DISCLAIMED WHERE ALLOWED BY APPLICABLE LAW. ANY IMPLIED WARRANTIES (IF APPLICABLE) ARE LIMITED TO THE MINIMUM PERIOD OF TIME ALLOWED UNDER APPLICABLE LAW.** Retail purchasers in the European Union (EU) may have legal rights under applicable national legislation and the Consumers Protective Directive 1999/44/EC of the European Parliament and of the Council of 25 May 1999, governing the sale of consumer goods, which are not affected by this limited warranty. Retail purchasers in other countries may also have legal rights which are not affected by this limited warranty.

### **Coverage Under This Limited Warranty:**

**Exterior Cosmetic Gel Coat Limited Warranty:** The limited warranty period runs for one (1) year for defects in the boat's exterior cosmetic gel coat, including cracking, crazing, discoloring and fading, except as noted below.

**Non-Structural Parts And Components Limited Warranty:** The limited warranty period runs for one (1) year for defects in non-structural parts and components, except as noted below.

**Structural Deck Or Liner Limited Warranty:** The limited warranty period runs for five (5) years for Structural Deck or Liner Defects (defined below), except as noted below. For purposes of this limited warranty, the "Deck" shall mean the single fiberglass molded shell and integral fiberglass structural components above the Hull flange (i.e. gunwale) and the "Liner" shall mean the single fiberglass molded interior shell walls and interior floor of the Hull (defined below) below the Hull flange (i.e. gunwale). A "Structural Deck or Liner Defect" shall mean a substantial defect in the boat's Hull or Liner, which causes the boat to be unfit or unsafe for use as a pleasure craft under normal operating conditions.

**Structural Hull Limited Warranty:** The limited warranty period runs for ten (10) years for Structural Hull Defects, except as noted below. For purposes of this limited warranty, the "Hull" shall mean the single fiberglass molded shell and integral structure within the shell, including stringers, floorboards, transom and related structural reinforcements, all of which are below the Hull flange (i.e. gunwale). A "Structural Hull Defect" shall mean a defect that causes the Hull to be unsafe or unfit for use under normal operating conditions.

The applicable limited warranty period, for both the first and second (if applicable) International retail purchasers, runs from the date of delivery of the boat to the first International retail purchaser, provided that the boat is delivered to that purchaser within twelve (12) months from the date of its manufacture. For a boat delivered to that purchaser more than twelve (12) months after the date of its manufacture, the limited warranty period runs from the date of its manufacture, not from the date the boat was delivered to the first International retail purchaser. For a boat delivered to

that purchaser more than twelve (12) months and up to thirty-six (36) months after its date of manufacture, the selling dealer will be required to submit a condition report on the boat with photos to Wellcraft before delivery of the boat to that purchaser; Wellcraft will then determine and advise what limited warranty coverage remains in effect on the boat, if any. For a boat delivered to that purchaser more than thirty-six (36) months after the date of its manufacture, only the structural limited warranties on the boat will be in effect; all other limited warranties are voided. All limited warranties run concurrently.

This limited warranty may be transferred to a second International retail purchaser, if the transfer occurs within five (5) years of the boat's sale to the first International retail purchaser, for a non-refundable recording fee of \$200 (US) for boats 21' or less, \$300 (US) for boats more than 21' to 26', or \$500 (US) for boats more than 26', provided that the second International retail purchaser purchases the boat from the first International retail purchaser or an authorized Wellcraft dealer. To transfer the limited warranty, the second International retail purchaser or the authorized Wellcraft dealer must send to Wellcraft, within fifteen (15) days of the boat's purchase, at the address noted below the: 1) first International retail purchaser's plastic registration card, if available; 2) proof of purchase; and 3) the non-refundable recording fee made payable to Wellcraft. The limited warranty may only be transferred **once**. Wellcraft will confirm all limited warranty transfers, in writing, to the authorized Wellcraft dealer and/or second International retail purchaser via email. Wellcraft reserves the right to reject a limited warranty transfer request for a Wellcraft boat that has been damaged, neglected or otherwise previously excluded from limited warranty coverage.

#### **THIS LIMITED WARRANTY DOES NOT COVER:**

1. A boat purchased from any party other than an authorized Wellcraft dealer or the first International retail purchaser.
2. A boat, including its components, that has been altered or modified so as to adversely affect its operation, performance or durability, as determined by Wellcraft, or a boat that has been salvaged or declared a total loss or a constructive total loss for any reasons not covered in this limited warranty.
3. Any damage resulting from an accident or impact with another object or any damage caused by an act of nature.
4. Damage, breakage and leakage around windshields, hatches or other designed openings.
5. Boats that are damaged due to storage or exposure conditions including, but not limited to, sun or cold weather.
6. Engines, power trains, outdrives, jet pumps, controls, propellers, batteries, appliances and other equipment, accessories or components that are not manufactured by Wellcraft, whether or not they are warranted by other manufacturers. Note: it is the purchaser's responsibility to complete any limited warranty registration procedure that may be applicable to these components.
7. Window glass, mirrors, varnish, paint, fabrics and chromium, stainless steel and other metal finishes.
8. Gel coat fading or discoloration that occurs below or at the water line on the Hull.
9. Gel coat damage resulting from blistering and osmotic blistering; and the original gel surface that has been altered in any way, including by repair, application of any coating other than marine barrier coating or marine barrier coating followed by bottom paint, improper surface preparation for paint or improper or excessive sanding, scraping or sandblasting.
10. The cost of removal or re-instatement of parts or disassembly of units to repair or replace components covered by this limited warranty.
11. A boat that has been overpowered, according to the boat's maximum recommended engine horsepower, or overloaded in excess of the maximum limits as stated on the Capacity Plate.

12. Any boat that has been misused or used in a negligent manner; used for racing, speed or endurance contests; used for rental or charter; used for military, rescue, fire, safety, medical, police, law enforcement, patrol or similar government uses; used for commercial purposes; used without normal maintenance; operated contrary to any instructions furnished by Wellcraft; improperly lifted or trailered; improperly secured to a trailer; or operated in violation of any federal, state, local or governmental agency laws, rules or regulations. Also, this limited warranty does not cover any damage resulting from failure to use a lower unit support device on any boat with an outboard motor when transporting the boat.
13. Estimated characteristics such as weight, speed, range, fuel consumption or other estimated performance characteristics.
14. Dealer preparation, cleaning, final adjustments and alignments in preparing the boat for delivery.
15. Fit and adjustment of exterior canvas tops, enclosures and weather covers or other soft goods.
16. Sacrificial deterioration of anti-fouling paint or zinc anodes.
17. Damage resulting from electrolysis or corrosion of any nature from any source.
18. Any failure or defect arising from previous repairs made by a non-authorized service provider, unless preapproved by Wellcraft.
19. Any defect that results in redesign of the Wellcraft boat.
20. Trailers.

**THE SOLE AND EXCLUSIVE REMEDY UNDER THIS LIMITED WARRANTY AND ANY APPLICABLE IMPLIED WARRANTY IS THE REPAIR OR REPLACEMENT, AT WELLCRAFT'S SOLE OPTION, OF WARRANTED PARTS AND COMPONENTS. WELLCRAFT EXCLUDES AND DISCLAIMS ANY LIABILITY FOR INCIDENTAL OR CONSEQUENTIAL DAMAGES, INCLUDING LOSS OF TIME, INCONVENIENCE, INSTALLMENT PAYMENTS, INSURANCE PAYMENTS, MARINA FEES, RETAIL CHARGES, TRAVEL EXPENSES, LOSS OF USE, HAUL OUT, LAUNCH, TOWING AND/OR STORAGE CHARGES, LOSS OF OR DAMAGE TO PERSONAL PROPERTY OR OTHER SIMILAR COSTS AND EXPENSES OR ANY CLAIM NOT SPECIFICALLY COVERED BY THIS LIMITED WARRANTY. Any legal action alleging breach of any applicable warranty coverage must be brought within one (1) year from the date the alleged breach first occurred or the shortest period of time allowed under applicable law. Any claim by a retail purchaser in the EU that the boat was nonconforming at the time of delivery must be made within two (2) years from the date of delivery.**

#### **PRE-DELIVERY SERVICE AND LIMITED WARRANTY REGISTRATION**

Prior to delivering a new Wellcraft boat to the first International retail purchaser, the authorized dealer is required to inspect and perform all necessary pre-delivery services including completing the "Pre-Delivery Service Record" portion of the limited warranty. Any cost associated with the pre-delivery inspection is the responsibility of the first International retail purchaser. After completion of the necessary pre-delivery services, the first International retail purchaser must sign the Wellcraft limited warranty registration form and Pre-Delivery Service Record provided by the dealer, where indicated. No limited warranty coverage is applicable to the boat unless these forms are completed, signed and returned to Wellcraft at the address indicated below, or via an authorized Wellcraft dealer's online dealer extranet. All information received by Wellcraft via the limited warranty registration or transfer process shall be the property of Wellcraft, and submission of information, directly or indirectly, via the limited warranty registration process shall, to the extent permitted by applicable law, be deemed to constitute consent by the purchaser and dealer to Wellcraft's use of such information at any time for all purposes allowed by law, including use of that information by third parties selected by Wellcraft. You may opt to not have your personal information disclosed to third parties and/or to not receive marketing materials from Wellcraft by sending a written request to: Wellcraft Warranty Department, 925 Frisbie Street, Cadillac, MI 49601.

## **OBTAINING REPAIRS UNDER THIS LIMITED WARRANTY**

The authorized Wellcraft dealer will carry out the limited warranty procedures on your behalf. All limited warranty work must be performed at an authorized dealer or a sublet repair facility chosen by an authorized dealer, at the Wellcraft factory, or at another repair facility approved by Wellcraft. You are responsible for the expense associated with transporting the boat to and from the repair facility. Wellcraft must receive written notice of all limited warranty claims prior to the expiration of this limited warranty and be allowed an opportunity to resolve them.

To obtain limited warranty service, you must return the boat, including any alleged defective part, to an authorized Wellcraft dealer and present the Owner's Registration Card. If necessary, you should call Wellcraft for assistance to locate the nearest Wellcraft dealer in your area. The following procedures will apply to a warranty claim:

- A. The dealer will contact and receive an authorization number from Wellcraft for repairs.
- B. Upon completion of repairs, you must pay the dealer for non-covered items.
- C. You assume all liability for payment of non-authorized repairs.
- D. You must sign the Wellcraft limited warranty claim form if the claim is not submitted through the Wellcraft extranet by the dealer.

If sublet limited warranty repairs are required for any reason, the authorized Wellcraft dealer will be responsible for choosing a qualified and reputable repair facility and the authorized **Wellcraft Dealer will be responsible for all work performed by the sublet repair facility. Before referring any work to a sublet repair facility, the authorized Wellcraft dealer must submit a written estimate to Wellcraft's claims department to obtain written pre-authorization (including a claim authorization number).**

Wellcraft will not honor or pay for claims submitted for repairs by sublet repair facilities unless this procedure has been followed. Wellcraft will not authorize or pay for sublet repairs initiated because of a lack of dealer service facilities.

This document contains the entire limited warranty provided by Wellcraft. Any questions concerning the scope of this limited warranty should be directed to Wellcraft. The terms and conditions contained in this limited warranty may not be modified, altered or waived by any action, inaction or representation, whether oral or in writing, except upon the express, written authority of a senior management level employee of Wellcraft. Wellcraft does not authorize any person or persons (except a senior management level employee of Wellcraft), including Wellcraft's dealers, to change the terms of this limited warranty. (Note that your authorized Wellcraft dealer is an independent business, authorized to sell and service Wellcraft products, but is not an agent of Wellcraft). Wellcraft reserves the right to change or improve the design or manufacture of Wellcraft boats without obligation to modify any boat previously manufactured.

Wellcraft  
925 Frisbie Street  
Cadillac, MI 49601  
Telephone: (231) 775-1351

## 180 FISHERMAN



L.O.A.	18' 0" (5.48 m)
Beam	8' 0" (2.44 m)
Dry weight (approx.)*	2065 lbs (937 kg)
Fuel capacity	51 gal (193 L)
Max power @ prop	150 HP (111.9 kw)
Shaft length	20" (51 cm)
Deadrise	20°
Draft (engine up)	15" (38 cm)
Draft (engine down)	32" (81 cm)
Bridge clearance	4' 5" (1.37 m)
Bridge clearance w/bimini top	6' 7" (2.01 m)

\* Dry weight calculated does not include engine(s). Dry weight will vary with engine and options installed.

### KEY SALES FEATURES

- **Fiberglass foam filled stringers**
- **Composite transom**
- **Large console sits 2 comfortably**
- **Deep V-hull and wide beam creates soft ride**
- **All stainless steel deck hardware thru-bolted**
- **Easy access for batteries**
- **Liner — fiberglass — diamond pattern skid resistant for easy maintenance**

## STANDARD EQUIPMENT

### HULL & DECK

Anchor Locker  
Cleats (fixed) - thru bolted stainless steel  
Compliant with Coast Guard Safety standards, NMMA certified  
Dive/Swim platform (integrated)  
Swim Ladder flip down  
Fiberglass Stringer system  
Foam Flotation  
Hull color, all white with waterline stripe  
Rub rail, Heavy duty w/stainless insert  
Rod Holders - flush mount  
Rod Racks - under gunnel  
Ten Year Hull Warranty  
Transom - full height  
Windscreen - plexiglass

### COCKPIT

Aft Seat(s)  
Bait well,  
Bait well, cushion  
Beverage holder

Cooler  
Courtesy lights  
Fishboxes - insulated with drain Livewell  
Raw water washdown system  
Seating - forward console  
Seating - helm  
Self-draining, non-skid fiberglass floor

### MECHANICAL

Accessory plug - 12V  
Bilge pump with auto float switch  
Compass  
Horn  
Ignition interrupter with lanyard  
Instrumentation - system check (tachometer, fuel, trim, speedometer)  
Navigation lights  
Propeller  
Steering - non-feedback  
Steering Wheel - stainless

## OPTIONAL EQUIPMENT

### HULL AND DECK

Bow rail - stainless steel  
Hull color, two tone, choice of four colors  
Hull color, solid color, choice of four colors

### COCKPIT

Bow cushion (s)  
Mechanical

Hydraulic steering (Std on 150 hp and up)  
Oil Tank storage with remote fill  
Steering - hydraulic

### CANVAS

Bimini Top

## HULLSIDE COLOR OPTION UPGRADE

Deep Navy  
Impact Red

Onyx Black  
Steel Grey

## ENGINE OPTIONS

Evinrude® 115 DSL  
Evinrude® 135 HO DSL  
Evinrude® 150 DSL  
Mercury® Optimax 115EL  
Mercury® 4-Stroke 115EL  
Mercury® 4-Stroke 150EL

Mercury® PRO XS 150EL  
Yamaha® F-115 LA  
Yamaha® F-150 LA

## PERFORMANCE DATA - EVINRUDE® 115 DSL

Top Speed	41.5 MPH @ 5600 RPM
Cruise Speed	29.7 MPH @ 4000 RPM
Cruise Range	260 Miles

Performance and fuel consumption will vary and be affected by water and weather conditions, altitude, load and condition of boat, engine and propeller(s). Cruise range based on 95% of fuel capacity. All data is illustrative and is not warranted. This test was conducted with clean bottom, no bottom paint and light to average load.

Specifications, options, and equipment are subject to change without notice.



## 180 SPORTSMAN



LOA	18' 0" (5.48 m)
Beam	8' 0" (2.44 m)
Weight	2,085 lbs (964 kg)
Fuel Capacity	51 gal (193 L)
Max HP	150 HP (111.9 kw)
Deadrise	20°
Draft Up	15" (38 cm)
Draft Down	32" (81 cm)
Bridge Clearance	4' 5" (1.37 m)
Bridge Clearance w/ Bimini	6' 7" (2.01 m)

\* Dry weight calculated does not include engine(s). Dry weight will vary with engine and options installed.

### KEY SALES FEATURES

- Foam filled, fiberglass, stringers — composite transom
- Versatile bow rider style suited for fishing & watersports
- Forward & aft seating
- Ski & kneeboard storage
- Stainless steel gunwale-mounted rod holders (2)
- Insulated cooler w/overboard drain
- Deep V and wide beam for stable fishing platform & soft ride

## STANDARD EQUIPMENT

### HULL & DECK

Anchor Locker  
Cleats (fixed) - thru bolted stainless steel  
Compliant with Coast Guard Safety standards, NMMA certified  
Dive/Swim platform (integrated)  
Swim Ladder flip down  
Fiberglass Stringer system  
Foam Flotation  
Hull color, all white with waterline stripe  
Rub rail, Heavy duty w/stainless insert  
Rod Holders - flush mount  
Rod Racks - under gunnel  
Ten Year Hull Warranty  
Transom - full height  
Windshield - tempered glass

### COCKPIT

Aft Seat(s)  
Beverage holder  
Cooler

Courtesy lights  
Fishboxes - insulated with drain  
Grab rails - stainless steel  
Seating - helm  
Seating - pedestal with cushions  
Self-draining, non-skid fiberglass floor

### MECHANICAL

Accessory plug - 12V  
Bilge pump with auto float switch  
Compass  
Horn  
Ignition interrupter with lanyard  
Instrumentation - system check (tachometer, fuel, trim, speedometer)  
Navigation lights  
Propeller  
Steering - non-feedback  
Steering Wheel - stainless

## OPTIONAL EQUIPMENT

### HULL & DECK

Hull color, two tone, choice of four colors  
Hull color, solid color, choice of four colors  
Rod Racks - under gunnel

### COCKPIT

Bait well,  
Bow cushion (s)  
Carpet - marine grade snap-in  
Livewell  
Raw water washdown system  
Seating - back to back lounge, port  
Ski pylon

### MACHANICAL

Hydraulic steering (Std on 150 hp and up)  
Oil Tank storage with remote fill  
Steering - hydraulic  
Stereo - AM/FM with CD player & MP3 jack

### CANVAS

Bimini Top  
Canvas bow cover  
Cockpit cover

## HULLSIDE COLOR OPTION UPGRADE

Deep Navy  
Impact Red

Onyx Black  
Steel Grey

## ENGINE OPTIONS

Evinrude® 115 DSL  
Evinrude® 135 HO DSL  
Evinrude® 150 DSL  
Mercury® Optimax 115EL  
Mercury® 4-Stroke 115EL  
Mercury® 4-Stroke 150EL  
Mercury® PRO XS 150EL

Yamaha® F-115 LA  
Yamaha® F-150 LA

## PERFORMANCE DATA - YAMAHA® F-115 LA 4-STROKE

Top Speed	40.5 MPH @ 5900 RPM
Cruise Speed	24.2 MPH @ 4000 RPM
Cruise Range	225 Miles

Performance and fuel consumption will vary and be affected by water and weather conditions, altitude, load and condition of boat, engine and propeller(s). Cruise range based on 95% of fuel capacity. All data is illustrative and is not warranted.

Specifications, options, and equipment are subject to change without notice.



## 210 FISHERMAN



LOA	21' (6.4 m)
Beam	8' 6" (2.59 m)
Weight	3,654 lbs (1,363 kg)
Fuel Capacity	103 gal (390 L)
Max HP	250 HP (186.5 kw)
Deadrise	19°
Draft Up	17" (43 cm)
Draft Down	33" (84 cm)
Bridge Clearance	6' 1" (1.85 m)
Bridge Clearance w/T-top	8' 0" (2.44 m)

\* Dry weight calculated does not include engine(s). Dry weight will vary with engine and options installed.

### KEY SALES FEATURES

- Foam filled, fiberglass, stringers — composite transom
- Enclosed head under console
- Forward & aft fish boxes — aft boxes include macerator with overboard pumpout
- Dedicated electronics flat
- Lean post with baitwell features cup holders and rod holders for rigging
- Cockpit design featuring removable aft seats for maximum space
- All stainless steel deck hardware thru-bolted

## STANDARD EQUIPMENT

### HULL & DECK

Anchor Locker  
Bow rail - powder coated  
Bow roller and deck pipe/anchor chute  
Cleats (pull-up) - thru bolted stainless steel  
Compliant with Coast Guard Safety standards, NMMA certified  
Dive Platform with Ladder (half)  
Fiberglass Stringer system  
Foam Flotation  
Hull color, all white with waterline stripe  
Rails - powder coated  
Rub rail, Heavy duty w/stainless insert  
Rod Holders - flush mount  
Rod Racks - under gunnel  
Ten Year Hull Warranty  
Transom - full height  
Windscreen - plexiglass

### COCKPIT

Aft Seat(s)  
Bait well,  
Beverage holder  
Courtesy lights  
Fishboxes - insulated with drain

Fishboxes - insulated with overboard pump out  
Grab rails - powdercoated  
Lean post seat  
Livewell  
Raw water washdown system  
Seating - helm  
Self-draining, non-skid fiberglass floor  
Tackle storage

### HEAD CONSOLE

Head - self-contained  
Port lights

### MECHANICAL

Accessory plug - 12V  
Battery switch dual  
Bilge pump with auto float switch  
Compass  
Horn  
Hydraulic steering (Std on 150 hp and up)  
Ignition interrupter with lanyard  
Instrumentation - full (digital)  
Navigation lights  
Propeller  
Steering - hydraulic  
Steering Wheel - stainless

## OPTIONAL EQUIPMENT

### HULL AND DECK

Bow rail - stainless steel  
Hull color, two tone, choice of four colors  
Hull color, solid color, choice of four colors  
T-Top (canvas) with spreader light and rod holders

### COCKPIT

Bait well, cushion  
Bow cushion (s)  
Cockpit bolsters  
Fwd console cooler seat with cushion & backrest  
Freshwater system  
Seating - forward console  
Seating - backrest for leaning post  
Head console  
Head - dockside pumpout

### MECHANICAL

Dockside water connection  
Oil Tank storage with remote fill  
Pressurized freshwater system with transom shower  
Stereo - AM/FM with CD player & MP3 jack  
Trim tabs - hydraulic

### CANVAS

Bimini Top  
T-top canvas enclosure

## HULLSIDE COLOR OPTION UPGRADE

Deep Navy  
Impact Red

Onyx Black  
Steel Grey

## ENGINE OPTIONS

Evinrude® 200 DPX  
Evinrude® 250 DPX  
Mercury® Optimax 200XL  
Mercury® Verado 200XL  
Mercury® Optimax 250XL

Yamaha® F-200 XA  
Yamaha® F-250 XA  
Yamaha® F-250 XCA

## PERFORMANCE DATA - YAMAHA® F-200XA 4-STROKE

Top Speed	43.3 MPH @ 5850 RPM
Cruise Speed	28.2 MPH @ 4000 RPM
Cruise Range	307 Miles

Performance and fuel consumption will vary and be affected by water and weather conditions, altitude, load and condition of boat, engine and propeller(s). Cruise range based on 95% of fuel capacity. All data is illustrative and is not warranted. This test was conducted with clean bottom, no bottom paint and light to average load.

Specifications, options, and equipment are subject to change without notice.



## 210 SPORTSMAN



LOA	21' 0" (6.4 m)
Beam	8' 6" (2.59 m)
Weight	3,741 lbs (1,670 kg)
Fuel Capacity	103 gal (390 L)
Max HP	250 HP (186.5 kw)
Deadrise	19°
Draft Up	17" (43 cm)
Draft Down	33" (84 cm)
Bridge Clearance	6' 1" (1.85 m)
Bridge Clearance w/ T-top	8' 0" (2.44 m)

\* Dry weight calculated does not include engine(s). Dry weight will vary with engine and options installed.

### KEY SALES FEATURES

- Foam filled, fiberglass, stringers — composite transom
- Multi-purpose boat suited for fishing and watersports
- Enclosed head compartment
- Below deck ski/wakeboard storage
- Fishboxes in floor with overboard pumpout
- Dedicated electronics flat
- Bow seating with storage underneath

## STANDARD EQUIPMENT

### HULL AND DECK

Anchor Locker  
Bow roller and deck pipe/anchor chute  
Cleats (pull-up) - thru bolted stainless steel  
Compliant with Coast Guard Safety standards, NMMA certified  
Dive Platform with Ladder (half)  
Fiberglass Stringer system  
Foam Flotation  
Hull color, all white with waterline stripe  
Hull color, two tone, choice of four colors  
Rub rail, Heavy duty w/stainless insert  
Rod Holders - flush mount  
Rod Racks - under gunnel  
Ten Year Hull Warranty  
Transom - full height  
Windshield - tempered glass

### COCKPIT

Aft Seat(s)  
Bait well,  
Beverage holder  
Bow cushion (s)  
Cooler  
Courtesy lights  
Fishboxes - insulated with drain

Fishboxes - insulated with overboard pump out  
Grab rails - powdercoated  
Helm storage  
Livewell  
Raw water washdown system  
Seating - helm  
Seating - pedestal with cushions  
Self-draining, non-skid fiberglass floor  
Tackle storage

### HEAD CONSOLE

Head - self-contained

### MECHANICAL

Accessory plug - 12V  
Battery switch dual  
Bilge pump with auto float switch  
Compass  
Horn  
Hydraulic steering (Std on 150 hp and up)  
Ignition interrupter with lanyard  
Instrumentation - full (digital)  
Navigation lights  
Propeller  
Steering - hydraulic  
Steering Wheel - stainless

### CANVAS

Bimini Top

## OPTIONAL EQUIPMENT

### HULL AND DECK

Dive Ladder - Heavy Duty  
Hull color, two tone, choice of four colors  
Hull color, solid color, choice of four colors

### COCKPIT

Bait well, cushion  
Cockpit bolsters  
Freshwater system  
Seating - back to back lounge, port  
Ski pylon

### HEAD CONSOLE

Head - dockside pumpout

### MECHANICAL

Dockside water connection  
Oil Tank storage with remote fill  
Pressurized freshwater system with transom shower  
Stereo - AM/FM with CD player & MP3 jack  
Trim tabs - hydraulic

## HULLSIDE COLOR OPTION UPGRADE

Deep Navy  
Impact Red

Onyx Black  
Steel Grey

## ENGINE OPTIONS

Evinrude® 200 DPX  
Evinrude® 250 DPX  
Mercury® Optimax 200XL  
Mercury® Verado 200XL  
Mercury® Optimax 250XL

Yamaha® F-200 XA  
Yamaha® F-250 XA  
Yamaha® F-250 XCA

## PERFORMANCE DATA - YAMAHA® F-200 XA 4-STROKE

Top Speed	43.7 MPH @ 6150 RPM
Cruise Speed	25.1 MPH @ 4000 RPM
Cruise Range	343 Miles

Performance and fuel consumption will vary and be affected by water and weather conditions, altitude, load and condition of boat, engine and propeller(s). Cruise range based on 95% of fuel capacity. All data is illustrative and is not warranted. This test was conducted with clean bottom, no bottom paint and light to average load.

Specifications, options, and equipment are subject to change without notice.



## 210 COASTAL®



LOA	21' 0" (6.4 m)
Beam	8' 6" (2.59 m)
Weight	3,575 lbs. (1,626 kg)
Fuel Capacity	103 gal (390 L)
Water Capacity	5 gal (19 L)
Max HP	250 HP (186.5 kw)
Deadrise	19°
Draft Up	17" (43 cm)
Draft Down	33" (84 cm)
Bridge Clearance w/bimini	7' 0" (2.13 m)
Bridge Clearance w/hardtop	7' 11" (2.41 m)

\* Dry weight calculated does not include engine(s). Dry weight will vary with engine and options installed.

### KEY SALES FEATURES

- Foam filled fiberglass stringer system with integral high density composite transom
- Full FRP cabin liner
- Full height transom and splashwell with maximized cockpit space
- Fish boxes - port/stbd with overboard pumpout
- Lighted baitwell (88 qt.) with overboard drain
- Storage - port/stbd under helm seats
- Stainless steel gunwale mounted rod holders (4)

## STANDARD EQUIPMENT

### HULL AND DECK

Anchor Locker  
Bow roller and deck pipe/anchor chute  
Bow rail - stainless steel  
Cleats (fixed) - thru bolted stainless steel  
Compliant with Coast Guard Safety standards, NMMA certified  
Deck Hatch  
Dive Platform with Ladder (half)  
Fiberglass Stringer system  
Foam Flotation  
Hull color, all white with waterline stripe  
Port lights  
Rails - powder coated  
Rub rail, Heavy duty w/stainless insert  
Rod Holders - flush mount  
Rod Racks - under gunnel  
Ten Year Hull Warranty  
Transom - full height  
Windshield - tempered glass

### COCKPIT

Aft Seat(s)  
Bait well,  
Beverage holder  
Courtesy lights  
Fishboxes - insulated with drain  
Fishboxes - insulated with overboard pump out  
Grab rails - powdercoated  
Helm storage

Cutting board  
Livewell  
Raw water washdown system  
Seating - helm  
Seating - pedestal with cushions  
Self-draining, non-skid fiberglass floor  
Tackle storage

### CABIN

Berth with cushions  
Cabin door - lockable  
Lighting - 12V w/switch

### HEAD COMPARTMENT

Head - self-contained

### MECHANICAL

Accessory plug - 12V  
Battery switch dual  
Bilge pump with auto float switch  
Compass  
Detector - carbon monoxide  
Horn  
Hydraulic steering (Std on 150 hp and up)  
Ignition interrupter with lanyard  
Instrumentation - full (digital)  
Navigation lights  
Propeller  
Steering - hydraulic  
Steering Wheel - stainless

### CANVAS

Bimini Top

## OPTIONAL EQUIPMENT

### HULL AND DECK

Dive Ladder - Heavy Duty  
Hard Top - fiberglass with rod holders  
Hull color, two tone, choice of four colors  
Hull color, solid color, choice of four colors

### COCKPIT

Cockpit bolsters  
Freshwater system  
Rigging station  
Tackle center with storage  
Cabin  
Dinette table  
Galley with pressure water system  
Stove (butane on 210 C)

### HEAD COMPARTMENT

Head - dockside pumpout

### MECHANICAL

Battery charger  
Dockside water connection  
Oil Tank storage with remote fill  
Pressurized freshwater system with transom shower  
Stereo - AM/FM with CD player & MP3 jack  
Trim tabs - hydraulic  
Windshield wiper

### CANVAS

Canvas pkg (bimini)  
Canvas pkg (hardtop)

## HULLSIDE COLOR OPTION UPGRADE

Deep Navy  
Impact Red

Onyx Black  
Steel Grey

## ENGINE OPTIONS

Evinrude® 200 DPX  
Evinrude® 250 DPX  
Mercury® Optimax 200XL  
Mercury® Verado 200XL  
Mercury® Optimax 250XL

Yamaha® F-200 XA  
Yamaha® F-250 XA  
Yamaha® F-250 XCA

## PERFORMANCE DATA - YAMAHA F-200 XA 4-STROKE

Top Speed	42.7 MPH @ 5860 RPM
Cruise Speed	29.3 MPH @ 4000 RPM
Cruise Range	330 Miles

Performance and fuel consumption will vary and be affected by water and weather conditions, altitude, load and condition of boat, engine and propeller(s). Cruise range based on 95% of fuel capacity. All data is illustrative and is not warranted. This test was conducted with clean bottom, no bottom paint and light to average load.

Specifications, options, and equipment are subject to change without notice.



## 232 FISHERMAN



LOA	22' 4" (6.81 m)
Beam	8' 8" (2.64 m)
Weight	3,573 lbs (1,621 kg)
Fuel Capacity	116 gal (439 L)
Water Capacity	8 gal (30 L)
Max HP	300 HP (224 kw)
Deadrise	20°
Draft Up	15" (38 cm)
Draft Down	32" (81 cm)
Bridge Clearance	6' 0" (1.83 m)
Bridge Clearance w/ T-top	8' 4" (2.53 m)

\* Dry weight calculated does not include engine(s). Dry weight will vary with engine and options installed.

### KEY SALES FEATURES

- Full height transom
- Foam filled, fiberglass, stringer with integral high density composite transom
- Recessed powder coated grab rails — port/stbd bow
- Full FRP head console liner w/battery access
- Fish boxes (2) forward 155 qt. with overboard drain and sealed lids
- Rod storage under port/stbd gunnels
- Stainless steel gunwale-mounted rod holders (2)

## STANDARD EQUIPMENT

### HULL AND DECK

Anchor Locker  
Bow rail - powder coated  
Bow roller and deck pipe/anchor chute  
Cleats (fixed) - thru bolted stainless steel  
Compliant with Coast Guard Safety standards, NMMA certified  
Dive/Swim platform (integrated)  
Swim Ladder flip down  
Fiberglass Stringer system  
Foam Flotation  
Hull color, all white with waterline stripe  
Rails - powder coated  
Rub rail, Heavy duty w/stainless insert  
Rod Holders - flush mount  
Rod Racks - under gunnel  
T-Top (canvas) with spreader light and rod holders  
Ten Year Hull Warranty  
Transom - full height with door  
Windscreen - plexiglass

### COCKPIT

Aft Seat(s)  
Bait well,  
Beverage holder  
Cooler

Courtesy lights  
Fishboxes - insulated with drain  
Grab rails - powdercoated  
Helm storage  
Cutting board  
Lean post seat  
Livewell  
Raw water washdown system  
Seating - helm  
Self-draining, non-skid fiberglass floor  
Tackle storage

### HEAD CONSOLE

Head - self-contained  
Port lights  
Toilet paper holder

### MECHANICAL

Accessory plug - 12V  
Battery switch dual  
Bilge pump with auto float switch  
Compass  
Horn  
Hydraulic steering (Std on 150 hp and up)  
Ignition interrupter with lanyard  
Instrumentation - full (digital)  
Navigation lights  
Propeller  
Steering - hydraulic  
Steering Wheel - stainless

## OPTIONAL EQUIPMENT

### HULL AND DECK

Dive Ladder - Heavy Duty  
Hull color, two tone, choice of four colors  
Hull color, solid color, choice of four colors  
Hull color, solid color, black sides w/ impact red hull bottom  
Outriggers: Taco Grand slam  
Scarab package (Upgrade upholstery including cockpit bolsters & bow cushions, carbon fiber dash & bezels, upgrade Scarab logo, upgrade stereo, floor mat, and rod protectors)  
T-Top Electronics box

### COCKPIT

Bow cushion (s)  
Cockpit bolsters

Fwd console cooler seat with cushion & backrest  
Freshwater system  
Seating - forward console

### MECHANICAL

Dockside water connection  
Garmin Electronics Pkg (7" display and VHF 100 radio)  
Oil Tank storage with remote fill  
Pressurized freshwater system with transom shower  
Stereo - AM/FM with CD player & MP3 jack  
Trim tabs - hydraulic  
VHF radio with antenna

### CANVAS

Bimini Top  
T-top canvas enclosure

## HULLSIDE COLOR OPTION UPGRADE

Deep Navy  
Impact Red

Onyx Black  
Steel Grey

## ENGINE OPTIONS

Evinrude® 200 DPX  
Evinrude® 250 DPX  
Evinrude® 300 DPX  
Mercury® Verado 200XL  
Mercury® Verado 250XL  
Mercury® Verado 300XL

Yamaha® F-200 XA  
Yamaha® F-250 XA  
Yamaha® F-250 XCA  
Yamaha® F-300 XCA

## PERFORMANCE DATA - YAMAHA® F-250 XA 4-STROKE

Top Speed	49.3 MPH @ 6000 RPM
Cruise Speed	32.3 MPH @ 4000 RPM
Cruise Range	405 Miles

Performance and fuel consumption will vary and be affected by water and weather conditions, altitude, load and condition of boat, engine and propeller(s). Cruise range based on 95% of fuel capacity. All data is illustrative and is not warranted. This test was conducted with clean bottom, no bottom paint and light to average load.

Specifications, options, and equipment are subject to change without notice.



## 232 COASTAL®



LOA	22' 4" (6.81 m)
Beam	8' 8" (2.64 m)
Weight	3,600 lbs (1,633 kg)
Fuel Capacity	116 gal (439 L)
Water Capacity	8 gal (30 L)
Max HP	300 HP (224 kw)
Deadrise	20°
Draft Up	15" (38 cm)
Draft Down	32" (81 cm)
Bridge Clearance	6' 0" (1.83 m)
Bridge Clearance w/ Bimini	8' 0" (2.43 m)
Bridge Clearance w/ Hardtop	8' 1" (2.44 m)

\* Dry weight calculated does not include engine(s). Dry weight will vary with engine and options installed.

### KEY SALES FEATURES

- Full height transom
- Foam filled, fiberglass, stringer with integral high density composite transom
- Full FRP cabin liner with diamond pattern skid resistant surface
- Fish/storage boxes below helm seats
- Lighted baitwell 84 qt. with overboard drains
- Recessed powdercoated grab rails-port/stbd
- Rod storage under gunwales

## STANDARD EQUIPMENT

### HULL AND DECK

Anchor Locker  
Bow roller and deck pipe/anchor chute  
Bow rail - stainless steel  
Cleats (fixed) - thru bolted stainless steel  
Compliant with Coast Guard Safety standards, NMMA certified  
Deck Hatch  
Dive/Swim platform (integrated)  
Swim Ladder flip down  
Fiberglass Stringer system  
Foam Flotation  
Hard Top - fiberglass with rod holders  
Hull color, all white with waterline stripe  
Port lights  
Rails - powder coated  
Rub rail, Heavy duty w/stainless insert  
Rod Holders - flush mount  
Rod Racks - under gunnel  
Ten Year Hull Warranty  
Transom - full height with door  
Windshield - tempered glass

### COCKPIT

Aft Seat(s)  
Bait well,  
Beverage holder  
Cockpit bolsters  
Courtesy lights  
Fishboxes - insulated with drain

Grab rails - powdercoated  
Helm storage  
Cutting board  
Livewell  
Raw water washdown system  
Seating - helm  
Seating - pedestal with cushions  
Self-draining, non-skid fiberglass floor  
Tackle storage

### CABIN

Berth with cushions  
Cabin door - lockable  
Lighting - 12V w/switch

### HEAD COMPARTMENT

Head - self-contained  
Toilet paper holder

### MECHANICAL

Accessory plug - 12V  
Battery switch dual  
Bilge pump with auto float switch  
Compass  
Detector - carbon monoxide  
Horn  
Hydraulic steering (Std on 150 hp and up)  
Ignition interrupter with lanyard  
Instrumentation - full (digital)  
Navigation lights  
Propeller  
Steering - hydraulic  
Steering Wheel - stainless  
Windshield wiper

## OPTIONAL EQUIPMENT

### HULL AND DECK

Dive Ladder - Heavy Duty  
Enclosed Hardtop Pkg (4 rd hldrs, defroster, w/s vents, dome and spreader lights)  
Hull color, two tone, choice of four colors  
Hull color, solid color, choice of four colors  
Hull color, solid color, black sides w/ impact red hull bottom

### COCKPIT

Cockpit bolsters  
Freshwater system  
Cabin  
Dinette table  
Galley with pressure water system  
Stove (butane on 210 C)

### HEAD COMPARTMENT

Head - dockside pumpout  
Head marine - dockside pumpout

### MECHANICAL

Battery charger  
Dockside water connection  
Garmin Electronics Pkg (7" display and VHF 100 radio)  
Garmin Radar (4kw with 18" high definition dome)  
Oil Tank storage with remote fill  
Pressurized freshwater system with transom shower  
Stereo - AM/FM with CD player & MP3 jack  
Trim tabs - hydraulic  
VHF radio with antenna

### CANVAS

Bimini Top  
Canvas pkg (bimini)  
Canvas pkg (hardtop)

## HULLSIDE COLOR OPTION UPGRADE

Deep Navy  
Impact Red

Onyx Black  
Steel Grey

## ENGINE OPTIONS

Evinrude® 200 DPX  
Evinrude® 250 DPX  
Mercury® Verado 200XL  
Mercury® Verado 250XL

Yamaha® F-200 XA  
Yamaha® F-250 XA  
Yamaha® F-250 XCA

## PERFORMANCE DATA - YAMAHA® F-200 XA 4-STROKE

Top Speed	40 MPH @ 6100 RPM
Cruise Speed	28.5 MPH @ 4500 RPM
Cruise Range	350 Miles

Performance and fuel consumption will vary and be affected by water and weather conditions, altitude, load and condition of boat, engine and propeller(s). Cruise range based on 95% of fuel capacity. All data is illustrative and is not warranted. This test was conducted with clean bottom, no bottom paint and light to average load.

Specifications, options, and equipment are subject to change without notice.



## 252 FISHERMAN



LOA	24' 4" (7.42 m)
Beam	8' 9" (2.66 m)
Weight	4,680 lbs (2,123 kg)
Fuel capacity	170 gal (644 L)
Water capacity (option)	8 gal (30 L)
Max HP	450 HP (336 kw)
Deadrise	20°
Draft Up	16" (41 cm)
Draft Down	30" (75 cm)
Bridge clearance	6' 8" (2.03 m)
Bridge clearance w/T-top	8' 2" (2.49 m)

\* Dry weight calculated does not include engine(s). Dry weight will vary with engine and options installed.

### KEY SALES FEATURES

- Full height transom
- Foam filled, fiberglass, stringer with integral high density composite transom
- Recessed powder coated grab rails - port/stbd bow
- Full FRP cabin console liner with additional port/stbd below deck storage
- Fwd and aft fishboxes (sealed)-aft boxes include macerator w/overboard pumpout
- Lighted baitwell 84 qt. with overboard drain
- Rod storage under gunwale port and starboard

## STANDARD EQUIPMENT

### HULL AND DECK

Anchor Locker  
Bow rail - powder coated  
Bow roller and deck pipe/anchor chute  
Cleats (fixed) - thru bolted stainless steel  
Compliant with Coast Guard Safety standards, NMMA certified  
Dive/Swim platform (integrated)  
Swim Ladder flip down  
Fiberglass Stringer system  
Foam Flotation  
Hull color, all white with waterline stripe  
Rails - powder coated  
Rails - powder coated  
Rub rail, Heavy duty w/stainless insert  
Rod Holders - flush mount  
Rod Racks - under gunnel  
T-Top (canvas) with spreader light and rod holders  
Ten Year Hull Warranty  
Transom - full height with door  
Windscreen - plexiglass

### COCKPIT

Aft Seat(s)  
Bait well,  
Beverage holder  
Cooler  
Courtesy lights  
Fishboxes - insulated with drain

Fishboxes - insulated with overboard pump out  
Grab rails - powdercoated  
Helm storage  
Cutting board  
Lean post seat  
Livewell  
Raw water washdown system  
Seating - helm  
Self-draining, non-skid fiberglass floor  
Tackle storage

### HEAD CONSOLE

Head - self-contained  
Port lights  
Toilet paper holder

### MECHANICAL

Accessory plug - 12V  
Battery switch dual  
Bilge pump with auto float switch  
Compass  
Horn  
Hydraulic steering (Std on 150 hp and up)  
Ignition interrupter with lanyard  
Instrumentation - full (digital)  
Navigation lights  
Propeller  
Steering - hydraulic  
Steering Wheel - stainless  
Trim tabs - hydraulic

## OPTIONAL EQUIPMENT

### HULL AND DECK

Dive Ladder - Heavy Duty  
Hull color, two tone, choice of four colors  
Hull color, solid color, choice of four colors  
Hull color, solid color, black sides w/ impact red hull bottom  
Outriggers: Taco Grand slam  
Scarab package (Upgrade upholstery including cockpit bolsters & bow cushions, carbon fiber dash & bezels, upgrade Scarab logo, upgrade stereo, floor mat, and rod protectors)  
T-Top Electronics box

### COCKPIT

Bow cushion (s)  
Cockpit bolsters  
Fwd console cooler seat with cushion & backrest  
Freshwater system  
Seating - forward console

### HEAD CONSOLE

Head - overboard discharge  
Head - Sealand Vacuflush with holding tank & dockside pumpout

### MECHANICAL

Dockside water connection  
Garmin Electronics Pkg (7" display and VHF 100 radio)  
Oil Tank storage with remote fill  
Pressurized freshwater system with transom shower  
Stereo - AM/FM with CD player & MP3 jack  
VHF radio with antenna  
Canvas  
T-top canvas enclosure

## HULLSIDE COLOR OPTION UPGRADE

Deep Navy  
Impact Red

Onyx Black  
Steel Grey

## ENGINE OPTIONS

Evinrude® 250 DPZ  
Twin Evinrude® 150 DPX  
Twin Evinrude® 200 DPX  
Twin Evinrude® 225 DPX  
Mercury® Verado 250XXL  
Mercury® Verado 300XXL  
Twin Mercury® Verado 150XL  
Twin Mercury® Verado 200XL

Yamaha® F-250 UCA  
Yamaha® F-300 UCA  
Twin Yamaha® F-150 XA  
Twin Yamaha® F-200 XA  
Twin Yamaha® F-200 XCA

## PERFORMANCE DATA - YAMAHA® F-250 XA 4-STROKE

Top Speed	45 MPH @ 5800 RPM
Cruise Speed	30.1 MPH @ 4000 RPM
Cruise Range	540 Miles

Performance and fuel consumption will vary and be affected by water and weather conditions, altitude, load and condition of boat, engine and propeller(s). Cruise range based on 95% of fuel capacity. All data is illustrative and is not warranted. This test was conducted with clean bottom, no bottom paint and light to average load.

Specifications, options, and equipment are subject to change without notice.



## 252 COASTAL®



LOA	24' 4" (7.42 m)
Beam	8' 9" (2.66 m)
Weight	4,360 lbs (1,978 kg)
Fuel Capacity	133 gal (503 L)
Water Capacity	9 gal (34 L)
Max HP	400 HP (298 kw)
Deadrise	20°
Draft Up:	16" (41 cm)
Draft Down:	30" (75 cm)
Bridge Clearance w/ Hardtop	8' 2" (2.49 m)

\* Dry weight calculated does not include engine(s). Dry weight will vary with engine and options installed.

### KEY SALES FEATURES

- Full height transom
- Foam filled, fiberglass, stringer with integral high density composite transom
- Full fiberglass cabin liner with stretched soft touch headliner
- Aft fishboxes port/stbd include Macerator with overboard pump out
- Integrated cooler/dry storage under helm seats
- Lighted baitwell 84 qt. with overboard drain
- Battery switch access behind stbd helm seat

## STANDARD EQUIPMENT

### HULL AND DECK

Anchor Locker  
Bow roller and deck pipe/anchor chute  
Bow rail - stainless steel  
Cleats (fixed) - thru bolted stainless steel  
Compliant with Coast Guard Safety standards, NMMA certified  
Deck Hatch  
Dive/Swim platform (integrated)  
Swim Ladder flip down  
Fiberglass Stringer system  
Foam Flotation  
Hard Top - fiberglass with rod holders  
Hull color, all white with waterline stripe  
Port lights  
Rails - powder coated  
Rub rail, Heavy duty w/stainless insert  
Rod Holders - flush mount  
Rod Racks - under gunnel  
Ten Year Hull Warranty  
Transom - full height with door  
Windshield - tempered glass

### COCKPIT

Aft Seat(s)  
Bait well,  
Beverage holder  
Cockpit bolsters  
Courtesy lights  
Cutting board  
Fishboxes - insulated with drain  
Fishboxes - insulated with overboard pump out  
Freshwater system

Grab rails - powdercoated  
Helm storage  
Livewell  
Raw water washdown system  
Seating - helm  
Seating - pedestal with cushions  
Self-draining, non-skid fiberglass floor  
Tackle storage

### CABIN

Berth with cushions  
Cabin door - lockable  
Dinette table  
Galley with pressure water system  
Lighting - 12V w/switch

### HEAD COMPARTMENT

Head - self-contained  
Toilet paper holder

### MECHANICAL

Accessory plug - 12V  
Battery switch dual  
Bilge pump with auto float switch  
Compass  
Detector - carbon monoxide  
Dockside water connection  
Horn  
Hydraulic steering (Std on 150 hp and up)  
Ignition interrupter with lanyard  
Instrumentation - full (digital)  
Navigation lights  
Propeller  
Steering - hydraulic  
Steering Wheel - stainless  
Trim tabs - hydraulic  
Windshield wiper

## OPTIONAL EQUIPMENT

### HULL AND DECK

Anchor  
Dive Ladder - Heavy Duty  
Dive pkg (heavy duty dive ladder, freshwater transom shower)  
Enclosed Hardtop Pkg (4 rd hldrs, defroster, w/s vents, dome and spreader lights)  
Hull color, two tone, choice of four colors  
Hull color, solid color, choice of four colors  
Hull color, solid color, black sides w/ impact red hull bottom

### COCKPIT

Carpet - marine grade snap-in

### CABIN

Carpet - snap-in  
Stove (butane on 210 C)

### HEAD COMPARTMENT

Head - overboard discharge  
Head - Sealand Vacuflush with holding tank  
Head marine - dockside pumpout

### MECHANICAL

Battery charger  
Garmin Electronics Pkg (7" display and VHF 100 radio)  
Garmin Radar (4kw with 18" high definition dome)  
Oil Tank storage with remote fill  
Pressurized freshwater system with transom shower  
Stereo - AM/FM with CD player & MP3 jack  
VHF radio with antenna  
Windlass

### CANVAS

Canvas pkg (hardtop)

## HULLSIDE COLOR OPTION UPGRADE

Deep Navy  
Impact Red

Onyx Black  
Steel Grey

## ENGINE OPTIONS

Evinrude® 250 DPZ  
Twin Evinrude® 150 DPX  
Mercury® Verado 250XXL  
Mercury® Verado 300XXL  
Twin Mercury® Verado 150XL  
Twin Mercury® Verado 200XL

Yamaha® F-250 UCA  
Yamaha® F-300 UCA  
Twin Yamaha® F-150 XA  
Twin Yamaha® F-200 XA

## PERFORMANCE DATA - TW YAMAHA® 150 XA 4-STROKE

Top Speed	51.7 MPH @ 6000 RPM
Cruise Speed	34 MPH @ 4000 RPM
Cruise Range	353 Miles

Performance and fuel consumption will vary and be affected by water and weather conditions, altitude, load and condition of boat, engine and propeller(s). Cruise range based on 95% of fuel capacity. All data is illustrative and is not warranted. This test was conducted with clean bottom, no bottom paint and light to average load.

Specifications, options, and equipment are subject to change without notice.



## 290 COASTAL®



LOA	30' 2" (9.19 m)
Beam	10' 5" (3.2 m)
Weight	8,735 lbs (3,962 kg)
Fuel capacity	210 gal (795 L)
Water capacity	42 gal (159 L)
Max HP	600 HP (447 kw)
Deadrise	18°
Draft Up	22" (56 cm)
Draft Down	33" (84 cm)
Bridge clearance	7' 3" (2.2 m)
Bridge clearance w/bimini top	8' 3" (2.51 m)
Bridge clearance w/hardtop	9' 0" (2.74 m)

\* Dry weight calculated does not include engine(s). Dry weight will vary with engine and options installed.

### KEY SALES FEATURES

- Full height transom with door
- Modular port/stbd helm seating with storage
- Cruiser style cabin amenities and functional for extended fishing trips
- Kodiak Pro Flow 42 gal baitwell, light, over flow drain, clear plex bait lid and positive sealing latch
- Three integrated steps on helm for easy access to forward deck
- Integrated swim platform with boarding ladder
- Insulated fishboxes with overboard pumpout

## STANDARD EQUIPMENT

### HULL AND DECK

Anchor Locker  
Bow roller and deck pipe/anchor chute  
Bow rail - stainless steel  
Cleats (fixed) - thru bolted stainless steel  
Compliant with Coast Guard Safety standards, NMMA certified  
Deck Hatch  
Dive Ladder - Heavy Duty  
Dive/Swim platform (integrated)  
Foam Flotation  
Hard Top - fiberglass with rod holders  
Hull color, all white with waterline stripe  
Port lights  
Rails - powder coated  
Rub rail, Heavy duty w/stainless insert  
Rod Holders - flush mount  
Rod Racks - under gunnel  
Ten Year Hull Warranty  
Transom - full height with door  
Windshield - tempered glass

### COCKPIT

Aft Seat(s)  
Bait well,  
Beverage holder  
Cockpit bolsters  
Courtesy lights  
Fishboxes - insulated with overboard pump out  
Freshwater system  
Grab rails - powdercoated  
Helm storage  
Knife and pliers rack  
Cutting board  
Kodiak baitwell  
Raw water washdown system  
Seating - helm  
Seating - port module  
Self-draining, non-skid fiberglass floor  
Tackle storage  
Tackle center with storage

### CABIN

Aft cabin  
Berth with cushions  
Cabin door - lockable

Carpet - snap-in  
Dinette table  
Galley with Granulon countertop and sink  
Galley with pressure water system  
Hanging locker  
Lighting - direct/indirect  
Microwave  
Refrigerator  
Setee - port/stbd converts to twin pilot berth  
Shore power  
Stove (butane on 210 C)

### HEAD COMPARTMENT

Duplex outlet - GFI protected  
Full fiberglass head compartment with ventilation  
Head - Sealand Vacuflush with holding tank  
Mirror - full length  
Shower - handheld  
Toilet paper holder  
Vanity - sink and storage

### MECHANICAL

Accessory plug - 12V  
Battery charger  
Battery switch dual  
Bilge pump with auto float switch  
Compass  
Detector - carbon monoxide  
Dockside water connection  
Horn  
Hydraulic steering (Std on 150 hp and up)  
Ignition interrupter with lanyard  
Instrumentation - full (digital)  
Navigation lights  
Pressurized freshwater system with transom shower  
Prewire for windlass  
Propeller  
Shore power w/50' cord  
Steering - hydraulic  
Steering Wheel - stainless  
Stereo - AM/FM with CD player & MP3 jack  
Trim tabs - hydraulic  
Water heater

### CANVAS

Canvas pkg (hardtop)

## OPTIONAL EQUIPMENT

### HULL AND DECK

Anchor  
Hull color, two tone, choice of four colors  
Hull color, solid color, choice of four colors  
Outriggers: Taco Grand slam  
Rod Racks - transom mounted

### COCKPIT

Bait well, cushion  
Carpet - marine grade snap-in  
Cockpit seating Pkg, starboard baitwell & port storage box cushion  
Dive tank storage racks

### CABIN

Air conditioner  
Cabin floor - Teak & Holly  
TV/DVD player, includes TV & telephone inlet

### HEAD COMPARTMENT

Head - overboard discharge

### MECHANICAL

Auxillary fuel tank  
Generator  
Multimedia CTR - LCD TV w/tuner, DVD player, TV /telephone inlet w/antenna  
Oil Tank storage with remote fill  
Raymarine E127 Elect Pkg (12' display w/chartplotter, fishfinder, gps & VHF radio)  
Raymarine Radar (4 kw dome)  
Raymarine Radar (4 kw open array)  
Remote spotlight  
Steering - power assist  
Stereo upgrade - subwoofer, power amp, 2 additional speakers  
Trim tabs - hydraulic  
VHF radio with antenna  
Windlass  
Windshield wiper

### CANVAS

Cockpit cover

## HULLSIDE COLOR OPTION UPGRADE

Deep Navy  
Impact Red

Onyx Black  
Steel Grey

## ENGINE OPTIONS

Twin Evinrude® 250 DPX  
Twin Mercury® Verado 250XL

Twin Yamaha® F-250 XCA  
Twin Yamaha® F-250 XCA w/Helm Master

## PERFORMANCE DATA - TW YAMAHA® F-250 XCA 4-STROKE

Top Speed	51.8 MPH @ 5800 RPM
Cruise Speed	34.6 MPH @ 4000 RPM
Cruise Range	360 Miles

Performance and fuel consumption will vary and be affected by water and weather conditions, altitude, load and condition of boat, engine and propeller(s). Cruise range based on 95% of fuel capacity. All data is illustrative and is not warranted. This test was conducted with clean bottom, no bottom paint and light to average load.

Specifications, options, and equipment are subject to change without notice.



## 340 COASTAL®



LOA	34' 1" (10.38 m)
Beam	11' 9" (3.58 m)
Weight	13,500 lbs (5,036 kg)
Fuel capacity	366 gal (1385 L)
Water capacity	56 gal (212 L)
Max HP	750 HP (560 kw)
Deadrise	20°
Draft Up	20" (51 cm)
Draft Down	32" (81 cm)
Bridge clearance w/hardtop	10' 2" (3.09 m)

\* Dry weight may vary with engine and options installed.

### KEY SALES FEATURES

- Foam stringers with composite transom
- Impressive standard equipment includes - generator, air conditioner, and windlass
- Easy bilge/equipment access with hinged aft seat assembly
- Large windshield for weather protection with walkthru to foredeck
- Port/stbd pilot berths for additional sleeping capacity-large aft cabin
- Full featured galley includes stainless sink, Corian® countertop
- Lockable rod storage on hardtop

## STANDARD EQUIPMENT

### HULL AND DECK

Anchor  
Anchor Locker  
Bow roller and deck pipe/anchor chute  
Bow rail - stainless steel  
Cleats (fixed) - thru bolted stainless steel  
Compliant with Coast Guard Safety standards, NMMA certified  
Deck Hatch  
Dive Ladder - Heavy Duty  
Dive/Swim platform (integrated)  
Foam Flotation  
Hard Top - fiberglass with rod holders  
Hull color, all white with waterline stripe  
Port lights  
Rails - powder coated  
Rod Holders - flush mount  
Rod Racks - under gunnel  
Rub rail, Heavy duty w/stainless insert  
Ten Year Hull Warranty  
Transom - full height with door  
Windshield - tempered glass

### COCKPIT

Aft Seat(s)  
Bait well,  
Beverage holder  
Cockpit bolsters  
Courtesy lights  
Fishboxes - insulated with overboard pump out  
Freshwater system  
Grab rails - powdercoated  
Helm storage  
Cutting board  
Kodiak baitwell  
Raw water washdown system  
Seating - helm  
Seating - port module  
Self-draining, non-skid fiberglass floor  
Tackle storage

### CABIN

Aft cabin  
Air conditioner  
Berth with cushions  
Cabin door - lockable  
Cabin floor - Teak & Holly  
Dinette table

Galley with Granulon countertop and sink  
Galley with pressure water system  
Hanging locker  
Lighting - direct/indirect  
Microwave  
Refrigerator  
Settee - port/stbd converts to twin pilot berth  
Shore power  
Stove (butane on 210 C)

### HEAD COMPARTMENT

Duplex outlet - GFI protected  
Full fiberglass head compartment with ventilation  
Head - Sealand Vacuflush with holding tank  
Mirror - full length  
Shower - handheld  
Toilet paper holder  
Vanity - sink and storage

### MECHANICAL

Accessory plug - 12V  
Battery box - heavy duty  
Battery charger  
Battery switch dual  
Bilge pump with auto float switch  
Compass  
Detector - carbon monoxide  
Dockside water connection  
Generator  
Horn  
Hydraulic steering (Std on 150 hp and up)  
Ignition interrupter with lanyard  
Instrumentation - full (digital)  
Navigation lights  
Pressurized freshwater system with transom shower  
Propeller  
Shore power w/50' cord  
Steering - hydraulic  
Steering - power assist  
Steering Wheel - stainless  
Stereo - AM/FM with CD player & MP3 jack  
Stereo upgrade - subwoofer, power amp, 2 additional speakers  
Trim tabs - hydraulic  
Water heater  
Windlass  
Windshield wiper

## OPTIONAL EQUIPMENT

### HEAD COMPARTMENT

Head - overboard discharge

Raymarine Radar (4 kw dome)  
Raymarine Radar (4 kw open array)  
VHF radio with antenna

### MECHANICAL

Oil Tank storage with remote fill  
Multimedia CTR - LCD TV w/tuner,  
DVD player, TV /telephone inlet  
w/antenna  
Raymarine E127 Elect Pkg (12'  
display w/chartplotter, fishfinder,  
gps & VHF radio

### CANVAS

Canvas pkg (hardtop)

## HULLSIDE COLOR OPTION UPGRADE

Deep Navy  
Impact Red

Onyx Black  
Steel Grey

## ENGINE OPTIONS

Triple Evinrude® 250 DPX  
Triple Mercury® Verado 250XL

Triple Yamaha® F-250 XCA  
Twin Yamaha® F-350 XCB

## PERFORMANCE DATA - TW YAMAHA® F-350 XCB 4-STROKE

Top Speed	51.4 MPH @ 6100 RPM
Cruise Speed	33.1 MPH @ 4000 RPM
Cruise Range	435 Miles

Performance and fuel consumption will vary and be affected by water and weather conditions, altitude, load and condition of boat, engine and propeller(s). Cruise range based on 95% of fuel capacity. All data is illustrative and is not warranted. This test was conducted with clean bottom, no bottom paint and light to average load.

Specifications, options, and equipment are subject to change without notice.



## 30 SCARAB® OFFSHORE TOURNAMENT



LOA	30' 2" (9.19 m)
Beam	9' 2" (2.79 m)
Weight	6,635 lbs (3,010 kg)
Fuel Capacity	268 gal (1,015 L)
Water Capacity	13 gal (49 L)
Max HP	600 HP (447 kw)
Deadrise	23°
Draft Up	23" (58 cm)
Draft Down	31" (79 cm)
Bridge Clearance w/ T-top	8' 10" (2.73 m)

\* Dry weight calculated does not include engine(s). Dry weight will vary with engine and options installed.

### KEY SALES FEATURES

- Composite transom
- Lockable storage under forward sole hatch
- Center console with head
- Tilt out storage bins - port/starboard
- FRP T-top with electronics box, rod holders, and PFD storage bags
- Rigging station at transom
- Pressurized fresh and raw water

## STANDARD EQUIPMENT

### HULL AND DECK

Anchor Locker  
Bow rail -aluminum  
Cleats (pull-up) - thru bolted stainless steel  
Compliant with Coast Guard Safety standards, NMMA certified  
Dive/Swim platform (integrated)  
Foam Flotation  
Hull color, all white with waterline stripe  
Rod Holders - flush mount  
Rod Racks - under gunnel  
T-Top (FRP) with spreader light and rod holders  
T-Top Electronics box  
Ten Year Hull Warranty  
Transom - full height with door  
Windshield - tempered glass

### COCKPIT

Aft Seat(s)  
Bait well,  
Beverage holder  
Cockpit bolsters  
Cockpit interior choice, three colors  
Cooler  
Courtesy lights  
Fwd console cooler seat with cushion & backrest  
Fishboxes - insulated with drain  
Fishboxes - insulated with overboard pump out  
Freshwater system  
Grab rails - stainless steel  
Helm storage  
Cutting board  
Leaning post seat  
Livewell  
Raw water washdown system  
Rigging station  
Seating - forward console  
Seating - helm  
Self-draining, non-skid fiberglass floor  
Tackle storage

### HEAD CONSOLE

Full fiberglass head compartment with ventilation  
Head - self-contained  
Port lights  
Toilet paper holder

### MECHANICAL

Accessory plug - 12V  
Battery box - heavy duty  
Battery switch dual  
Bilge pump with auto float switch  
Compass  
Dockside water connection  
Horn  
Hydraulic steering (Std on 150 hp and up)  
Ignition interrupter with lanyard  
Instrumentation - full (digital)  
Navigation lights  
Pressurized freshwater system with transom shower  
Prewire for windlass  
Propeller  
Steering - hydraulic  
Steering Wheel - stainless  
Stereo - AM/FM with CD player & MP3 jack  
Trim tabs - dual ram

## OPTIONAL EQUIPMENT

### HULL AND DECK

Anchor  
Bow roller and deck pipe/anchor chute  
Bow rail - powder coated  
Dive Ladder - Heavy Duty  
Hull color, two tone, choice of four colors  
Hull color, solid color, choice of four colors  
Outriggers: Taco Grand slam  
Powder coat package  
Rails - powder coated  
Rub rail, Heavy duty w/stainless insert

### CABIN

Refrigerator

### COCKPIT

Bow cushion (s)  
Bow table  
Grab rails - powdercoated  
Kodiak baitwell  
Seating - dropout bolster w/aft baitwell  
Seating - dropout bolster w/aft facing seat

### HEAD CONSOLE

Head marine - dockside pumpout

### MECHANICAL

Battery charger  
Oil Tank storage with remote fill  
Multimedia CTR - LCD TV w/tuner, DVD player, TV /telephone inlet w/antenna  
Raymarine E127 Elect Pkg (12' display w/chartplotter, fishfinder, gps & VHF radio)  
Raymarine Radar (4 kw dome)  
Raymarine Radar (4 kw open array)  
Remote spotlight  
Steering - power assist  
Trim tabs - heavy duty  
VHF radio with antenna  
Windlass  
Windshield wiper

### CANVAS

T-top canvas enclosure

## COLOR OPTIONS

### HULLSIDE COLOR OPTIONS

Deep Navy  
Impact Red  
Onyx Black  
Steel Grey

### XL SCARAB LOGO

### UPHOLSTERY UPGRADE

Black  
Blue  
Red

### POWDERCOAT PACKAGE

## ENGINE OPTIONS

Twin Evinrude® 250 DPX  
Twin Mercury® Verado 250XL  
Twin Mercury® Verado 300XL

Twin Yamaha® F-250 XCA  
Twin Yamaha® F-300 XCA

## PERFORMANCE DATA - TW YAMAHA® F-250 XCA 4-STROKE

Top Speed	54 MPH @ 5900 RPM
Cruise Speed	37 MPH @ 4000 RPM
Cruise Range	504 Miles

Performance and fuel consumption will vary and be affected by water and weather conditions, altitude, load and condition of boat, engine and propeller(s). Cruise range based on 95% of fuel capacity. All data is illustrative and is not warranted.

Specifications, options, and equipment are subject to change without notice.



## 30 SCARAB® OFFSHORE SPORT



LOA	30' 2" (9.19 m)
Beam	9' 2" (2.79 m)
Weight	7,275 lbs (3,303 kg)
Fuel Capacity	268 gal (1,014 L)
Water Capacity	13 gal (49 L)
Max HP	600 HP (447 kw)
Deadrise	23°
Draft Up:	23" (58 cm)
Draft Down:	31" (79 cm)
Bridge Clearance w/ Arch	8' 2" (2.49 m)

\* Dry weight calculated does not include engine(s). Dry weight will vary with engine and options installed.

### KEY SALES FEATURES

- Composite transom
- Forward Cuddy Cabin
- Port/stbd lounges
- Head with sink and shower underneath helm station
- Fishboxes & storage - fwd/aft & port/stbd
- Portside amenity station includes refrigerator, stove and sink
- Rigging station at transom

## STANDARD EQUIPMENT

### HULL AND DECK

Anchor Locker  
Bow rail - powder coated  
Cleats (pull-up) - thru bolted stainless steel  
Compliant with Coast Guard Safety standards, NMMA certified  
Deck Hatch  
Dive/Swim platform (integrated)  
Foam Flotation  
Hull color, all white with waterline stripe  
Rails - powder coated  
Rod Holders - flush mount  
Rod Racks - under gunnel  
Sport Arch,  
Ten Year Hull Warranty  
Transom - full height with door  
Windshield - tempered glass

### COCKPIT

Aft Seat(s)  
Bait well,  
Beverage holder  
Cockpit bolsters  
Galley Station w/sink & stove  
Cockpit interior choice, three colors  
Cooler  
Courtesy lights  
Fishboxes - insulated with drain  
Fishboxes - insulated with overboard pump out  
Freshwater system  
Helm storage  
Cutting board  
Leaning post seat  
Livewell  
Raw water washdown system  
Rigging station  
Seating - helm  
Self-draining, non-skid fiberglass floor  
Tackle storage

### CABIN

Berth with cushions  
Cabin door - lockable  
Lighting - 12V w/switch

### HEAD CONSOLE

Full fiberglass head compartment with ventilation  
Head - self-contained  
Port lights  
Shower - handheld  
Toilet paper holder

### MECHANICAL

Accessory plug - 12V  
Battery box - heavy duty  
Battery charger  
Battery switch dual  
Bilge pump with auto float switch  
Compass  
Detector - carbon monoxide  
Dockside water connection  
Hydraulic steering (Std on 150 hp and up)  
Instrumentation - system check (tachometer, fuel, trim, speedometer)  
Ignition interrupter with lanyard  
Instrumentation - full (digital)  
Navigation lights  
Pressurized freshwater system with transom shower  
Prewire for windlass  
Propeller  
Shore power w/50' cord  
Steering - hydraulic  
Steering Wheel - stainless  
Stereo - AM/FM with CD player & MP3 jack  
Trim tabs - dual ram  
Water heater

## OPTIONAL EQUIPMENT

### HULL AND DECK

Anchor  
Bow roller and deck pipe/anchor chute  
Bow sunpad  
Dive Ladder - Heavy Duty  
Hull color, two tone, choice of four colors  
Hull color, solid color, choice of four colors  
Outriggers: Taco Grand slam  
Rub rail, Heavy duty w/stainless insert  
Sport Arch, w/ out riggers

### COCKPIT

Bow table  
Grab rails - powdercoated  
Refrigerator, Stainless steel  
Cabin  
Air conditioner

### HEAD CONSOLE

Head - overboard discharge  
Head marine - dockside pumpout

### MECHANICAL

Oil Tank storage with remote fill  
Raymarine E127 Elect Pkg (12' display w/chartplotter, fishfinder, gps & VHF radio)  
Raymarine Radar (4 kw dome)  
Raymarine Radar (4 kw open array)  
Remote spotlight  
Steering - power assist  
Trim tabs - heavy duty  
VHF radio with antenna  
Windlass  
Windshield wiper

## COLOR OPTIONS

### HULLSIDE COLOR OPTIONS

Deep Navy  
Impact Red  
Onyx Black  
Steel Grey

### XL SCARAB LOGO

### UPHOLSTERY UPGRADE

Black  
Blue  
Red

### POWDERCOAT PACKAGE

## ENGINE OPTIONS

Twin Evinrude® 250 DPX  
Twin Mercury® Verado 250XL  
Twin Mercury® Verado 300XL

Twin Yamaha® F-250 XCA  
Twin Yamaha® F-300 XCA

## PERFORMANCE DATA - TW YAMAHA® F-250 XCA 4-STROKE

Top Speed	54.9 MPH @ 5800 RPM
Cruise Speed	36.4 MPH @ 4000 RPM
Cruise Range	403 Miles

Performance and fuel consumption will vary and be affected by water and weather conditions, altitude, load and condition of boat, engine and propeller(s). Cruise range based on 95% of fuel capacity. All data is illustrative and is not warranted.

Specifications, options, and equipment are subject to change without notice.



## 35 SCARAB® OFFSHORE TOURNAMENT



LOA	35' 4" (10.76 m)
Beam	9' 11" (3.02 m)
Weight	8,600 lbs (3,901 kg)
Fuel Capacity	376 gal (1,423 L)
Water Capacity	13 gal (49 L)
Max HP	1050 HP (783 kw)
Deadrise	23°
Draft Up	23" (58 cm)
Draft Down	33" (84 cm)
Draft Down Triple	39" (96 cm)
Bridge Clearance w/ T-top	8' 4" (2.54 m)
Bridge Clearance w/ Sport Arch	7' 11" (2.41 m)

\* Dry weight calculated does not include engine(s). Dry weight will vary with engine and options installed.

### KEY SALES FEATURES

- Wider beam provides more seating and cockpit space
- Plenty of storage with 4 tilt-out storage bins
- Forward casting platform
- Large center console (6'2" head room) w/head & sink with hand held shower
- T-top FRP w/rod holders, spreader lights, electric box & PFD storage
- Rigging station at transom with sink
- Foam fiberglass encapsulated stringer system and composite transom

## STANDARD EQUIPMENT

### HULL AND DECK

Anchor Locker  
Bow roller and deck pipe/anchor chute  
Bow rail -aluminum  
Cleats (pull-up) - thru bolted stainless steel  
Compliant with Coast Guard Safety standards, NMMA certified  
Dive/Swim platform (integrated)  
Foam Flotation  
Hull color, all white with waterline stripe  
Rod Holders - flush mount  
Rod Racks - under gunnel  
T-Top (FRP) with spreader light and rod holders  
T-Top Electronics box  
Ten Year Hull Warranty  
Transom - full height with door  
Windscreen - plexiglass

### COCKPIT

Aft Seat(s)  
Bait well,  
Beverage holder  
Cockpit bolsters  
Cockpit interior choice, three colors  
Cooler  
Courtesy lights  
Fwd console cooler seat with cushion & backrest  
Fishboxes - insulated with drain  
Freshwater system  
Grab rails - stainless steel  
Helm storage  
Cutting board  
Leaning post seat  
Livewell  
Raw water washdown system  
Rigging station  
Seating - forward console  
Seating - helm  
Self-draining, non-skid fiberglass floor  
Tackle storage

### HEAD CONSOLE

Full fiberglass head compartment with ventilation  
Head - self-contained  
Port lights  
Shower - handheld  
Toilet paper holder

### MECHANICAL

Accessory plug - 12V  
Battery box - heavy duty  
Battery charger  
Battery switch dual  
Bilge pump with auto float switch  
Compass  
Dockside water connection  
Horn  
Hydraulic steering (Std on 150 hp and up)  
Ignition interrupter with lanyard  
Instrumentation - full (digital)  
Navigation lights  
Pressurized freshwater system with transom shower  
Prewire for windlass  
Propeller  
Shore power w/50' cord  
Steering - hydraulic  
Steering Wheel - stainless  
Stereo - AM/FM with CD player & MP3 jack  
Trim tabs - dual ram

## OPTIONAL EQUIPMENT

### HULL AND DECK

Anchor  
Bow rail - powder coated  
Dive Ladder - Heavy Duty  
Hull color, two tone, choice of four colors  
Hull color, solid color, choice of four colors  
Outriggers: Taco Grand slam  
Powder coat package  
Rails - powder coated  
Rub rail, Heavy duty w/stainless insert  
Rod Racks - transom mounted  
Sport Arch,  
Sport Arch, w/ out riggers

### COCKPIT

Bow cushion (s)  
Grab rails - powdercoated  
Kodiak baitwell  
Seating - dropout bolster w/aft baitwell  
Seating - dropout bolster w/aft facing seat

### HEAD CONSOLE

Head - overboard discharge  
Head marine - dockside pumpout

### MECHANICAL

Raymarine E127 Elect Pkg (12' display w/chartplotter, fishfinder, gps & VHF radio  
Raymarine Radar (4 kw dome)  
Raymarine Radar (4 kw open array)  
Remote spotlight  
Steering - power assist  
Trim tabs - heavy duty  
VHF radio with antenna  
Windlass

### CANVAS

T-top canvas enclosure

## COLOR OPTIONS

### HULLSIDE COLOR OPTIONS

Deep Navy  
Impact Red  
Onyx Black  
Steel Grey

### XL SCARAB LOGO

### UPHOLSTERY UPGRADE

Black  
Blue  
Red

### POWDERCOAT PACKAGE

## ENGINE OPTIONS

Triple Mercury® Verado 300XL  
Twin Yamaha® F-350 UCB  
Triple Yamaha® F300 XCA

## PERFORMANCE DATA - TW YAMAHA® F-350 UCB 4-STROKE

Top Speed	57.5 MPH @ 5950 RPM
Cruise Speed	38.8 MPH @ 4000 RPM
Cruise Range	560 Miles

Performance and fuel consumption will vary and be affected by water and weather conditions, altitude, load and condition of boat, engine and propeller(s). Cruise range based on 95% of fuel capacity. All data is illustrative and is not warranted.

Specifications, options, and equipment are subject to change without notice.



## 35 SCARAB® OFFSHORE SPORT



LOA	35' 4" (10.76 m)
Beam	9' 11" (3.02 m)
Weight	8,800 lbs (3,992 kg)
Fuel Capacity	376 gal (1,423 L)
Water Capacity	13 gal (49 L)
Max HP	1,050 HP (782 kw)
Deadrise	23°
Draft Up	23" (58 cm)
Draft Down	33" (84 cm)
Draft Down Triple	39" (96 cm)
Bridge Clearance w/ T-top	8' 4" (2.54 m)
Bridge Clearance w/ arch	7' 11" (2.41 m)

\* Dry weight calculated does not include engine(s). Dry weight will vary with engine and options installed.

### KEY SALES FEATURES

- Wider beam provides more seating and cockpit space
- Rigging station at transom with sink
- Foam fiberglass encapsulated stringer system and composite transom
- Pressurized raw and fresh water system w/hot water heater
- Powdercoated sport arch w/elect box & rocket launchers
- Amenities offer fishing excursions as well as extended family cruising
- Wider console -includes self-contained head, sink and access to console rigging

## STANDARD EQUIPMENT

### HULL AND DECK

Anchor Locker  
Bow roller and deck pipe/anchor chute  
Bow rail - powder coated  
Cleats (pull-up) - thru bolted stainless steel  
Compliant with Coast Guard Safety standards, NMMA certified  
Deck Hatch  
Dive/Swim platform (integrated)  
Foam Flotation  
Hull color, all white with waterline stripe  
Powder coat package  
Rails - powder coated  
Rod Holders - flush mount  
Rod Racks - under gunnel  
Sport Arch,  
Ten Year Hull Warranty  
Transom - full height with door  
Windscreen - plexiglass

### COCKPIT

Aft Seat(s)  
Bait well,  
Beverage holder  
Cockpit bolsters  
Cockpit interior choice, three colors  
Cooler  
Courtesy lights  
Fwd console cooler seat with cushion & backrest  
Fishboxes - insulated with drain  
Freshwater system  
Grab rails - powdercoated  
Helm storage  
Cutting board  
Leaning post seat  
Livewell  
Raw water washdown system  
Rigging station  
Seating - forward console  
Seating - helm  
Self-draining, non-skid fiberglass floor  
Tackle storage

### CABIN

Cabin door - lockable  
Lighting - 12V w/switch

### HEAD CONSOLE

Full fiberglass head compartment with ventilation  
Head - self-contained  
Port lights  
Shower - handheld  
Toilet paper holder

### MECHANICAL

Accessory plug - 12V  
Battery box - heavy duty  
Battery charger  
Battery switch dual  
Bilge pump with auto float switch  
Compass  
Detector - carbon monoxide  
Dockside water connection  
Horn  
Hydraulic steering (Std on 150 hp and up)  
Ignition interrupter with lanyard  
Instrumentation - full (digital)  
Navigation lights  
Pressurized freshwater system with transom shower  
Prewire for windlass  
Propeller  
Shore power w/50' cord  
Steering - hydraulic  
Steering Wheel - stainless  
Stereo - AM/FM with CD player & MP3 jack  
Trim tabs - dual ram  
Water heater

## OPTIONAL EQUIPMENT

### HULL AND DECK

Anchor  
Dive Ladder - Heavy Duty  
Hull color, two tone, choice of four colors  
Hull color, solid color, choice of four colors  
Outriggers: Taco Grand slam  
Rub rail, Heavy duty w/stainless insert  
Rod Racks - transom mounted  
Sport Arch, w/ outriggers  
T-Top (FRP) with spreader light and rod holders  
T-Top Electronics box

### COCKPIT

Kodiak baitwell  
Seating - dropout bolster w/aft baitwell  
Seating - dropout bolster w/aft facing seat

### CABIN

Air conditioner  
Head console  
Head - overboard discharge  
Head marine - dockside pumpout

### MECHANICAL

Generator  
Raymarine E127 Elect Pkg (12' display w/chartplotter, fishfinder, gps & VHF radio)  
Raymarine Radar (4 kw dome)  
Raymarine Radar (4 kw open array)  
Remote spotlight  
Steering - power assist  
Trim tabs - heavy duty  
VHF radio with antenna  
Windlass

### CANVAS

T-top canvas enclosure

## COLOR OPTIONS

### HULLSIDE COLOR OPTIONS

Deep Navy  
Impact Red  
Onyx Black  
Steel Grey

### XL SCARAB LOGO

### UPHOLSTERY UPGRADE

Black  
Blue  
Red

### POWDERCOAT PACKAGE

## ENGINE OPTIONS

Triple Mercury® Verado 300XL  
Twin Yamaha® F-350 UCB  
Triple Yamaha® F300 XCA

## PERFORMANCE DATA - TW YAMAHA® F-350 UCB 4-STROKE

Top Speed	57.2 MPH @ 5800 RPM
Cruise Speed	38.1 MPH @ 4000 RPM
Cruise Range	560 Miles

Performance and fuel consumption will vary and be affected by water and weather conditions, altitude, load and condition of boat, engine and propeller(s). Cruise range based on 95% of fuel capacity. All data is illustrative and is not warranted.

Specifications, options, and equipment are subject to change without notice.







925 FRISBIE STREET • CADILLAC, MI 49601  
231-775-1351

**[www.wellcraft.com](http://www.wellcraft.com)**

PART # 090-3021-14