



Coastal



290 COASTAL



L.O.A. w/pulpit	30'2" (9.19m)
Hull length	28'3" (8.61m)
Beam	10'6" (3.2m)
Dry weight w/twin 250 O/B (approx.)	9000 lbs. (4082kg)
Fuel capacity (Gas)	225 gal. (871.2L)
Water capacity	41 gal. (178L)
Holding tank capacity	11 gal. (42L)
Max power @ prop	600 HP (447.4kw)
Shaft length	25" (.64m)
Deadrise	18°
Draft: up (approx.)	22" (.56 m)
Draft: down (approx.)	33" (.84 m)
Bridge clearance w/o top	7'3" (2.2m)
Bridge clearance w/bimini top	8'3" (2.51m)
Bridge clearance w/hardtop	9'0" (2.74m)
Sleeping capacity	6
Headroom	6'2" (1.88m)

KEY SALES FEATURES

- Full height transom with door • Modular port/stbd helm seating with storage • Cruiser style cabin amenities and functional or extended fishing trips
- Insulated 42 gallon livewell, lighted with viewing window
- Fiberglass molded steps on helm for easy access to foredeck
 - Integrated swim platform with boarding ladder
 - Stainless steel deck hardware - thru-bolted
 - Port/stbd settee converts to twin pilot berths
 - Insulated fish boxes with overboard pumpout
 - Complies with Coast Guard safety regulations
 - NMMA Yacht Certification
 - 10-year structural hull warranty - transferable

STANDARD EQUIPMENT

HULL & DECK

Anchor locker
Bow pulpit with roller and anchor chute
Cleats - stainless steel
Deck hatch with screen
Gunwale trim - heavy duty
Heavy duty rub rail with stainless steel insert
Heavy duty dive ladder - removable
Port lights - opening with screens, stainless steel trim rings (4)
Rod holders - stainless steel flush mount (2) with cap
Rod racks - under gunwale - port/stbd
Stainless steel rails
Stainless steel thru hulls (NEW)
Swim platform - integrated
Transom - full height with transom door
Windshield - tempered glass - with walk-thru

COCKPIT

Aft seat - three person fold-out
Beverage holders
Chart storage tube
Cockpit bolsters
Cockpit overboard scuppers
Courtesy lights
Entry light switch at transom
Fiberglass molded steps on helm (2) for easy access to foredeck
Fish boxes (2) - with lift assist and overboard pumpout
Footrest - stbd
Helm seating module - double wide two position seat, 42 gal. lighted and insulated livewell with viewing window, below seat storage areas (2), beverage holders (4), tackle locker - 4 drawer - watertight
Port seating module - single seat with storage, sink with hinged lid and fresh water system, cutting board, beverage holder (1), knife and pliers rack

Raw water washdown

CABIN

AC/DC panel
Cabin door - lockable
Carpet - snap in
Decor pillows (NEW)
Dinette table
Forward V-berth
Hanging locker
Liner - full fiberglass
Lighting - direct/indirect
Mid cabin

Settee - port/stbd converts to twin pilot berth
Stereo - Clarion AM/FM CD player with 4 speakers - weather resistant and remote control at helm
Woodgrain cabinets (NEW)
GALLEY
Countertop - Granulon with storage below
Duplex outlet - GFI protected
Microwave oven (NEW)
Overhead storage
Refrigerator - dual voltage, 110V w/15 amp converter - GFI protected
Sink with pressurized fresh water system
Stove - single burner alcohol/electric

HEAD

Duplex outlet - GFI protected
Full fiberglass head compartment with ventilation
Hand held shower
Molded fiberglass sink and vanity with Granulon countertop and dry storage
SeaLand™ Vacu-flush head with holding tank

MECHANICAL

Accessory plug - 12V
Battery switch - dual with trays
Bilge pumps (2) with auto float switch
Compass
Detector - carbon monoxide
Dockside water connection
Fuel filters
Horn
Ignition - safety interlock system with lanyard
Instrumentation with dimmer switch - tachometer, speedometer, fuel, volts, water pressure, trim, backlit switch panel
Navigation lights
Oil tank storage with remote fill
Pressurized fresh water system with transom shower (8 gal)
*Propeller - stainless steel
Shore power - 15 amp with 50' shore power cord
Steering - tilt hydraulic
Steering wheel - aluminum with knob (NEW)
Trim Tabs
Water heater - 6 gal.
Windshield wiper (1)

* with preferred Twin 225 HP factory installed engines and drop shipped engines only

COLOR OPTIONS

Desert sand

Bahama blue

OPTIONAL EQUIPMENT

Air conditioner 7,000 BTU with heat

Auxiliary fuel tank (86 gal)

(Generator cannot be ordered with this opt.)

Canada certification

Carpet - snap in cockpit

CE certification (for export only)

Cradle

Dive tank storage racks

Generator 5.0 kw gas with sound shield, insulated aft bulkhead (not available with auxiliary fuel tank)

Overboard discharge for head

Pre-rig for Merc, Yamaha Evinrude, and Johnson

(Recommended HP: Tw 225 hp to Tw 250 hp, check for engine availability)

SA option

Windlass with 150' rope/chain combo and electric up/down switches, lanyard and anchor

Windshield wiper washer system

*** Preferred Option Package A**

Cockpit cover

Cockpit ice maker

Hardtop FRP, with finished liner, spreader light, port windshield wiper, rod holders, full canvas enclosure

TV/Telephone inlet and antenna

Remote spotlight

*** Preferred Option Package B**

Bimini top - Sunbrella

Cockpit cover

Cockpit ice maker

Remote spotlight

Side/drop curtain

TV/Telephone inlet and antenna

Windshield connector

*** Stereo Upgrade Package (Clarion)**

Cockpit subwoofer, power amp, 6 disc CD changer, 2 additional speakers, and cabin crossover amplifier

* Note: Items in Packages cannot be ordered individually.**ENGINE OPTIONS**

Tw Merc 225 XL Optimax Saltwater (DIG)

Tw Yamaha SX 225 TXRA
Tw Yamaha F 225 TXRA

Tw Evinrude 225 FFI

Tw Evinrude 250 FFI

PERFORMANCE DATA - Tw 225 O/B

Time to Plane

2.3 Seconds

Top Speed

48 MPH @ 6000 RPM

Cruise Speed

28 MPH @ 4000 RPM

Cruise Range

306 Miles

Performance and fuel consumption will vary and be affected by water and weather conditions, altitude, load and condition of boat, engine and propeller(s). Cruise range based on 95% of fuel capacity. All data is illustrative and is not warranted. Performance data based on 225 hp engine.

Specifications, options, and equipment are subject to change without notice.

