

232 COASTAL



L.O.A.	22' 4" (6.8 m)
Beam	8' 8" (2.64 m)
Dry Weight (approx.)*	3600 lb (1633 kg)
Fuel capacity (Gas)	115 gal (435.32 L)
Water Capacity	8 gal (30.28 L)
Max hp power @ prop	300 hp (224 kw)
Shaft Length Single	25" (.64 m)
Dead Rise	20°
Draft: engine up (approx)	15" (.38 m)
Draft: engine down (approx)	32" (.81 m)
Bridge clearance w/o top (approx)	6' 0" (1.83 m)
Bridge clearance w/bimini top (opt) (approx)	8' 0" (2.43 m)
Bridge clearance w/Hardtop (approx)	8' 1" (2.43 m)

* Dry weight calculated does not include engine(s). Dry weight will vary with engine and options installed.

KEY SALES FEATURES

- Full height transom • Foam filled, fiberglass, box section stringer with integral high density composite transom
 - Recessed stainless grab rails - port/stbd
- Full FRP cabin liner with diamond pattern skid resistant surfaces • Fish box stbd below helm seat 90 qt. w/overboard drain • Dry storage port below companion seat 90 qt.
 - Lighted baitwell 84 qt. with overboard drains
 - Rod storage under gunwale port and starboard
 - Stainless steel gunwale-mounted rod holders (2)
- Fiberglass cockpit with diamond pattern skid resistant surfaces • All stainless steel deck hardware thru-bolted • Complies with Coast Guard safety regulations
 - 10-year structural hull warranty - transferable
 - NMMA Certified

STANDARD EQUIPMENT

HULL & DECK

Anchor rope locker w/hawse pipe
Anchor roller with cleat
Bow and stern eyes - stainless steel
Cleats (7) 8" stainless steel
Gunnel caps - port/stbd with integrated stainless steel side grab rails
Rod holders (2) stainless steel w/cap
Rub rail - heavy duty with stainless steel insert **(new)**
Stainless steel rails
Swim platform - integrated
Swim ladder - flip down
Thru hulls - stainless steel **(new)**
Transom full height with door
Windshield - curved tempered Solex® glass

COCKPIT

Baitwell - 84 qt. with light and overboard drain
Beverage holders
Cockpit courtesy lights
Cockpit overboard scuppers
Dry storage (1) 90qt. - port mid-ship with sealed lid & drain
Fishbox (1) 90 qt. stbd - mid-ship with overboard drain and sealed lid
Fold away rear bench seat with cushion and aft bolster **(new)**
Hardtop molded with (4) rod holders, electronics flat, spreader light, and overhead incandescent lights **(new)**
Pedestal seats adjustable with cushions port/stbd
Raw water washdown **(new)**
Rod storage under gunwale port/stbd
Skid resistant surfaces

MECHANICAL

Accessory plug - 12V at helm
Accessory switches (2)
Baitwell pump - 700 gph
Battery switch - dual with 2 trays
Breakers at helm - weather resistant
Bilge pump automatic float switch 800 gph aft
Compass
Full instrumentation - digital **(new)**
Horn - flush mount
Hoses - steel reinforced
Ignition - safety interlock system with lanyard
Navigation lights
**Propeller - aluminum (200 HP and below)
Remote oil fill (2-stroke)
Steering - hydraulic tilt
Steering wheel - stainless steel with power knob **(new)**
Submersible rated electrical connections
Switches - weather resistant
Windshield wipers port/stbd **(new)**

CABIN

Battery storage with tray(s)
Bi-fold locking entry door
Carbon monoxide detector
Deck hatch - with screen
Galley with sink, storage, and pressurized fresh water
Dome light - 12V w/switch
Full fiberglass liner - skid resistant with integrated step
Hatch access to helm console rigging
Head - self contained (non-plumbed)
Toilet paper holder
Rope locker access hatch
V-berth with storage
V-berth cushions

** Drop shipped and factory rigged engines only.

OPTIONAL EQUIPMENT cont.

Bimini top w/boot - premium canvas with stainless steel hardware (replaces std. hardtop)
Canada certification
CE certification (for export only)
Cockpit bolsters - port/stbd
Dinette table with V-Berth filler cushion
Engine cowling cover - Sunbrella™ with logo for Yamaha F200, F225 and F250 only (available through parts department only)
Heavy duty dive ladder
Pre-rig for Evinrude, Mercury and Yamaha (Recommended hp: 150 to 300 hp, check for engine availability)
Port/Stbd jump seat cushions with backrest
Stove - butane (not available for CE)
Trailer - Aluminum with brakes
Trailer - Galvanized with brakes
Transom shower - fresh water
Trim Tabs - requires heavy duty dive ladder (replaces standard swim ladder)

***Sirius Satellite Radio System**

Clarion AM/FM CD player with remote at helm
Sirius satellite receiver, antenna
4 Speakers

***Canvas Package for Bimini Top**

Side and drop curtains with windshield connector

***Canvas Package for Hard Top**

Side and drop curtains with windshield connector (new)

***Ray Marine C80 Electronics Package 8.4" Color Display**

(Unit is radar ready - additional components required)
(n/a with bimini top)
Includes chartplotter & HDFI fishfinder
VHF Radio - Ray 54

*Note: Items in Packages cannot be ordered individually unless listed as stand-alone.

COLOR OPTIONS

Hullside Color Option Upgrade

Fighting Lady Yellow
Hunter Green
Midnite Blue

Cabin Fabric Selection

Natural Bisque
Seashore
Tropical Breeze

ENGINE OPTIONS

Merc 200 Verado 4-stroke
Merc 225 Verado 4-stroke
Merc 250 Verado 4-stroke
Merc 275 Verado 4-stroke
Evinrude 200 E-Tec
Evinrude 200 E-Tec HO

Evinrude 225 E-Tec
Evinrude 250 E-Tec
Yamaha F 200 4-stroke
Yamaha F 225 4-stroke
Yamaha F 250 4-stroke

PERFORMANCE DATA - Yamaha F 200 4-stroke

Top Speed	40 MPH @ 6100 RPM
Cruise Speed	28.5 MPH @ 4500 RPM
Cruise Range	350 Miles

Performance and fuel consumption will vary and be affected by water and weather conditions, altitude, load and condition of boat, engine and propeller(s). Cruise range based on 95% of fuel capacity. All data is illustrative and is not warranted. This test done with clean bottom, no bottom paint and light to average load.

Specifications, options, and equipment are subject to change without notice.

NOTES
