



L.O.A.	24'4" (7.42m)
Beam	8'9" (2.66m)
Dry weight (approx.)*	4360 lbs. (1978kg)
Fuel capacity (Gas)	140 gal. (530L)
Water capacity	9 gal. (3.1L)
Max power @ prop	300 HP (224kw)
Shaft length single	30" (.76m)
Shaft length twin	25" (.64m)
Deadrise	20°
Draft: up (approx.)	16" (.40m)
Draft: down (approx.)	29.5" (.75 m)
Bridge clearance w/o top	6' (1.83m)
Bridge clearance w/bimini top	8' (2.43m)

^{*} Dry weights are calculated with standard equipment only and do not include engine(s). Dry weight will vary with engine and options installed.

KEY SALES FEATURES

 Full height transom • Foam-filled, fiberglass, box section stringer with integral high density composite transom • Full fiberglass cabin liner with molded soft touch headliner • Fish box portside 128 qt. w/overboard drain

- Integrated cooler stbd side 44 qt. w/overboard drain
- Kodiak Pro Flow, lighted baitwell 116 qt. with sealed, clear bait lid, positive latching cover and overboard drain • Dry storage (92 qt) under helm seat with room for safety gear • Rod storage under gunwale port and starboard • Stainless steel gunwale mounted rod holders (4) • Fiberglass cockpit with diamond pattern skid resistant surfaces • All stainless steel deck hardware thru-bolted • Complies with Coast Guard safety regulations
- 10-year structural hull warranty transferable NMMA Certified

STANDARD EQUIPMENT

HULL & DECK

Anchor rope locker w/ hawse

Anchor roller with cleat Bow and stern eyes - stainless

Cleats (6) 8" stainless steel Full hull bow flare for dry ride Gunnel caps - composite with integrated stainless steel side

grab-rails

Integrated steps to forward deck

 skid resistant Rod holders (4) - stainless

steel w/ cap Rub rail - high impact Stainless steel rails Swim platform - integrated Swim ladder - flip down Transom full height with door

Windshield - curved tempered Solex® glass

COCKPIT

Beverage holders (5) Bimini top w/boot - premium

canvas

Cockpit courtesy lights (3) Cockpit overboard scuppers Cooler - 44 qt integrated stbd side with overboard drain Fishbox - 128 qt. portside with

overboard drain

Kodiak Pro Flow baitwell 116 gt. w/light, overboard drain; sealed clear bait lid positive latching cover and stainless gas spring lift

Pedestal seats, adjustable w/ cushions port/stbd

Skid resistant surfaces Storage under helm seat

92 qt (dry)

Tackle storage box w/ removable trays Transom storage bin

MECHANICAL

Accessory plug - (2) 12V at helm Baitwell pump 700 GPH remote mount

Battery parallel with remote switch at helm

Battery switch

Bilge pumps with automatic float switches 500 GPH forward; 1500 GPH aft

Breakers - weather resistant Compass

Full instrumentation tachometer, speedometer,

fuel, volts, water pressure, trim, systems check* Horn - flush mount

Ignition - safety interlock system w/lanyard

Navigation lights Powered buss bar & space at

helm for electronics **Propeller - stainless steel Remote oil fill (2-stroke) Steering - tilt hydraulic Steering wheel - stainless steel

Submersible rated electrical connections Switches - sealed

Trim tabs

 Systems check available with specific engines

* SS prop with factory rigged and drop shipped engines only

CABIN

Battery storage with tray(s) Bi-fold locking entry door Deck hatch - oversized with screen

Dinette table w/filler cushion and dedicated storage

Galley with sink, storage bin, and pressurized fresh water Head - self contained, covered Molded soft touch headliner

w/integrated features including overhead rod storage

Portlights - (2) opening w/screen

Rope locker access hatch V-berth with cushions and storage

OPTIONAL EQUIPMENT

Battery switch - dual with 2 trays for single engine; 3 trays for twin engines Canada certification CE Certification (for Export only) Cockpit/cabin carpet - snap in Genmar FirstMate+ featuring telematics technology Overboard discharge for Vacuflush head only Pre-rig for Evinrude, Johnson, Mercury and Yamaha (Recommended HP: 225 to 300hp, check for engine availability) Raw water wash down Stainless steel rub rail insert Vacuflush head w/holding tank (10 gal) and dockside pumpout

* Deluxe Seating package
Fold-away rear bench seat with
aft bolster
Port/Stbd cockpit bolsters
Port/Stbd jump seat cushions

with backrest Wrap-around companion seating

with backrest

* Fishing Seating Package
Fold-away rear bench seat with
aft bolster
Port/Stbd cockpit bolsters
Port/Stbd jump seat cushions

* Canvas Package for
Bimini Top
Side and drop curtains with

windshield connector

* Dive Package

Dive ladder - heavy duty removable Transom shower Fresh water *Sirius Satellite Radio

System (new)
Clarion AM/FM CD player
Sirius Satellite Receiver and

antenna 4 speakers

Digital remote control at helm

* Hardtop Package

Dual battery switch
Hardtop - molded, aluminum
frame with 2" rigging pipe,
electronics box with power
for electronics, storage,
spreader light, overhead
incandescent lights (2), full
canvas enclosure and

port/stbd windshield wipers
* Tournament Edition Package

(see color selections below)
Aluminum steering wheel
with knob
Custom graphics

Stainless steel rub rail insert Stainless steel thru hulls Upgraded cabin fabric

 Note: Items in Packages cannot be ordered individually unless listed as stand alone

COLOR OPTIONS

TOURNAMENT EDITION COLOR
OPTIONS
White hullside gelcoat:

Blue Graphics - Mediterranean Blue Tweed Canvas Gold Graphics - Linen Tweed Canvas TOURNAMENT EDITION HULLSIDE GELCOAT COLOR OPTIONS

Bahama Blue - Charcoal Tweed Canvas

Fighting Lady Yellow - Charcoal Tweed Canvas

Midnite Blue - Mediterranean Blue Tweed Canvas Seafoam Green - Charcoal

Tweed Canvas
TOURNAMENT EDITION CABIN

FABRIC SELECTION

Bahama Blue Desert Sand

ENGINE OPTIONS

Sgl Merc 225 Optimax
Saltwater (DIG)
Sgl Merc 225 EFI Saltwater
Sgl Merc 225 EFI 4-stroke
Sgl Merc 250 EFI Saltwater
Tw Merc 150 EFI Saltwater
Tw Merc 150 Optimax
Saltwater (DIG)

Saltwater (DIG) Sgl Johnson 225 4-stroke Sgl Evinrude 225 FFI Sgl Evinrude 250 FFI Tw Johnson 140 4-stroke Tw Johnson 150 Tw Evinrude 150 FFI

SgI Yamaha F225 4-stroke SgI Yamaha Z 250 HPDI SgI Yamaha Z 300 HPDI Tw Yamaha F115 4-stroke Tw Yamaha Z 150 HPDI Tw Yamaha F 150 4-stroke

PERFORMANCE DATA - Yamaha Z 250 HPDI

Time to Plane Top Speed Cruise Speed Cruise Range 4.16 Seconds 46.8 MPH @ 5400 RPM 35 MPH @ 4000 RPM 404 Miles

Performance and fuel consumption will vary and be affected by water and weather conditions, altitude, load and condition of boat, engine and propeller(s). Cruise range based on 95% of fuel capacity. All data is illustrative and is not warranted. This test done with clean bottom, no bottom paint and light to average load.

Specifications, options, and equipment are subject to change without notice.

NOTES		
	(F)	