



L.O.A.	18'6" (5.63m)			
Beam	7'10" (2.38m)			
Dry weight w/engine (approx.)	2700 lbs. (1225kg) 29 gal. (109.7L) 225 HP (167.8kw)			
Fuel capacity				
Max horsepower @ prop				
Deadrise	21°			
Draft: up (approx.)	15" (.38m)			
Draft: down (approx.)	31" (.78m)			
Bridge clearance w/o top	4'0" (1.21m)			
Bridge clearance w/bimini top	6'5" (1.95m)			

## KEY SALES FEATURES

The innovative Vec Technology

(Virtual Engineering Composites) hull process is a significant advance in fiberglass boat building resulting in a more durable and better performing product at a greater value and is backed by a Limited Lifetime hull warranty

- · Fiberglass bow and cockpit liner · Injected closed cell foam
  - · Upgraded UV protected cockpit vinyls
    - · Insulated engine compartment
- · Integrated fiberglass swim platform with boarding ladder
  - · All stainless steel deck hardware thru bolted
- · Skid resistant surfaces · Foam flotation complies with Coast Guard safety standards . Upgraded wood grain dash coordinates with wood grain steering wheel
  - · Complies with Coast Guard safety regulations
    - · NMMA certified

# STANDARD EQUIPMENT

#### **HULL & DECK**

Anchor light
Anchor storage
Boarding ladder, fold down 3 step
Bow and stern eyes - stainless
steel thru bolted
Cleats - pull up stainless steel
thru-bolted (5)
Exhaust vents
Garboard drain plug

Hardware - stainless steel
Integrated fiberglass swim
platform
Navigation lights
Rub rail - heavy duty

Navigation lights
Rub rail - heavy duty
Ski tow eye - stainless steel
Thru hull fittings - chrome plated
brass

Windshield - curved walk thru center with stainless steel support braces and glass side wings

#### COCKPIT

Ski locker

Aft bench seat with rotocast base with storage below and sun lounge cushion
Beverage holders (6)
Bow seating
Canvas - sport top - Sunbrella color matched
Cooler - 25 qt. carry on
Courtesy lights
Glove box - lockable
Hand holds - stainless steel
Helm seating - port/stbd
adjustable bucket seats with flip up cushions

Snap in cockpit carpet
Stereo - AM/FM CD player with 4
weather resistant speakers
Storage - below bow seating
Storage - cockpit side panels
Storage - floor
MECHANICAL

Accessory plug - 12 volt
Audible engine alarms (oil, water)
Auto bilge pump with float switch
Battery box
Depth finder - dash mounted
Electric bilge blower
Fuel tank with anti-siphon valve
and electric sending unit
Full instrumentation - fuel,
oil pressure, speedometer,
tachometer, voltmeter, hour
meter, water temperature, and
trim installed on custom wood
grain dash
Horn - flush mount

Ignition interrupter with safety lanyard Power trim and tilt Propeller - aluminum Rocker switches - weather resistant

Side mount throttle lever with trim switch

Steering wheel - custom wood grain with tilt and power steering

Trailer - powder coated white with brakes

## OPTIONAL EQUIPMENT

Bimini top
Bow cover
Canadian certification
CE certification (for export only)
Cockpit cover
Mooring cover
Trailer - aluminum with brakes
Trailer - galvanized with brakes

Insulated engine compartment

#### \* Canvas Package (for standard sport top

Aft curtains Bow cover Side curtains

\* Note: Items in Packages cannot be ordered individually.

### COLOR OPTIONS

Red Blue Spruce Black

#### **ENGINE OPTIONS**

Merc 3.0 L Alpha I Volvo 3.0 GS SX
Merc 4.3 L Alpha I Volvo 4.3 GL SX
Merc 4.3 L Bravo III Volvo 4.3 GL DP

\* Merc 4.3 L MPI Alpha Volvo 4.3 GXI SX
Volvo 4.3 GXI DP

#### PERFORMANCE DATA - Volvo 4.3 GL SX

Time to Plane

Top Speed

Cruise Speed

Cruise Range

2.5 Seconds

49.3 MPH @ 4500 RPM

37.2 MPH @ 3500 RPM

127 Miles

Performance and fuel consumption will vary and be affected by water and weather conditions, altitude, load and condition of boat, engine and propeller(s). Cruise range based on 95% of fuel capacity. All data is illustrative and is not warranted.

Specifications, options, and equipment are subject to change without notice.

# **NOTES**

1		9		
Ď				
				242

<sup>\*</sup> Check for availability