


210 EXCALIBUR SPORT



L.O.A.	20'6" (6.24m)
Beam	8'3" (2.51m)
Dry weight w/engine (approx.)	2900 lbs. (1315kg)
Fuel capacity	35 gal. (132.4L)
Max horsepower @ prop	260 HP (193.8kw)
Deadrise	21°
Draft: up (approx.)	16" (.40m)
Draft: down (approx.)	32" (.81m)
Bridge clearance w/o top	4'3" (1.29m)
Bridge clearance w/bimini top	6'7" (2.0m)

KEY SALES FEATURES

• The innovative Vec Technology

(Virtual Engineering Composites) hull process is a significant advance in fiberglass boat building resulting in a more durable and better performing product at a greater value and is backed by a Limited Lifetime hull warranty

- Stainless steel ski tow eye Fiberglass bow and cockpit liner
- Injected closed cell foam UV protected marine upholstery
 - Foam flotation complies with Coast Guard regulations
 - Skid resistant surfaces Insulated engine compartment
 - Integrated fiberglass swim platform with boarding ladder
 - Complies with Coast Guard safety regulations
 - NMMA certified

STANDARD EQUIPMENT

HULL & DECK

Anchor light Anchor storage

Boarding ladder, fold down 3 step Bow and stern eyes - stainless

steel thru bolted

Cleats - stainless steel thru

bolted (5)

Exhaust vents

Garboard drain plug

Hardware - stainless steel Integrated fiberglass swim

platform

Navigation lights

Rub rail - heavy duty

Ski tow eye - stainless steel Windshield - curved walk thru center with stainless steel support braces and side

glass wings

COCKPIT

Aft bench seat with rotocast base with storage below and sun

lounge cushion

Beverage holders (6)

Bow seating

Canvas - sport top - Sunbrella

color matched (NEW) Cockpit snap-in carpet (NEW)

Cooler 25 qt. with tiedowns (NEW)

Courtesy lights

Glove box - lockable

Hand holds - stainless steel Insulated engine compartment Helm seating - port/stbd adiustable bucket seats. with flip ups

Ski locker

Stereo - AM/FM CD plaver with 4 weather resistant speakers

Storage - below bow seating Storage - cockpit side panels

Storage - floor

Storage for optional sport top MECHANICAL

Accessory plug - 12 volt

Audible engine alarms (oil, water) Auto bilge pump with float switch

Battery box

Electric bilge blower

Full instrumentation mounted in woodgrain panel - fuel, oil pressure, speedometer, tachometer, voltmeter,

water temperature, trim

Fuel tank with anti-siphon valve and electric sending unit

Horn - flush mount Ignition interrupter with safety lanvard

Power trim and tilt

Propeller - aluminum

Rocker switches - weather resistant

Side mount throttle lever with trim switch

Steering wheel with tilt and power steering

OPTIONAL EQUIPMENT

Anti-corrosive system (available with Volvo engines)

Bimini top Bow cover

Canadian certification

CE Certification (for export only)

Cockpit cover

Extended swim platform -**FRP**

Filler cushion for optional U-shaped seating

Mercathode (available with

Mercruiser Alpha Drives) Mooring cover

Trailer - aluminum with brakes

Trailer - galvanized with

Trailer - custom painted

brakes Swing away tongue for trailer

(NEW)

U-shaped aft seating with rotocast base and aft cockpit table

Canvas Package (for sport top) Aft curtains

Side curtains

* Preferred Package Bow cover

Cockpit cover Custom painted hullside

Depth sounder

Pull-up cleats

Steering wheel - upgrade to woodgrain

* Note: Items in Packages cannot be ordered individually unless listed as stand alone.

COLOR OPTIONS

Red Blue Spruce Yellow

AMILY PERFORMANCE

ENGINE OPTIONS

Merc 4.3 L Alpha I Volvo 4.3 GL SX Merc 4.3 L Bravo III Volvo 4.3 GL DP Merc 4.3 MPI Classic Volvo 4.3 GXI SX Merc 5.0 L Alpha I Volvo 4.3 GXI DP Merc 5.0 MPI Classic Volvo 5.0 GL SX Merc 5.7 L Alpha I Volvo 5.0 GL DP Merc 5.7 L Bravo III Volvo 5.0 GXI SX Volvo 5.0 GXI DP Volvo 5.7 GL SX Volvo 5.7 GL DP

PERFORMANCE DATA - Volvo 4.3 GL SX

Volvo 5.7 GI SX Volvo 5.7 GI DP

Time to Plane 3.04 Seconds
Top Speed 46 MPH @ 4600 RPM
Cruise Speed 33.1 MPH @ 3500 RPM
Cruise Range 132 Miles

Performance and fuel consumption will vary and be affected by water and weather conditions, altitude, load and condition of boat, engine and propeller(s). Cruise range based on 95% of fuel capacity. All data is illustrative and is not warranted.

Specifications, options, and equipment are subject to change without notice.

NOTES

•	
1	138
	138

NOTES

MILY PERFORMAN