


# 250 COASTAL O/B



L.O.A. w/pulpit	24'8" (7.5m)
Beam	8'6" (2.59m)
Dry weight w/Twin 150 O/B (approx.)	5000 lbs. (2268kg)
Fuel capacity (Gas)	150 gal. (567.7L)
Max power @ prop	350 HP (261kw)
Shaft Length: Single	30" (.76m)
Twin	25" (.64m
Water capacity	8 gal. (30.28L)
Deadrise	18°
Draft: up (approx.)	21" (.53m)
Draft: down (approx.)	34" (.86m)
Bridge clearance w/o top	6'0" (1.83m)
Bridge clearance w/bimini top	7'0" (2.13m)
Bridge clearance w/hardtop	7'10" (2.39m)
Sleeping capacity	2
Headroom	5'6" (1.68m)

## KEY SALES FEATURES

- Full height transom with door Composite transom with fiberglass foam filled stringer system
- Fiberglass molded non-skid steps on helm for easy access to foredeck • Integrated swim platform with boarding ladder
  - Stainless steel deck hardware thru-bolted
  - Insulated fish boxes with overboard pumpout
  - Helm electronics area Pressurized fresh water system
    - Complies with Coast Guard safety regulations
       10-year structural hull warranty
- Liner diamond pattern skid resistant for easy maintenance
   NMMA Certified
  - Full length running surface, Step Lift IIV bottom for extra lift and better planing

## STANDARD EQUIPMENT

#### **HULL & DECK**

Bow and stern eyes - stainless steel Bow pulpit with anchor roller/chute and deck pipe Cleats - stainless steel Deck hatch with screen Dive ladder - heavy duty - removable Heavy duty rub rail with stainless steel insert

Integrated non-skid steps to deck Port light with stainless steel trim ring (2) - opening with screens Rod holders stainless steel gunnel

mount with cap (2) Rope locker Stainless steel rails Stainless steel thru hulls (NEW) Storage starboard - under helm

Swim platform - integrated Transom - full height with door Windshield - tempered glass with walk-thru door

## COCKPIT

Beverage holders (6) Cockpit bolsters port/stbd (NEW) Cockpit overboard scuppers Courtesy lights Entry light switch at transom Fish boxes (2) with overboard pumpout - port/stbd Foot rest - fold down Gunwale caps with rod storage port/stbd Livewell/cooler cushions

Portside insulated cooler Raw water washdown Seats - port/stbd pedestals with arm rest and modular storage

Livewell - 21 gal. with light

#### CABIN

Beverage holders (4) Door - sliding Gallev sink Galley storage compartment Dinette table -stowable Head - self-contained Integrated V-berth seats convert into bed with filler cushion Lighting - 12V V-berth storage with cover -

MÉCHANICAL

Accessory plug - 12V Battery switch - dual with trays Bilge pump with auto float switch Carbon monoxide detector Compass Horn

provides storage for galley table

Ignition safety interlock system with lanyard

Instrumentation with dimmer switch - tachometer, fuel, volts, water pressure, trim, speedometer (single), backlit switch panel

Navigation lights Oil tank storage with remote fill Power at helm for electronics Pressurized fresh water system (8 gal.) with transom shower \*Propeller - stainless steel Steering - tilt hydraulic Steering wheel - aluminum with knob (NEW)

\*Drop shipped engines only

#### OPTIONAL EQUIPMENT

Canada certification

CE certification (for export only) Cradle

Overboard discharge for Vacu-Flush head (available with Weekender Package only)

Pre-rig for Merc, Yamaha, Evinrude, Johnson, and Honda (Recommended HP: 150 hp to Tw 175 hp, check for engine availability)

Trim tabs SA option

Stereo - Clarion AM/FM CD player, remote control, and 4 speakers weather resistant

\* Canvas Package

Bimini top - Sunbrella Side and drop curtain with windshield connector

\* Hardtop Package

Hardtop with finished liner. electronics box, spreader light, rod holders, full canvas enclosure and windshield wipers (2)

\* Weekender Package Aft seat - fold down with aft bolster

Butane stove Head - SeaLand™ Vacu-Flush with

holding tank

Trim tabs

\* Note: Items in Packages cannot be ordered individually.

Butane stove not available for CE boats

## COLOR OPTIONS

Desert sand

Bahama blue

### ENGINE OPTIONS

Sgl Merc 225 XXL Optimax Saltwater (DIG) Tw Merc 150 XL Optimax Saltwater (DIG)

Sgl Evinrude 225 FFI Tw Johnson 150 Tw Evinrude 150 FFI SgI Yamaha F 225 TURA SgI Yamaha SX 250 TURA Tw Yamaha F 115 TXRA Tw Yamaha Z 150 TXRA

Tw Honda BF 130

## PERFORMANCE DATA - Tw 150 Ficht

 Time to Plane
 3.0 Seconds

 Top Speed
 51.8 MPH @ 5600 RPM

 Cruise Speed
 37.8 MPH @ 4000 RPM

Performance and fuel consumption will vary and be affected by water and weather conditions, altitude, load and condition of boat, engine and propeller(s). All data is illustrative and is not warranted.

Specifications, options, and equipment are subject to change without notice.

NOTES	

NOTES	