





Fisherman



250 FISHERMAN O/B



L.O.A. w/pulpit	24'8" (7.51m)
Beam	8'6" (2.59m)
Dry weight w/Twin 150 O/B (approx.)	5000 lbs. (2268kg)
Fuel capacity (Gas)	150 gal. (567.7L)
Max power @ prop	350 HP (261kw)
Shaft length: Single	30" (.76m)
Twin	25" (.64m)
Water capacity	8 gal. (30.28L)
Deadrise	18°
Draft: up (approx.)	21" (.53m)
Draft: down (approx.)	34" (.86m)
Bridge clearance w/o top	6'1" (1.85m)
Bridge clearance w/bimini top	7'0" (2.13m)
Bridge clearance w/T-top	7'10" (2.39m)
Sleeping capacity	2
Headroom	5'1" (1.55m)

KEY SALES FEATURES

- Full length running surface • Step Lift II V™ bottom for extra lift and better planing • Foam filled stringer system with composite transom • Lower cockpit sole for added freeboard
- Cab forward design allows for larger rear cockpit and room for 2 to fish from the bow • Console is wide enough to sit 2 people behind the windscreen and has plenty of space for electronics • Large transom platform for diving or landing large fish • Easy access to batteries and switches
- Forward console seat with cushion - seats 2 comfortably
- Cabin console is roomy enough to sleep 2 • Complies with Coast Guard safety regulations • 10-year structural hull warranty - transferable • NMMA Certified • Liner - fiberglass - diamond pattern skid resistant for easy maintenance

STANDARD EQUIPMENT**HULL & DECK**

Anchor locker
 Bow pulpit with roller and deck pipe
 Bow and stern eyes - stainless steel
 Cleats - stainless steel
 Heavy duty rub rail with stainless steel insert
 Ladder - heavy duty dive - removable
 Port light - with stainless steel trim ring (1)
 Rod holders - (2 ea.) stainless steel flush mount with cap
 Stainless steel rails
 Stainless steel thru hulls **(NEW)**
 Swim platform - integrated
 Transom - full height
 Windscreen - plexiglass

COCKPIT

Beverage holders
 Cockpit overboard scuppers
 Courtesy lights
 Fish boxes port/stbd with overboard pumpout
 Foot rest - molded in
 Forward cockpit insulated storage boxes with hinged lids (4)
 Forward console seat with cushions
 Gunwale caps w/rod storage port/stbd
 Livewell - 30 gal. w/light

Pedestal seats - port/stbd w/cushions

Raw water washdown
 Room for electronics

CABIN CONSOLE

Cabin console cushions with additional port light **(NEW)**
 Lighting - 12V
 Port/stbd storage boxes with hinged lid
 Side opening door for easy entry
 Stbd side opening port light (w/o screen)

MECHANICAL

Accessory plug - 12V
 Battery switch - dual with trays
 Bilge pump w/auto float switch
 Compass
 Horn
 Ignition - safety interlock system with lanyard
 Instrumentation with dimmer switch - tachometer, fuel, volts, water pressure, trim, backlit switch panel
 Navigation lights
 Power for electronics at helm
 * Propeller - stainless steel
 Remote oil fill
 Steering - tilt hydraulic
 Steering wheel - aluminum with knob **(NEW)**

* Drop shipped engines only

OPTIONAL EQUIPMENT

Backrest for optional lean post seat
 Bimini top - Sunbrella
 Canada certification
 CE certification (for export only)
 Cradle
 Leaning post seat with storage and rod holders
 Pre-rig for Merc, Yamaha, Evinrude, Johnson, and Honda
 (Recommended HP: 150 hp to Tw 175 hp, check for engine availability)

Pressurized fresh water system with transom shower
 Self contained head
 Stereo - Clarion AM/FM with CD player - 4 speakers - weather resistant
 T-top w/spreader light, rod holders, electronics box
 Trim tabs

*** Seating Upgrade**

Aft seat with cushion
 Bow cushion
 Cockpit bolsters - port/stbd

COLOR OPTIONS

Desert sand

Bahama blue

ENGINE OPTIONS

Sgl Merc 225 XXL Optimax Saltwater (DIG)
Tw Merc 150 XL Optimax Saltwater (DIG)

Sgl Evinrude 225 FF1
Sgl Evinrude 250 FF1
Tw Johnson 150
Tw Evinrude 150 FF1

Sgl Yamaha F 225 TURA
Sgl Yamaha SX 250 TURA
Tw Yamaha F 115 TXRA
Tw Yamaha Z 150 TXRA

Tw Honda BF 130

PERFORMANCE DATA - Tw 150 Ficht

Time to Plane	2.80 Seconds
Top Speed	49 MPH @ 5600 RPM
Cruise Speed	35.8 MPH @ 4000 RPM
Cruise Range	280 Miles

Performance and fuel consumption will vary and be affected by water and weather conditions, altitude, load and condition of boat, engine and propeller(s). Cruise range based on 95% of fuel capacity. All data is illustrative and is not warranted.

Specifications, options, and equipment are subject to change without notice.

NOTES
