



L.O.A.	26'4" (8.0m)
Beam	8'6" (2.59m)
Dry weight w/engine (approx.)	5000 lbs. (2268kg)
Fuel capacity	97 gal. (367L)
Max horsepower @ prop	500 HP (374kw)
Deadrise	24°
Draft: up (approx.)	23" (.58m)
Draft: down (approx.)	38" (.97m)
Bridge clearance w/o top	5'0" (1.52m)
Bridge clearance w/bimini top	6'5" (1.96m)
Sleeping capacity	2
Head room	4'7" (1.4m)

KEY SALES FEATURES

 Power Boat magazine Award for Excellence -Sportboat of the Year - Platinum Edition 2000
All fiberglass cockpit liner • Ski storage

- High profile painted graphics
- Microballoon filled strakes for additional strength
 - Variable degree deadrise hull
 - Complies with Coast Guard safety regulations
 - All stainless steel deck hardware thru-bolted
- 10-Year structural limited hull warranty transferable
 - New and innovated engine room ventilation system
 - Integrated swim platform with boarding ladder

STANDARD EQUIPMENT

HULL & DECK Anchor light Anchor locker Bow eye - stainless steel Cleats - stainless steel Deck hatch - opening Engine cover hinged with fiberglass liner and power lift and sun lounge cushion Exhaust vents Foot rest - helm and companion Gunwale trim - heavy duty Hand holds - stainless steel Ski tow eye - stainless steel Stainless steel rails Stern eyes - stainless steel Swim platform - integrated with boarding ladder Windshield - tinted with tempered glass COCKPIT Aft bench seat with ski storage below Beverage holders Canvas sport top - Sunbrella color matched Cockpit carpet - snap in Cockpit coaming storage boxes Cockpit overboard scuppers Courtesy lights Seats - port & stbd bucket seats CABIN Cabin door - sliding with lock

Filler cushions Lighting - 12V V-berth with forward cushion and storage Vinyl hullsides for easy care MECHANICAL Battery tray Bilge blower Bilge pump with auto float switch Controls with trim Engine hatch - electric Engine mounts - aluminum thru-bolted Fuel tank - non-corrosive built-in Horn - electric flush mounted Ignition interrupter with lanyard Instrumentation - woodgrain dash with fuel, voltmeter, Depth Finder (NEW) tachometer, speedometer, oil pressure, water temperature, trim, Navigation lights Power steering with tilt wheel Propeller - aluminum Stereo - Clarion AM/FM CD player with all-weather speakers (4) and remote control

Switches - weather resistant Woodgrain steering wheel

OPTIONAL EQUIPMENT

Aft seat filler cushion with table Bimini top with boot - color matched Sunbrella Canada certification Canvas - side. aft curtain and windshield connector for bimini top Canvas - side and aft curtain for sport top CE certification (for export only) Cockpit cover Cockpit cover - Sunbrella color matched **Cockpit wetbar with cutting board sink, refrigerator 12V, shore power and battery charger and pressurized fresh water system with transom shower Cradle Dockside pumpout for self contained head Fire extinguisher system Gunwale trim - heavy duty with stainless steel insert Head - self contained SA option 6 disc CD changer Stainless steel pull up cleats Trim tabs - dual ram

* Preferred Option Package Cockpit cover Fire extinguisher Pull up cleats Stainless steel thru hulls Nova EX Package (NEW) Battery on/off switch - dual Color coordinated cockpit carpet Color coordinated cockpit canvas Custom painted graphics red/blue/vellow **Exhaust - Corsa Quick and Quiet Plus Fire extinguisher system Merc Zero effort controls with trim Stand up bolster seating * Note: Items in Packages cannot be ordered individually unless listed as stand alone **Noise abatement laws vary by state. Please check your local area.

ENGINE OPTIONS

Merc MX 6.2 MPI Bravo III (A) Merc 496 MAG Bravo III (A) (FWC) Merc 496 MAG HO Bravo I (A) Volvo 5.7 GXI DP (A) Volvo 8.1 GI DP (A) Volvo 8.1 GXI DP (A)

(A) Bodensee approved(B) Hydraulic steering standard

COLOR COMBINATIONS

Red, Blue, Green, Yellow Hullside Gelcoat (not available with Nova Ex package)

PERFORMANCE DATA - Merc 496 MAG HO BRAVO I

Time to Plane Top Speed Cruise Speed Cruise Range 4.0 Seconds 63.3 MPH @ 4930 RPM 42.3 MPH @ 3500 RPM 285 Miles

Performance and fuel consumption will vary and be affected by water and weather conditions, altitude, load and condition of boat, engine and propeller(s). Cruise range based on 95% of fuel capacity. All data is illustrative and is not warranted.

Specifications, options, and equipment are subject to change without notice.

NOTES

NOTES
