


260 EXCALIBUR SPORT



L.O.A.	26'4" (8.0m)
Beam	8'6" (2.59m)
Dry weight w/engine (approx.)	4800 lbs. (2177kg)
Fuel capacity	97 gal. (367L)
Max horsepower @ prop	500 HP (374kw)
Deadrise	24°
Draft: up (approx.)	23" (.58m)
Draft: down (approx.)	38" (.97m)
Bridge clearance w/o top	5'0" (1.52m)
Bridge clearance w/bimini top	6'5" (1.96m)

KEY SALES FEATURES

- Ski and kneeboard storage
- · Microballoon filled strakes for additional strength
 - Variable degree deadrise hull
 - Complies with Coast Guard safety regulations
 - All stainless steel deck hardware thru-bolted
- 10-Year structural limited hull warranty transferable
 - New and innovated engine room ventilation system
 - Integrated swim platform with boarding ladder
 - Step Lift V II™ bottom NMMA Yacht Certification

STANDARD EQUIPMENT

HULL & DECK

Anchor light Anchor locker

Bow eye - stainless steel Bow liner fiberglass

Cleats - stainless steel

Engine cover hinged with fiberglass liner and power lift and sun lounge cushion

Exhaust vents

Forward bow seat storage

Foot rest - helm and companion Gunwale trim - heavy duty Hand holds - stainless

Ski locker

Ski tow eye - stainless steel Stainless steel rails

Stern eyes - stainless steel Swim platform - integrated with

boarding ladder Windshield - tinted with

Windshield - tinted with tempered glass - walk thru

COCKPIT

Aft bench seat with ski storage below

Beverage holders Canvas - sport top - Sunbrella

matched Cockpit carpet - snap in Cockpit coaming storage boxes Cockpit overboard scuppers Courtesy lights

Seats - port & stbd bucket seats

MECHANICAL

Battery tray Bilge blower

Bilge pump with auto float switch

Engine hatch - electric Engine mounts - aluminum

thru-bolted

Fuel tank - non-corrosive - built-in Horn - electric flush mounted Ignition interrupter with lanyard

Instrumentation - woodgrain dash with fuel, voltmeter, tachometer, speedometer, oil pressure, water temperature, trim, depth

finder (NEW)

Navigation lights

Power steering with tilt wheel Propeller - aluminum

Side shift control with trim Stereo - Clarion AM/FM CD player

with all-weather speakers (4)
and remote control

Switches - weather resistant Woodgrain steering wheel

OPTIONAL EQUIPMENT

Aft seat filler cushion with table Bimini top with boot - color matched Sunbrella

Bow cover

Bow table with filler cushion Canada certification

Canvas - side, aft curtain and windshield connector for bimini top

Canvas - side, aft curtain for sport top

Cockpit cover

***Cockpit wetbar with sink, cutting board, refrigerator 12V, shore power, battery charger and pressurized fresh water system with transom shower

Cradle

Dockside pumpout for self contained head Fire extinguisher system Gunwale trim - heavy duty with

stainless insert Head - self contained - portside

module door SA option

6 disc CD changer Stainless steel pull-up cleats

Trim tabs - dual ram

* Preferred Option Package

Bow cover Cockpit cover Fire extinguisher Pull up cleats

Stainless steel thru hulls

Nova EX Package (NEW) Battery on/off switch - dual

Color coordinated cockpit carpet

Color coordinated cockpit canvas

Custom painted graphics red/blue/yellow

**Exhaust - Corsa Quick and Quiet Plus

Fire extinguisher system Merc Zero effort controls with trim

Stand up bolster seating

* Note: Items in Packages cannot be ordered individually unless listed as stand alone.

**Noise abatement laws vary by state. Please check your local area.

FAMILY PERFORMANC

ENGINE OPTIONS

 Merc MX 6.2 MPI Bravo III
 Volvo 5.7 GXI DP (A)

 Merc 496 MAG Bravo III (A) (FWC)
 Volvo 8.1 GI DP (A)

 Merc 496 MAG HO Bravo I (A)
 Volvo 8.1 GXI DP (A)

(A) Bodensee approved

COLOR COMBINATIONS

Red, Blue, Green, Yellow Hullside Gelcoat (not available with Nova Ex package)

PERFORMANCE DATA - Merc 496 MAG BRAVO III

Time to Plane 3.25 Seconds
Top Speed 60.3 MPH @ 4920 RPM
Cruise Speed 39.2 MPH @ 3500 RPM
Cruise Range 264 Miles

Performance and fuel consumption will vary and be affected by water and weather conditions, altitude, load and condition of boat, engine and propeller(s). Cruise range based on 95% of fuel capacity. All data is illustrative and is not warranted.

Specifications, options, and equipment are subject to change without notice.

NOTES

NOTES

MILY PERFORMAN