



L.O.A. w/pulpit	28'9" (8.76m)
Hull length	27'0" (8.23m)
Beam	9'8" (2.95m)
Dry weight w/Volvo 7.4 GSI DP (appr	ox.) 7930 lbs. (3504kg)
Fuel capacity (Gas) 188 gal (712L)	(Diesel) 140 gal. (530L)
Water capacity	27 gal. (102L)
Holding tank capacity	11 gal. (42L)
Max power @ prop	500 HP (373kw)
Deadrise	21°
Draft: up (approx.)	22" (.56m)
Draft: down (approx.)	40" (1.02m)
Bridge clearance w/o top	7'1" (2.16m)
Bridge clearance w/hardtop	9'3" (2.82m)
Bridge clearance w/bimini top	8'4" (2.54m)
Headroom	6'4" (1.93m)
Sleeping Capacity	4

KEY SALES FEATURES

- Full height transom with door Modular port and starboard helm seating with storage
 - · Cruiser style cabin amenities
 - Insulated livewell and bait prep station
- Fiberglass molded steps on helm for easy access to foredeck
 - Integrated swim platform with boarding ladder
 - Insulated fish boxes with overboard pumpout
- Composite transom with foam filled fiberglass stringer system
 - · Complies with Coast Guard safety regulations
 - 10-year structural hull warranty transferable
 - Liner fiberglass diamond pattern skid resistant for easy maintenance NMMA Yacht Certification

STANDARD EQUIPMENT

HULL & DECK

Bow pulpit with anchor roller/chute and deck pipe Bow and stern eyes stainless steel Cleats - stainless steel Deck hatch opening with screen Extended swim platform (NEW) (available 8/02) Heavy duty dive ladder removable

Heavy duty rub rail with stainless steel insert Port lights (4) with stainless steel trim rings - opening with screens

Rod holders - gunnel mount (2) - stainless steel with cap

Rope locker Stainless steel rails Stainless steel thru hulls (NEW) Swim platform - integrated Transom - full height with door Windshield - curved tempered glass - walk-thru door

COCKPIT

Aft seat - with cushion Beverage holders Chart storage tube Cockpit bolsters - port/stbd/aft Cockpit carpet - snap in Cockpit overboard scuppers Courtesy lights Entry light switch at transom Fish boxes (2) - with lift assist and overboard pumpout Floor storage Helm seating module -2 position helm seat, lighted and insulated livewell with viewing window, below seat storage, beverage holders Port seating module - single seat with storage, sink with hinged lid and fresh water system, cutting board, and beverage holder Raw water washdown Rigging station - cutting board Rod racks - under gunwale port/stbd

CABIN

AC/DC panel Carpet - snap in Dinette table - converts to full V-berth

Cabin door - sliding - lockable

Duplex outlet - GFI protected Forward V-berth with cushions Galley with Granulon countertop and molded-in sink Hanging locker

Lighting - 12V Liner - full fiberglass Microwave oven (NEW)

Mid cabin berth Refrigerator - dual voltage -11ÖV w/15 amp converter -GFI protected

Stereo Clarion AM/FM CD player with remote control at helm and 4 speakers weather resistant Stove - single burner -

alcohol/electric Woodgrain cabinets (New)

HEAD

Duplex - GFI protected Hand-held shower, molded fiberglass sink and vanity with Granulon countertop and storage

SeaLand™ Vacu-Flush head with holding tank

MECHANICAL

Accessory plug - 12V Battery switch - dual with trays

Bilge pumps (2) with auto float switch

Carbon monoxide detector Compass

Engine hatch - electric switched at helm Horn

Ignition - safety interlock with lanyard Instrumentation with dimmer

switch - tachometer, fuel, volts, water pressure, trim, warning,* backlit switch panel

Navigation lights Power at helm for electronics Pressurized fresh water system with transom

shower Propeller - stainless steel Shore power - 15 amp with

50' cord Steering - power Steering wheel - aluminum

with knob (NEW) Trim Tabs Windshield wiper - stbd

* with specific engines

COLOR OPTIONS

Desert sand

Bahama blue

OPTIONAL EQUIPMENT

Air conditioner 5000 BTU reverse cycle with heat and shore power cord
Dive tank storage racks
Extra fuel tank - 70 gal.

(not available with generator) Generator 5kw gas with sound shield and bilge blower (not available with optional fuel tank)

Overboard discharge for head SA option

Air conditioner 5000 BTU reverse cycle with heat and shore power cord

Windlass with 150' rope/chain combo and electric up/down switches, lanyard and anchor (New)

* Preferred Option Package A (New)

Dockside water connection includes hot water for galley, head and transom shower

Hardtop, fiberglass with finished liner, spreader light, rod holders and full canvas enclosure, port windshield wiper Remote spotlight - 5"

** Preferred Option Package B

Bimini top - Sunbrella Dockside water connection includes hot water for galley, head and transom shower

Side and drop curtain and windshield connector Remote spotlight - 5"

ENGINE OPTIONS

Merc MX 6.2 MPI Bravo III Merc 496 MAG Bravo III (FWC)

Volvo 5.7 GXI DP (A) Volvo 8.1 GI DP (A) Volvo 8.1 GI DP (FWC)(A) Volvo KAD 44P EDC DP (FWC)

(A) Bodensee approved

PERFORMANCE DATA - Volvo 8.1 GI DP

Time to Plane Top Speed Cruise Speed Cruise Range 4.75 Seconds 45.7 MPH @ 4500 RPM 34.1 MPH @ 3500 RPM 273 Miles

Performance and fuel consumption will vary and be affected by water and weather conditions, altitude, load and condition of boat, engine and propeller(s). Cruise range based on 95% of fuel capacity. All data is illustrative and is not warranted.

Specifications, options, and equipment are subject to change without notice.

^{*} Note: Items in Packages cannot be ordered individually.

NOTES	