


# **32 SCARAB SPORT OPEN**



L.O.A.	31'7" (9.66m)
Beam	9'11" (2.74m)
Dry weight w/engine (approx.)	6400 lbs. (2903kg)
Fuel capacity	281 gal. (1067.49L)
Max power @ prop	500 HP (373kw)
Shaft length: Twin	30" (.76m)
Water capacity	29 gal. (109.78L)
Deadrise	23°
Draft up (approx.)	23" (.58m)
Draft down (approx.)	31" (.78m)
Bridge clearance w/o T-top	5'7" (1.73m)
Bridge clearance w/T-top	7'7" (2.33m)

### **KEY SALES FEATURES**

Fully featured fishboat that delivers both fishability and performance
Fish boxes (4) insulated with overboard pumpout

SeaLand<sup>™</sup> VacuFlush head

with 10 gal. holding tank and dockside pumpout
Pressurized fresh and raw water system with quick disconnect and 15' hose
Foam fiberglass encapsulated stringer system

Composite transom
Cockpit overboard scuppers with screens

10-year structural hull warranty - transferable

NMMA Yacht Certification
Complies with Coast Guard safety regulations

### STANDARD EQUIPMENT

HULL & DECK Bow eve - stainless steel Center mount cleat with stainless steel chafe guard Cleats - pull up stainless steel (6)Foam filled, fiberglass encapsulated stringer and composite transom Forward anchor line storage Gunnel trim - heavy duty with stainless steel insert Hardware - thru bolted stainless steel Integrated swim platform Heavy duty dive ladder removable Painted hull graphics Rails - stainless steel Rod holders with cap flush mounted - 2 pair Rod racks - under gunnel Stainless steel thru hulls (NEW) Stern eyes - stainless steel Transom door Windscreen - plexiglass <u>COCKPIT</u> Beverage holders Cockpit overboard scuppers with screens Cockpit coaming bolsters port/stbd Cockpit coaming bolsters forward bow Console forward seat with beverage holders and hand holds Courtesy lights Fish boxes - insulated with overboard pumpout (4) Forward storage boxes (2) with overboard pumpout Glovebox Hand holds - forward/mid/aft Livewell with light - (37 gal.) recirculating dual pumps Location at console for electronics Rigging station includes sink and cutting board Seat - stand up drop out bolster

### Accessory plug - 12V dockside pumpout Portlights (2) opening with screen Sink with pressurized fresh Under sink storage MECHANICAL Accessory plug - 12V Aft bilge lighting Battery trays - heavy duty switch Bilge pump with auto float switch (2) Compass - high speed Horn - dual flush mount Ignition safety lanyard Instrumentation - fuel, volt

with tackle storage, rod holders (4) and 68 gt. cooler

#### STAND UP HEAD COMPARTMENT 12V liahtina

FISH BOATS

Head - SeaLand™ VacuFlush with 10 gal. holding tank and

water and hand-held shower Toilet paper holder with cover

- Battery switches and parallel
- meter, water pressure, trim, tach, speedometer, systems warning\*
- Navigation lights
- Oil tank storage with remote fills
- Pressurized fresh and raw water management system with quick disconnect and 15' hose at transom
- Propellers stainless steel \* \*
- Steering hydraulic tilt
- Steering wheel stainless steel
- Stereo Clarion AM/FM CD player with 4 speakers and remote control at helm
- Trim tabs heavy duty K-planes with indicators

Props included with preferred TW 225 hp factory installed engines and drop shipped engines only

<sup>\*</sup> System warning available with specific engines

### OPTIONAL EQUIPMENT

Anchor roller cleat, deck pipe and lanyard Battery charger package includes: converter with shore power and 50' cord Custom program offering Forward rod storage Forward storage locker with cushion Merc Zero Effort controls with trim Overboard discharge for head Pre-rig for Merc, Yamaha, Evinrude, and Johnson (Tw 225 hp to Tw 250 hp)	Steering wheel with power knob Windlass - with electric up/down foot switches and 150' rope/chain combo, lanyard and anchor * Preferred Option Package Aft seat-fold-down Additonal battery (for total of 3) Seat - double drop out bolster with additional livewell, tackle center and freezer T-top - canvas with rod holders, spreader light (2), radio box, hand holds, PFD storage
PAINT GRAPHICS	Color Ontions:
GUUSHEAULT	GOIOF UDHOUS

Gulfstream I Competition I Competition III olor Options: Black Blue Red Yellow

#### ENGINE OPTIONS

Tw Merc 225 XXL Optimax Saltwater (DIG) Tw Yamaha F 225 TURA Tw Yamaha SX 250 TURA

Tw Evinrude 225 FFI Tw Evinrude 250 FFI

#### PERFORMANCE DATA - TW Merc 225 Optimax

Top Speed Cruise Speed Cruise Range 57.2 MPH @ 5675 RPM 40.5 MPH @ 4000 RPM 312 Miles

Performance and fuel consumption will vary and be affected by water and weather conditions, altitude, load and condition of boat, engine and propeller(s). Cruise range based on 95% of fuel capacity. All data is illustrative and is not warranted.

Specifications, options, and equipment are subject to change without notice.

## NOTES

# NOTES

FISH BOATS
