



L.O.A.	33' (10.
Beam	8'6" (2.59m)
Dry weight (approx. w/engines)	8400 lbs. (3810.22kg)
Fuel capacity	144 gal. (545L)
Water capacity	8 gal. (30.28L)
Deadrise	23'
Draft: up	26" (.66
Draft: down	36" / (zm)
Bridge clearance	5'0" .52m)
Sleeping capacity	Z ERSONS
Headroom	6" (1.37m)

KEY SALES FEATURY

- High profile painted g nics
- Hull and deck bonded toget with fiberglass
- and thru-based

 Microballoon filled strak from additional strength

 Variable deade deadrise hull
- Complies with Compliant Standard Safety regulations
 All stainless standard Advance thru-bolted
 Diamon Mate engine compartment
 5-year standard hull warranty transferable
 New and intervaled engine room ventilation system
 Public of cleats Integrated swim platform
 - - Twin step hull bottom
 - berglass encapsulated stringer system with integral stress distribution pad
 - NMMA Yacht Certification

STANDARD EQUIPMENT

HULL & DECK

Anchor storage
Bow eye - stainless steel
Deck hatch forward with screen
Foot rest - port/stbd
Gunwale trim - heavy duty with
stainless steel insert
Pull-up cleats - stainless steel
Port dash with step-up
Stainless steel rails
Stern eyes - stainless steel
Swim platform - molded in gral
fiberglass
Windshield -plexiglass on venturi
COCKPIT

Beverage holders
Bolster aft benefic eat with
storage be
Coaming per
Cockpit reset -snap-in
Cockpit ver - Sunbrella -

commatched Commesy lights Commission for sun lounge cats - stand-up high back

bolsters (2 pos.)
Upholstery - custom vinyl with monograms

CABIN

Cooler - soft side Door - sliding plexiglass with lock Head - self contained with dockside discharge Lighting - indirect - 12V V-berth cushions and storage

MECHANIA

lug - 12V Accesso x - stainless steel Batter Ratt switch (2) with parallel olower e pump with auto float switch ompass -high speed Controls - Merc Zero Effort™ with Diamond plated engine room color matched Engine hatch electric Engine room lights *Exhaust thru-transom External hydraulic steering Fire extinguisher system Horn - electric flush mounted Ignition interrupter with lanyard Instrumentation - performance gauges with color match bezels - fuel, volt meter, tachometer with hour meter, speedometer, water pressure, water temperature, oil temperature, oil pressure Navigation lights Propeller - stainless steel

Propeller - stainless steel
Steering wheel - custom leather
Stereo - Clarion AM/FM CD
player with 4 speakers weather resistant and remote
control

Tie bar - external Trim indicators - mechanical Trim tabs - dual ram with indicators

* Noise abatement laws vary by state. Please check your local area.

OPTIONAL EQUIPMENT

at - non-bolstered certification Can CE cer ation (export only) Cradle Custom mo ox cushion - "Beetle" x cushion -Custom moto Scarab' Custom program Detector - carbon m Exhaust, Corsa Quic Quiet II Exhaust, Corsa Quick & Factory Class II Package (custom order only) Overboard pumpout for head Overboard discharge for Vacu-Flush head Performance engine hatch with

SeaLand™ Vacu-Flush system
with holding tank
Seats - stand-up electric bolsters

SA option

Shore power 30 amp converter and 50' shore power cord Three-man stand up bolster seats Trim tabs - heavy-duty (K-planes) Windshield - full with stainless

steel rail Windscreen, aluminum, painted Stereo Upgrade Package

(Clarion)
Cockpit subwoofer, power amp,
2 additional speakers, and
6 disc CD changer, and cabin
cossover amplifier

* York State

PAINT GRAPHICS

scoop (recommended with

Ribbons I (standard) Ribbons II (optional) Ribbons III (optional)

HP500 EFI)
Powder coated rails
Pressurized fresh water system
with transom shower (8 gal)

Color Options: Dark Violet Hot Blue Hot Red

ENGINE OPTIONS

Tw Merc 496 MAG HO Bravo I Tw Merc HP500 EFI Bravo I XZ Tw Merc HP500 Sci Bravo I XR XZ Tw Volvo DPX 420-B (FWC)

PERFORM. 'CE DATA -TW Merc. HP500 EFI

Time to Plane Top Speed Cruise Speed Cruise Range 4.0 Seconds 82 MPH @ 5000 RPM 52 MPH @ 3500 RPM 190 Miles

Performance and fuel consumption any and be affected by water and weather conditions, altitude, load and condition pat, engine and propeller(s). Cruise range based on 95% of fuel capacity. All is illustrative and is not warranted.

Specifications, options, and equipment are seek to change without notice.

NOTES

