



SCARAB



35 SCARAB SPORT OPEN



L.O.A.	34'10" (10.39m)
Beam	9'11" (3.35m)
Dry weight w/engine (approx.)	7000 lbs. (3175kg)
Fuel capacity	300 gal. (1136L)
Max power @ prop (Twin)	500 HP (373kw)
(Triple)	750 HP (559kw)
Shaft length: Twin	30" (.76m)
Triple (2-port/stbd)	25" (.64m)
(1-center)	30" (.76m)
Water capacity	29 gal. (109.78L)
Deadrise	23°
Draft up (approx.)	23" (.58m)
Draft down (approx.) (Twin)	33" (.83m)
(Triple)	39" (.96m)
Bridge clearance w/o T-top	5'9" (1.76m)
Bridge clearance w/T-top	7'9" (2.37m)

KEY SALES FEATURES

- Fully featured fishboat that delivers both fishability and performance
- Fish boxes (4) insulated with overboard pumpout
- SeaLand™ VacuFlush head with 10 gal. holding tank and dockside pumpout
 - Pressurized fresh and raw water system with quick disconnect and 15' hose
 - Foam fiberglass encapsulated stringer system
 - Composite transom
 - Cockpit overboard scuppers with screens
 - 10-year structural hull warranty - transferable
 - NMMA Yacht Certification
- Complies with Coast Guard safety regulations

STANDARD EQUIPMENT

HULL & DECK

Bow eye - stainless steel
Center mount cleat with SS chafe guard
Cleats - pull up stainless steel (6)
Foam filled, fiberglass encapsulated stringer and composite transom
Forward anchor line storage
Gunnel trim - heavy duty with stainless steel insert
Hardware - thru bolted - stainless steel
Integrated swim platform
Heavy duty dive ladder - removable
Painted hull graphics
Rails - stainless steel
Rod holders with cap flush mounted - 2 pair
Rod racks - under gunnel
Stainless steel thru hulls
Stern eyes - stainless steel
Transom door
Windscreen - plexiglass

COCKPIT

Beverage holders
Cockpit overboard scuppers with screens
Cockpit coaming bolsters - port/stbd
Cockpit coaming bolsters - forward bow
Console forward seat with beverage holders and hand holds
Courtesy lights
Fish boxes - insulated with overboard pumpout (4)
Forward storage boxes (2) with overboard pumpout
Glovebox
Hand holds - forward/mid/aft
Livewell with light - (37 gal.) recirculating with dual pumps
Location at console for electronics
Rigging station includes sink and cutting board
Seat - stand up drop out bolster with tackle storage, rod holders (4) and 68 qt. cooler

STAND UP HEAD COMPARTMENT

12V lighting
Accessory plug - 12V
Head - SeaLand™ VacuFlush with 10 gal. holding tank and dockside pumpout
Portlights (2) opening with screen
Sink with pressurized fresh water and hand-held shower
Toilet paper holder with cover
Under sink storage

MECHANICAL

Accessory plug - 12V
Aft bilge lighting
Battery trays - heavy duty
Battery switches and parallel switch
Bilge pump with auto float switch (2)
Compass - high speed
Dual ram hydraulic steering standard with triple
Horn - dual flush mount
Ignition safety lanyard
Instrumentation - fuel, volt meter, water pressure, trim, tach, speedometer, systems warning*
Navigation lights
Oil tank storage with remote fills
Pressurized fresh and raw water management system with quick disconnect and 15' hose at transom
Propellers - stainless steel**
Steering - hydraulic tilt
Steering wheel - stainless steel
Stereo - Clarion AM/FM CD player with 4 speakers and remote control at helm
Trim tabs - heavy duty K-planes with indicators

* System warning available with specific engines

** Props included with drop shipped engines or specified factory installed twin engines

OPTIONAL EQUIPMENT

Anchor roller-cleat and deck pipe with lanyard
 Battery charger package includes: converter with shore power and 50' cord
 Custom program offering
 Forward rod storage
 Forward storage locker with cushion
 Merc Zero Effort controls with trim standard with triple engines
 Overboard discharge for head
 Pre-rig for Merc, Yamaha, Evinrude, and Johnson
 (Tw 225 hp to Trpl 250 hp)

Steering wheel with power knob
 Windlass - with electric up/down foot switches and 150' chain, lanyard and anchor
*** Preferred Option Package**
 Additional battery (for total of 3)
 Aft seat - fold down
 Seat - double drop out bolster with additional livewell, tackle center and freezer
 T-top - canvas with rod holders, spreader light (2), radio box, hand holds, PFD storage

PAINT GRAPHICS

Gulfstream I
 Competition I
 Competition III

Color Options:
 Black
 Blue
 Red
 Yellow

ENGINE OPTIONS

Tw Merc 250 XXL EFI Saltwater (DIG)
 Triple Merc 225 XL Optimax Saltwater (DIG)
 Triple Merc 250 XL EFI Saltwater (DIG)

Tw Yamaha SX 250 TURA
 Triple Yamaha SX 225 TXRA
 Triple Yamaha SX 250 TURA

Tw Evinrude 225 FFI
 Tw Evinrude 250 FFI
 Triple Evinrude 225 FFI
 Triple Evinrude 250 FFI

PERFORMANCE DATA - Triple Yamaha 250

Top Speed	61.1 MPH @ 5433 RPM
Cruise Speed	45.5 MPH @ 4000 RPM
Cruise Range	343 Miles

Performance and fuel consumption will vary and be affected by water and weather conditions, altitude, load and condition of boat, engine and propeller(s). Cruise range based on 95% of fuel capacity. All data is illustrative and is not warranted.

Specifications, options, and equipment are subject to change without notice.

NOTES
