

៣

L.O.A.	43'2"(13.16)
Beam	8'9" (2.67m)
Dry weight (approx. with triple engines)	12,000 lbs. (5439.6kg)
Fuel capacity	282 gallons (1067L)
Water capacity	26 gal. (98L)
Deadrise	24
Draft: up	26" (.6
Draft: down	38" (m)
Bridge clearance	<u>5</u>
Sleeping capacity	ERSONS
Headroom	۲ [°] 9″ (1.45m)

KEY SALES FEATUP .S

- High profile painter aphics
- Hull and deck bonded to other with fiberglass and three olted
- Microballoon filled stores for additional strength
 - U.S. and World Championship hull
 - Complies with coast Guard safety regulations
 - 5-year structural hull warranty transferable
 - Dim ond plate engine compartment
 - All miless steel deck hardware thru-bolted
 - glass encapsulated stringer system with
 - integral stress distribution pad
 - Hand laid fiberglass
 - NMMA Yacht Certification

STANDARD EQUIPMENT

MECHA

Acces

AL y plug - 12V

HULL & DECK Anchor storage Bow eye - stainless steel Cleats - pull-up - stainless steel Deck hatches - forward (2) with screens Gunwale trim - heavy duty with stainless steel insert Stainless steel rails Stern eyes - stainless stee vith Wind deflector - plexigle venturi COCKPIT Aft bolstered rea it with storage Beverage h Coaming Cockpit pet - snap-in Cock over - Sunbrella color ched tesy lights ashion for sun lounge Fiberglass liner Foot rest angled - port & stbd Stand-up high back bolster (2 pos)Upholstery - custom vinyl with monograms CABIN Door - sliding plexiglass with lock Hanging locker Head - SeaLand[™] Vacu-Flush with holding tank ghting - direct/indirect - 12V cowave oven erator - 12V R sabinet Stor V-berth h storage

Rat box - stainless steel ry switches (3), with parallel Bilge blowers (2) Bilge pump with auto float switch (2) Compass - high speed Controls - Merc Zero Effort™ with trim Diamond plate engine compartment - color matched Electric engine hatch lift Engine room lights (8) Exhaust - thru transom External hydraulic steering Fire extinguisher system Horn - electric flush mount Ignition interrupter switches with lanyards Instrumentation - high performance gauges with color matched bezels, fuel, speedometer, oil temperature, oil pressure, water temperature, water pressure, volts, clock, tachs with hour meters Navigation lights Pressurized fresh water system with transom shower Propeller - stainless steel Shore power 30 amp converter and 50' shore power cord Steering wheel - custom leather Stereo - Clarion AM/FM CD player with 4 speakers weather resistant and remote control Tie bar - external Trim indicators - mechanical Trim tabs - heavy duty -(K-planes)

* Noise abatement laws vary by state. Please check your local area.

OPTIONAL EL

Aft seat - non-bolstered Air condition with heat (7,000 BTU) - reverse cycle Canada certification CE certification (export only) Custom program offering Detector - carbon monoxide *Exhaust, Corsa HP (575hp & up) **Exhaust, Corsa Quick & Quiet II Exhaust, Corsa Quick & Quiet Plus Fuel, additional 50 gal. (custom order only) Overboard discharge for head Performance engine hatch with scoops

PMENT

Powder coated rails Platform - custom aluminum option - stand-up electric bolsters Upgrade Package Ste (Clark Cockpit oofer, power amp, speakers. 2 additio 6 disc CD C ger, and cabin crossover am * Available with MerCruis a engines only ** Required in New York State



Ribbons I (standard) Ribbon V (optional) Ribbons V (optional) Color Options: Dark Violet Hot Blue Hot Red

ENGINE PTIONS

Triple Merc HP500 A Ravo I XZ (B) Triple Merc HP575 Sci Trivo I XR Tw Merc HP575 Sci Brave KR Triple Merc HP900 SC #6 Drive Day Sump Tw Merc HP900 SC #6 Drive Day Sump Tw Volvo DPX 420-B (FWC)

PERFORMANCE DA, - Trpl Merc. HP500

Time to Plane Top Speed Cruise Speed 4.5 Seconds 81 MPH @ 5050 RPM 48 MPH @ 3500 RPM

Performance and fuel consumption will vary and be a study by water and weather conditions, altitude, load and condition of boat, engine a supplier (s). All data is illustrative and is not warranted.

Specifications, options, and equipment are subject to change the put notice.

NOTES

