

232 FISHERMAN



L.O.A.	22' 4" (6.81 m)
Beam	8' 8" (2.64 m)
Dry weight (approx.)*	3573 lbs. (1621 kg)
Fuel capacity (Gas)	115 gal. (435.32 L)
Water capacity (option)	8 gal. (30.28 L)
Max power @ prop	300 HP (224 kw)
Shaft length single	25" (.64 m)
Dead rise	20°
Draft: engine up (approx)	15" (.38 m)
Draft: engine down (approx)	32" (.81 m)
Bridge clearance w/o top (approx)	6' 0" (1.83 m)
Bridge clearance with T-Top (approx)	8' 4" (2.53 m)

* Dry weight calculated does not include engine(s). Dry weight will vary with engine and options installed.

KEY SALES FEATURES

- Full height transom • Foam filled, fiberglass, box section stringer with integral high density composite transom
 - Recessed stainless steel grab rails - port/stbd bow
- Full FRP head console liner with toilet paper holder and battery access • Fish boxes (2) forward 155 qt. w/overboard drain and sealed lids • Rod storage under gunwale port and starboard
 - Stainless steel gunwale-mounted rod holders (2)
- Fiberglass cockpit with diamond pattern skid resistant surfaces • All stainless steel deck hardware thru-bolted
 - Complies with Coast Guard safety regulations
 - 10-year structural hull warranty - transferable
 - NMMA Certified

STANDARD EQUIPMENT

HULL & DECK

Anchor rope locker
w/hawse pipe
Anchor roller with cleat
Bow and stern eyes -
stainless steel
Cleats (7) 8" stainless steel
Gunnel caps port/stbd with
integrated stainless steel
side grab rails
Rod holders (4) stainless
steel w/cap
Rub Rail - heavy duty with
stainless steel insert **(new)**
Stainless steel rails
Swim platform - integrated
Swim ladder - flip down
Thru hulls - stainless steel
(new)
Transom full height with door
Windscreen - curved
plexiglass

COCKPIT

Baitwell - 84 qt. with light and
overboard drain
Beverage holders (6)
Cockpit courtesy lights
Cockpit overboard
scuppers
Fish boxes (2) 155qt. -
forward with overboard
drain and sealed lids
Fold away rear bench seat
with cushion and aft bolster
(new)
Glove box at helm
Hand holds recessed
port/stbd stainless
Leaning post seat with (2)
rod holders and (2) drink
holders
Raw water washdown **(new)**
Rod storage under gunwale
port/stbd
Skid resistant surfaces
Tackle storage boxes (2)
with removable trays (4)
T-top with (4) rod holders,
outrigger plates, spreader
light, and PFD storage
(new)

MECHANICAL

Accessory plug - (1) 12V at helm
Accessory switches (2)
Baitwell pump - 700 gph
Battery switch - dual with
2 trays
Bilge pump automatic float
switch 800 gph aft
Breakers at helm - weather
resistant
Compass
Full instrumentation - digital
(new)
Horn - flush mount
Hoses - steel reinforced
Ignition - safety interlock
system with lanyard
Navigation lights
**Propeller - aluminum
(200 HP and below)
Remote oil fill (2-stroke)
Steering - hydraulic tilt
Steering wheel - stainless
steel with power knob
(new)
Submersible rated electrical
connections
Switches - weather resistant

HEAD CONSOLE

Battery storage with tray(s)
below deck
Dome light - 12V
Full fiberglass liner - skid
resistant w/integrated step
Full access to console
rigging
Head console lockable entry
door - full size
Head - self contained (non-
plumbed)
Port light opening with
screen **(new)**
Toilet paper holder

** Drop shipped and factory rigged
engines only

OPTIONAL EQUIPMENT

Backrest - for lean post seat
Bow cushions - port/stbd
Canada certification
CE certification (for export only)
Cooler - 72 qt. (under lean post - removable)
Electronics box (for T-top)
Engine cowling cover - Sunbrella™ with logo for Yamaha F200, F225 and F250 only (available through parts department only)
Forward console cooler seat (72 qt.) with seat back and bottom cushions
Heavy duty dive ladder
Outrigger - Taco Grand Slam - 15' poles (new)
Pressurized fresh water system with transom shower
Pre-rig for Evinrude, Mercury and Yamaha (Recommended hp: 150 to 300 hp, check for engine availability)
Trailer - Aluminum with brakes
Trailer - Galvanized with brakes

Trim Tabs - requires heavy duty dive ladder (replaces standard swim ladder)
T-top canvas enclosure (new)

***Cockpit Bolster Package**

Aft cockpit bolsters - port/stbd
Forward bow cockpit bolsters port/stbd

***Sirius Satellite Radio System**

Clarion AM/FM CD player,
Sirius satellite receiver,
antenna
4 Speakers

***Ray Marine C80 Electronics Package 8.4" Color Display**

(Unit is radar ready - additional components required)
Includes chartplotter & HDFI fishfinder
VHF Radio - Ray 54

*Note: Items in Packages cannot be ordered individually unless listed as stand-alone.

COLOR OPTIONS

Hullside Color Option Upgrade

Fighting Lady Yellow
Hunter Green
Midnite Blue

ENGINE OPTIONS

Merc 200 Verado 4-stroke	Evinrude 225 E-Tec
Merc 225 Verado 4-stroke	Evinrude 250 E-Tec
Merc 250 Verado 4-stroke	Yamaha F 200 4-stroke
Merc 275 Verado 4-stroke	Yamaha F 225 4-stroke
Evinrude 200 E-Tec	Yamaha F 250 4-stroke
Evinrude 200 E-Tec HO	

PERFORMANCE DATA - Yamaha F250 4-stroke

Top Speed	49.3 MPH @ 6000 RPM
Cruise Speed	32.3 MPH @ 4000 RPM
Cruise Range	405 Miles

Performance and fuel consumption will vary and be affected by water and weather conditions, altitude, load and condition of boat, engine and propeller(s). Cruise range based on 95% of fuel capacity. All data is illustrative and is not warranted. This test done with clean bottom, no bottom paint and light to average load.

Specifications, options, and equipment are subject to change without notice.

