

Wellcraft*



180 FISHERMAN



L.O.A.	18' 0" (5.48 m)
Beam	8' (2.44 m)
Dry weight (approx.)*	1927 lbs. (874 kg)
Fuel capacity (Gas)	49 gal. (185.5 L)
Max power @ prop	150 HP (111.9 kw)
Shaft length	20" (.51m)
Deadrise	20º
Draft: up (approx.)	15" (.38 m)
Transom height	20" (.51 m)
Bridge clearance w/o top (approx.)	4' 5" (1.37 m)
Bridge clearance w/bimini top (approx.)	6' 7" (2.01 m)

* Dry weights are calculated with standard equipment only and do not include engine(s). Dry weight will vary with engine and options installed.

KEY SALES FEATURES

- Fiberglass foam filled stringers composite transom
- Large console sits 2 comfortably behind windscreen
 - Deep V-hull and wide beam creates a stable fishing platform and soft ride
 - Location for trolling motor
 - · Easy access for batteries
 - · Complies with Coast Guard safety regulations
 - 10-Year structural hull warranty transferable
- NMMA Certified Liner fiberglass diamond pattern skid resistant for easy maintenance

STANDARD EQUIPMENT

HULL & DECK

Anchor locker Bow and stern eves stainless steel Cleats - stainless steel Foam flotation-level Ladder - 2 step swing down Rod holders (2) - stainless steel flush mount Rod racks - under gunwale port/stbd Swim platform - integrated

Windscreen - plexiglass

COCKPIT

Aft seats with removable cushions - port/stbd Baitwell - 24 gal. Beverage holders Cockpit overboard scuppers Foot rest - built-in at helm Forward bow storage Forward console seat with cushions Hand holds

Helm seat - reversible with 76 at. cooler (new)

MECHANICAL

Accessory plug - 12V Bilge pump with auto float switch - 500 GPH Compass Horn Hoses - steel reinforced Ignition - safety interlock system with lanyard Instrumentation - fachometer. fuel, trim, and speedometer, systems check Navigation lights

*Propeller - aluminum Steering - non-feedback Steering wheel - stainless

Switches - weather resistant

- * Systems check available with specific engines
- ** Drop shipped and factory rigged engines only

OPTIONAL EQUIPMENT

Bimini top - premium canvas with stainless steel hardware (new) Canada certification CE certification (for Export only) Cradle Hvdraulic steering Leanpost seat with backrest and 72 qt. cooler (new) Pre-rig for Yamaha, Evinrude, Johnson, Merc EFI (Recommended HP: 90 hp to 150 hp, check for engine availability) Raw water washdown (new) Rod holders (2 additional) gunwale mount (new) Trailer - aluminum with brakes

Trailer - galvanized with brakes (new) Yamaha digital upgrade (Yamaha engines only) (new)

*Premium Hardware Package (new)

Stainless steel rub rail insert Stainless steel steering wheel with power knob Stainless steel thru hulls Upgraded Hullside logo

- * Note: Items in Packages cannot be ordered individually unless listed as stand-alone.
- ** Hydraulic steering std on 140 hp and

COLOR OPTIONS

HULLSIDE COLOR OPTION UPGRADE (NEW)

Fighting Lady Yellow Hunter Green (new) Midnite Blue

ENGINE OPTIONS

Johnson 90 Johnson 115 Johnson 115 4-stroke Johnson 140 4-stroke Johnson 150

Evinrude 90 E-Tec Evinrude 115 FFI

Yamaha 90 Yamaha F 90 4-stroke Yamaha 115 Yamaha F 115 4-stroke Yamaha V 150 V-Max Yamaha F 150 4-stroke

PERFORMANCE DATA - Yamaha F115 4-Stroke

Time to Plane 4.25 Seconds
Top Speed 41.9 MPH @ 6000 RPM
Cruise Speed 28.2 MPH @ 4500 RPM
Cruise Range 312 Miles

Performance and fuel consumption will vary and be affected by water and weather conditions, altitude, load and condition of boat, engine and propeller(s). Cruise range based on 95% of fuel capacity. All data is illustrative and is not warranted. This test done with clean bottom, no bottom paint and light to average load.

Specifications, options, and equipment are subject to change without notice.

NOTES	