


200 LT FISHERMAN



L.O.A.	20' 4" (6.20 m)
Beam	8' 7" (2.61 m)
Dry weight (approx.)*	2615 lbs. (1186 kg)*
Fuel capacity (Gas)	77 gal. (291.5 L)
Max power @ prop	200 HP (149.2 kw)
Transom height	25" (.64 m)
Dead rise	19°
Draft: engine up (approx.)	15" (.38 m)
Bridge clearance w/o top (approx.)	5' 5" (1.65 m)
Bridge clearance with top (approx.)	7' 9" (2.23 m)
Bridge clearance w/bimini top (approx.)	7' 6" (2.29 m)

* Dry weights are calculated with standard equipment only and do not include engine(s). Dry weight will vary with engine and options installed.

KEY SALES FEATURES

- Insulated and lighted baitwell (100 qt.) with overboard drain
- Raw water washdown • Rod storage under gunwale port and starboard • Stainless steel gunwale-mounted rod holders (4) with cap • Fiberglass cockpit with diamond pattern skid resistant surfaces • Aft deck platform storage with sealed lids and (3) removable storage bins for easy access to rigging
- All stainless steel deck hardware thru-bolted • Complies with Coast Guard safety regulations • 10-year structural hull warranty - transferable • Insulated fish box with drain
- Foam filled, fiberglass, box section stringer with integral high density composite transom • NMMA Certified

STANDARD EQUIPMENT

HULL & DECK

Anchor storage locker
Bow and stern eyes - stainless steel
Cleats - stainless steel
Ladder - 2 step stainless steel
Rod holders (4) gunwale mounted - stainless steel with cap
Rub rail - high impact
Stainless steel forward rails
Side hand holds - stainless steel
Skid resistant surfaces

COCKPIT

Aft deck with removable storage bins (3) and sealed lids
Baitwell with light (100 qt.)
Beverage holders (2)
Cockpit overboard scuppers
Console rail - stainless steel
Footrest at helm
Forward bow storage
Forward console cushion seat with backrest
Helm seat - reversible with 76 qt. cooler
Rod holders (6) vertical console mounted
Rod storage port & stbd with protective tubes
Tackle storage boxes (2)
Windscreen - plexiglass with stainless steel rail

MECHANICAL

Accessory plugs - 12V (2)
Battery switch - dual
Bilge pump with automatic float switch - 800 GPH
Circuit breakers - push to reset
Cockpit courtesy lights
Compass
Horn - flush mount
Hoses - steel reinforced
Ignition - safety interlock system with lanyard
Instrumentation - tachometer, fuel, trim, and speedometer, water pressure systems check*
Navigation lights
**Propeller - aluminum
Raw water washdown
Steering - hydraulic 140 & 150 hp base engine (only)
Steering wheel - stainless steel
Switches - weather resistant

* Systems check available with specific engines

** Drop shipped and factory rigged engines only

OPTIONAL EQUIPMENT

Aft deck platform cushions (2)
Bimini top - premium canvas w/stainless steel hardware
Forward casting platform cushion
**Hydraulic tilt steering
Leaning post seat w/backrest and 72 qt. cooler
Pre-rig for Evinrude, Johnson, Mercury, and Yamaha
(Recommended HP: 115 hp to 200 hp, check for engine availability)
Reversible helm seat with 94 qt. cooler
Stainless steel prop (selected engines only)
Trolling motor bow panel 12/24 volt wiring system
Trailer - aluminum with brakes
Trailer - galvanized with brakes **(new)**

T-top w/spreader light, gold tone rod holders and electronics box, extended windscreen, and T-top canvas with PFD storage bag
Yamaha digital upgrade
(Yamaha engine only) **(new)**

*Premium Hardware Package **(new)**

Stainless steel rub rail insert
Stainless steel steering wheel with power knob
Stainless steel thru hulls
Upgraded Hullside logo

* Items in Packages cannot be ordered individually unless listed as stand-alone.

** Tilt hydraulic steering optional with 140 HP and 150 hp base engine, std with engine upgrade

COLOR OPTIONS

Hullside Color Option Upgrade **(new)**

Fighting Lady Yellow
Hunter Green **(new)**
Midnite Blue

ENGINE OPTIONS

Merc 150 Saltwater Classic	Johnson 200 4-stroke
Merc 150 Saltwater EFI	Evinrude 150 FFI
Merc 150 Optimax	Evinrude 200 FFI
Saltwater (DIG)	Yamaha 150
Merc 200 Saltwater Classic	Yamaha Z 150 HPDI
Merc 200 EFI Saltwater	Yamaha 150 4-stroke
Merc 200 Optimax	Yamaha 200 SX
Saltwater (DIG)	Saltwater Series
Johnson 140 4-stroke	Yamaha Z 200 HPDI
Johnson 150	Yamaha F 200 4-stroke
Johnson 175	

PERFORMANCE DATA - Yamaha 200 SX

Time to Plane	2.52 Seconds
Top Speed	48.1 MPH @ 5300 RPM
Cruise Speed	41.6 MPH @ 4500 RPM
Cruise Range	227 Miles

Performance and fuel consumption will vary and be affected by water and weather conditions, altitude, load and condition of boat, engine and propeller(s). Cruise range based on 95% of fuel capacity. All data is illustrative and is not warranted. This test done with clean bottom, no bottom paint and light to average load.

Specifications, options, and equipment are subject to change without notice.

NOTES
