V Welkraft[®]

330 COASTAL



L.O.A. w/pulpit & platform	38' 5" (11.71 m)
L.O.A. w/pulpit	36' 4" (11.07 m)
Hull length	33' 3" (10.13 m)
Beam	12' 5" (3.78 m)
Dry weight (w/engine) (approx.)*	16000 lbs. (7257 kg)
Fuel capacity	370 gal. (1400 L)
Water capacity	52 gal. (196.8 L)
Holding tank capacity	20 gal. (75.7 L)
Max power @ prop	760 HP (566.73 kw)
Deadrise	16°
Draft: down (approx.)	36" (.91 m)
Bridge clearance (approx.)	9' 9" (2.97 m)
Headroom	6' 7" (2.01 m)
Sleeping Capacity	4

* Dry weights are calculated with standard equipment only. Dry weight will vary with engine and options installed.

KEY SALES FEATURES

Bait and tackle prep centers with fresh and salt water washdown
 Large windshield for visibility and weather protection

- Molded transom door for easy access for divers
 Stretched vinyl headliner
- 2 large flush mounted cockpit fish boxes with removable liners
 - All stainless steel deck hardware thru-bolted
 - Complies with Coast Guard safety regulations
 - 5-year structural hull warranty transferable
 - Swim platform Fiberglass encapsulated stringer system
 NMMA Yacht Certification Cockpit liner fiberglass -

skid resistant for easy maintenance

STANDARD EQUIPMENT

HULL & DECK Anchor locker

- Bow pulpit with integrated roller and deck pipe
- Cleats stainless steel
- Deck hatch with screen
- Hardtop with electronics box, spreader lights (2) and rod holders
- Heavy duty rub rail with stainless steel insert
- Hullside exhaust stainless Port lights - opening with
- stainless steel trim rings Rod holders - gunwale mount (4)
- Rod racks stainless steel with cap under gunwale port/stbd
- Stainless steel rails
- Stainless steel thru hulls
- Swim platform with 3 step
- boarding ladder Transom full height w/door Upgraded engine room, sound dampening system
- and cabin insulation
- Windshield tempered glass w/aluminum frame

- COCKPIT Beverage holders
- Cockpit coaming bolsters
- Cockpit overboard scuppers Courtesy lights
- Fish boxes (2) removable in cockpit sole
- Footrest port/stbd Knife and pliers rack cutting board
- Livewell, circular with leader storage - stbd side
- Raw water washdown
- Seats double helm and companion
- Tackle center with storage and fresh water washdown - portside

CABIN

- AC/DC panel
- Cabin door lockable
- Carpet snap in
- Decor pillows
- Dinette table Granulon™ converts to berth (hi-lo)
- Hanging locker
- Lighting direct/indirect Liner full fiberglass
- Rod storage vertical (4) Sirius Satellite Radio System Clarion AM/FM CD player, Sirius Satellite receiver and antenna, 4 speakers, digital remote control Storage lockers - under berths
- V-berth cushions

GALLEY

- Coffee maker (N/A with CE or 220 volt) Counter top Granulon™
- Microwave oven
- Refrigerator dual voltage, 110 V, GFI protected
- Sink with pressurized fresh water system

Stove - two burner electric

HEAD

Duplex outlet - GFI protected Full fiberglass head compartment with vent SeaLand™ VacuFlush - with holding tank Shower - hand held with seat Vanity - sink and storage molded fiberglass

MECHANICAL

Accessory plug - 12V Battery switch - dual Bilge blower Bilge pumps (4) with auto float switches and high water alarm - 1500 GPH Compass Detector - carbon monoxide Dockside water connection Dripless shaft logs Fire suppression system automatic engine shutdown with manual over ride Fuel filters - Racor™ Horn Hoses - steel reinforced Ignition - safety interlock system Instrumentation with dimmer switch - electronic controls, tachometer, fuel, volts, water pressure, oil pressure, systems monitor Navigation lights Pressurized fresh water system Props - Nibral Prop shafts - heavy duty stainless steel SeaKey™ - featuring telematics technology Shore power 30 amp converter with 50 shore power cord Steering - hydraulic Steering wheel - aluminum with power knob (new) Trim tabs - hydraulic fluśh mount Water heater - 6 gal. with exchanger Windshield wipers (3)

OPTIONAL EQUIPMENT

CE certification (for export only)

- Cockpit carpet snap in
- Cockpit cover Cockpit sole reinforcement
- for fighting chair Generator diesel 5 kw includes galvanic isolator w/status monitoring
- Hardtop delete LCD TV/DVD with
- TV/telephone inlet and antenna (not available with CE or 220 volt)
- Overboard discharge for
- VacuFlush head Outriggers 15' laydown for standard hardtop and optional second station tower

*Preferred Option Package

- Aft seat Air conditioner 16,000 BTU with heat
- Remote spotlight
- Side/drop curtain and windshield connector for hardtop
- TV/Telephone inlet and antenna
- Windlass with 150' rope/chain combo, electric up/down switches, lanyard and anchor

*Second Station Tower <u>Package</u> Cup holders

Delete hardtop Electronic control -Compass -Space for electronics -Upper and lower station -Upper console vinyl cover

-Vinyl buggy top

ENGINE OPTIONS

Tw D-6 Volvo diesel

COLOR OPTIONS

Hullside Color Option

Upgrade Fighting Lady Yellow Hunter Green Midnite Blue

<u>*Stereo Upgrade Package</u> Cockpit subwoofer, power amp, 6 disc CD changer, 2 additional speakers, and cabin crossover amplifier

*Ray Marine C70 Electronics Package (2) 6.5" Color Displays

(Units are radar ready - additional components required)

Includes chartplotter & HDFI fishfinder, and High Performance 1 KW in-hull transducer

VHF Radio - Ray 54

<u>Ray Marine Auto Pilot -</u> ST8001 S1G

Ray Marine Radar - 4KW Radome

<u> Ray Marine Radar - 4KW</u> Open Array

*Note: Items in Packages cannot be ordered individually unless listed as stand-alone.

Interior Fabric Selection Alabaster Rayan Wisper Willow

PERFORMANCE DATA - Tw Volvo D-6

Time to Plane Top Speed Cruise Speed Cruise Range 9.0 Seconds 33.8 MPH @ 2900 RPM 29.3 MPH @ 2700 RPM 309 Miles

Performance and fuel consumption will vary and be affected by water and weather conditions, altitude, load and condition of boat, engine and propeller(s). Cruise range based on 95% of fuel capacity. All data is illustrative and is not warranted. This test done with clean bottom, no bottom paint and light to average load.

Specifications, options, and equipment are subject to change without notice.

NOTES